

Digi Bid

Digi Security Systems
4492 Hunt Street,
Building #3
Pryor, OK 74361

Joshua Herron
President
josh@digiss.com
918.864.1861
www.digiss.com

[DIGI SECURITY BID - \$239,000.00]

Digi Security bid for OU video migration. Includes video migration plan, project pricing for initial migration & purchases as well as long term pricing for all equipment and labor available to OU & other universities & schools throughout Oklahoma.

** Acknowledges Addendum #1 + #2*

**THE UNIVERSITY OF OKLAHOMA
PURCHASING DEPARTMENT
2750 VENTURE DRIVE
NORMAN, OK 73069**



REQUEST FOR PROPOSAL

RFP# R-15442-15

AVIGILON VIDEO MANAGEMENT SOFTWARE

Issue Date: January 14, 2015

Close Date/Time: February 5, 2015 @ 2:00 PM CST

TABLE OF CONTENTS

	Page
1.0 Scope of Work	3
1.1 Summary.....	3
1.2 Coverage and Participation	3
2.0 General Information and Instructions	4
2.1 University Demographics.....	4
2.2 Attention to Terms and Conditions	8
2.3 RFP Evaluation Criteria.....	8
2.4 Schedule of Events	8
2.5 Accommodations for People with Disabilities.....	9
2.6 Performance Bond, Insurance or Similar Requirement.....	9
2.7 Electronic and Information Technology Accessibility in Accordance with Section 508 of the Rehabilitation Act of 1998, as Amended. (Pursuant to Title 74, Section 85.7d and OAC 580: 15-6-21).....	9
2.8 Health Insurance Portability and Accountability Act of 1996 (HIPAA).....	9
2.9 Debarment from Federal Healthcare Programs:.....	13
2.10 Family Educational Rights and Privacy Act (FERPA).....	14
3.0 Definitions	15
4.0 Terms and Conditions	16
4.1 Terms and Conditions for the Resulting Contract	16
4.2 Terms and Conditions for this RFP.....	23
4.3 Terms and Conditions for Communications between the University and Suppliers	27
4.4 Terms and Conditions for Packaging and Transmitting Proposals	29
5.0 Specifications (Supplier completes)	30
5.1 Scope of Work.....	30
5.2 Specifications.....	30
5.3 Pricing (SUPPLIER COMPLETES) - <i>Detailed Pricing should be attached to you proposal</i>	32
5.4 References.....	32
5.5 Pending Litigation or Formal Complaints	32
6.0 Signatures (Supplier completes)	34
6.1 COLLUSION AFFIDAVIT (SUPPLIER COMPLETES - NOTARIZATION REQUIRED)	34
6.2 Business Relationships Affidavit (Supplier completes - notarization required)	35
6.3 EEO Certificate of Compliance - Contracts over \$10,000 (Supplier completes)	36
6.4 (EEO Certificate of Compliance - Contracts over \$50,000 (Supplier completes).....	37
6.5 Certification of Proposal (Supplier completes).....	38

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

1.0 SCOPE OF WORK

1.1 Summary

The Board of Regents of The University of Oklahoma (University) invites interested Suppliers to submit Proposals to furnish the University with Avigilon Video Management Software for the Information Technology department on the Norman, OK campus.

1.2 Coverage and Participation

Campus locations or University Components are listed in the table below. It is possible that coverage is intended for all or some of these locations or components. The University reserves the right to add and/or delete elements, or to change any element of the coverage and participation at any time without prior notification and without any liability of any kind or amount.

University Component
Main University – Norman
Center for Graduate Studies – Tulsa
OU Health Sciences Center (OUHSC) – Oklahoma City
OU – Tulsa Campus
OUHSC Nursing Program – Lawton
OUHSC Family Medicine Clinic – Enid
OUHSC College of Medicine – Tulsa

The University of Oklahoma

RFP# R-15442-15

Close Date/Time – 02/05/15 – 2:00 PM CST

2.0 GENERAL INFORMATION AND INSTRUCTIONS

2.1 University Demographics

Created by the Oklahoma Territorial Legislature in 1890, the University of Oklahoma is a doctoral degree-granting research university serving the educational, cultural, economic and health-care needs of the state, region and nation. The Norman campus serves as home to all of the university's academic programs except health-related fields. The OU Health Sciences Center, which is located in Oklahoma City, is one of only four comprehensive academic health centers in the nation with seven professional colleges. Both the Norman and Health Sciences Center colleges offer programs at the Schusterman Center, the site of OU-Tulsa. OU enrolls more than 30,000 students, has more than 2,600 full-time faculty members, and has 21 colleges offering 163 majors at the baccalaureate level, 157 majors at the master's level, 81 majors at the doctoral level, 28 majors at the doctoral professional level, and 28 graduate certificates. The university's annual operating budget is \$1.7 billion. The University of Oklahoma is an equal opportunity institution. www.ou.edu/eoo.

- OU is the only university in the nation, public or private, whose students have won Goldwater, Mitchell, Truman, Rhodes, Marshall, Fulbright and National Security Education Program scholarships this year.
- OU ranks No. 1 in the nation among all public universities in the number of National Merit Scholars enrolled.
- *The Princeton Review* ranks OU among the best in the nation in terms of academic excellence and cost for students.
- OU ranks in the top six universities nationwide in affordability, academic quality and reasonable acceptance rates, according to rankings released by CollegeAtlas.org.
- OU is a leader among all American universities in international exchange and study abroad programs. One in four OU students study abroad. OU currently offers programs in over 50 countries and 100 cities in six continents. Students from 120 countries are enrolled at OU.
- OU is the only university in the nation, public or private, whose students have won Goldwater, Mitchell, Truman, Rhodes, Marshall, Fulbright and National Security Education Program scholarships this year.
- OU has produced 29 Rhodes Scholars; no other university in Oklahoma has had more than three.
- OU students achieved the highest graduation rate in state history for a public university – a record high of 67.8 percent for the freshman class that entered in 2005.
- OU students from the Peggy Dow Helmerich School of Drama won the largest number of awards of any university in America in the national Kennedy Center American College Theatre Competition.
- OU has achieved the Carnegie Foundation's highest tier of research activity classification, the first time a public institution in Oklahoma has received this outstanding recognition.
- An OU Debate Team from the Shannon Self Debate Program has won the national championship in debate four of the last six years.
- OU conferred the largest number of degrees of any college or university in state history – 7,495 – during the 2011-12 academic year.
- The Joe C. and Carole Kerr McClendon Honors College offers one of the most energetic and creative honors programs among public universities in the United States. More than 3,000 students participate in small classes, usually of 19 or less. More than 80 informal book clubs have been created in the past three years.
- OU student teams won top honors, including the new OG&E Positive Energy Award, at this year's Donald W. Reynolds Governor's Cup Collegiate Business Plan Competition in Oklahoma City, a competition designed to encourage students of Oklahoma universities and colleges to act upon their entrepreneurial ideas and develop skills to lead tomorrow's innovative news businesses.
- OU's entrepreneurship program in the Price College of Business ranks in the top two in the nation among all public universities.
- OU's \$250 million Campaign for Scholarships has reached \$241 million in gifts and pledges. The success of the campaign has allowed OU to more than double its private scholarships.
- OU has increased, from 100 to 578, the number of endowed faculty positions in the past 19 years, demonstrating a strong commitment to excellence.

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

The University of Oklahoma

RFP# R-15442-15

Close Date/Time – 02/05/15 – 2:00 PM CST

- OU continues to break private fundraising records, with more than \$2 billion in gifts and pledges since 1994, which has provided funding for dramatic capital improvements, the growth in faculty endowment and student scholarships.
- OU has the academically highest ranked student body at a public university in Oklahoma history.
- An OU Debate Team from the Shannon Self Debate Program has won the national championship in debate four of the last six years.
- Since 1994, research and sponsored programs expenditures at OU have more than doubled, and OU continues to set new records for funding for externally sponsored research. OU ended FY 2012 with total expenditures of more than \$284 million.
- Since 1994, more than \$2 billion in construction projects have been completed, are under way or are forthcoming on OU's three campuses, the largest of which is the \$128 million Peggy and Charles Stephenson Oklahoma Cancer Center.
- OU is home to one of the two largest natural history museums in the world associated with a university. The Sam Noble Oklahoma Museum of Natural History has more than 7 million artifacts and contains 195,000 square feet on 40 acres of land. The museum exhibits include the largest *Apatosaurus* on display in the world and the oldest work of art ever found in North America — a lightning bolt painted on an extinct bison skull.
- During the past 18 years, the Fred Jones Jr. Museum of Art has acquired several significant collections that have further strengthened the museum's holdings in the areas of Native American and Southwest art. Strengths of the nearly 16,000-object permanent collection include the Weitzenhoffer Collection of French Impressionism, one of the most important gifts of art ever given to a U.S. public university; the Eugene B. Adkins Collection, shared with the Philbrook Museum of Art in Tulsa; the James T. Bialac Collection; the Dr. and Mrs. Richard L. Sandor Photography Collection; the Priscilla C. and Joseph N. Tate Collection; the Roxanne P. and William H. Thams Collection; and the Richard H. and Adeline J. Fleischaker Collection.
- OU's Western History Collection is one of the largest collections in the world of documents and photographs, including a rare multivolume portfolio on the Indians of the United States and Alaska by Edward S. Curtis.
- The Peggy and Charles Stephenson Cancer Center building represents the largest public-private biomedical initiative in Oklahoma history. The 210,000-square-foot facility provides patient-centered care, offering the most advanced cancer detection and treatment technology, the largest and most experienced group of cancer specialists, a wide array of supportive services and an environment that provides a warm and comforting experience for patients and caregivers.
- OU's Harold Hamm Diabetes Center is one of the top comprehensive diabetes centers in the world for adults and children with type 1 and type 2 diabetes, engaging in novel research aimed at progress toward a cure for diabetes and its complications, providing dramatically improved patient care, and preventing the spread of diabetes through education and early detection.
- A major beautification campaign has transformed the appearance of the OU Health Sciences Center in Oklahoma City. The project replaced a divided highway through campus with seven tiered gardens featuring traditional OU arches at each end. The pedestrian walkway's landmarks include an OU Seed Sower sculpture at the west end, a clock tower at the east end, and a 70-foot granite fountain in the center.
- International and Area Studies is among the fastest growing fields of study at OU, with seven majors, an accelerated bachelor's/master's program, and a juris doctor/master's in International Studies option. To accommodate growing student demand in that discipline, OU has created the College of International Studies that includes the School of International and Area Studies, the offices of Education Abroad and International Student Services, and the International Programs Center.
- For the outdoor improvements to the Norman campus — gardens, fountains, sculptures, benches — the University of Oklahoma has won first place in the education category for Beautification and Landscaping in the statewide environmental competition. Gifts of over \$3 million have permanently endowed OU's gardens.
- With 560 doctors, OU Physicians is the state's largest physician group. The practice encompasses nearly every adult and child specialty. Many OU Physicians have expertise in the management of complex conditions that is unavailable anywhere else in the state, region or sometimes even the nation. Some have pioneered surgical procedures or innovations in patient care that are world firsts.
- The University of Oklahoma maintains one of the three most important collections of early manuscripts in the history of science in the United States. It includes Galileo's own copy of his work, which first used the telescope to support the Copernican theory, with corrections in his own handwriting.

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

The University of Oklahoma

RFP# R-15442-15

Close Date/Time – 02/05/15 – 2:00 PM CST

- The University of Oklahoma Libraries has more than 5 million volumes, commanding lead as the state's largest research library and claiming one of the top two spots in size among Big 12 libraries.
- OU's Julian P. Kanter Political Commercial Archive houses the world's largest collection of U.S. political commercials. With more than 95,000 commercials, the archive includes political advertisements dating back to 1936 for radio and 1950 for television.
- The highly acclaimed journal of international literature, *World Literature Today*, is published at the University of Oklahoma.
- OU is home to the Neustadt International Prize for Literature, considered to be second in prestige only to the Nobel Prize and often referred to as the "American Nobel." Thirty Neustadt laureates, candidates and jurors have won the Nobel Prize in the past 42 years.
- The OU Cousins program matches U.S. and international students to share informal and social experiences. Students may volunteer to live on international floors with half of the residents from the United States and half from other countries.
- *Dance Magazine* places the OU School of Dance in the top three of all dance programs in the country.
- OU's 277-acre Research Campus is anchored by the Stephenson Research and Technology Center, where cutting-edge research includes radar technology, meteorology, genetics, energy and the life sciences. The campus is home to the National Weather Center, which houses OU's academic and research programs in meteorology and the National Oceanic and Atmospheric Administration's Norman-based weather, research and operations programs.
- OU's supercomputer debuted as the fastest in Oklahoma history and in the Big 12 and in the top 10 at U.S. universities (excluding federally funded national supercomputing centers).
- Since its creation in 1998, OU's Office of Technology Development has helped launch 36 companies that have generated more than \$96 million in capital. In addition, the companies have created in excess of 150 jobs, which pay on average nearly twice the median household income in Oklahoma.
- The OU College of Law has an annual bar passage rate that places OU among the very best in the nation.
- A major building project has doubled the size of the Law Center, refurbishing classrooms and creating a new library, a cutting-edge courtroom, and expanded student lounge and office facilities.
- OU President David Boren, a former U.S. senator and governor of Oklahoma, teaches an introductory course in political science each semester, and keeps in close touch with students.
- OU has one of the oldest comprehensive colleges of fine arts in the Great Plains states, with highly regarded schools of Music, Drama, Art and Dance, and programs in opera, musical theater and sculpture.
- OU has won awards for new initiatives to create a sense of family and community on campus. OU is one of the very few public universities to twice receive the Templeton Foundation Award as a "Character Building College" for stressing the value of community.
- The University of Oklahoma has consistently been designated as one of America's 100 Best College Buys by Institutional Research & Evaluation, an independent higher education research and consulting organization.
- OU has established a faculty-in-residence program with faculty members and their families living in apartments in the student residence halls.
- The Michael F. Price College is ranked as one of the nation's top business schools at the undergraduate and graduate levels. Price College ranks in *U.S. News & World Report's* top 20 in undergraduate business specialties for international business.
- OU is one of a small number of Division I-A universities in the nation to receive the CHAMPS award for preparing student-athletes for life. The award is based on academic excellence, athletic excellence, personal development, community service and career development.
- *The Oklahoma Daily*, OU's student newspaper, and Sooner yearbook are consistently ranked among the best in the country.
- Five Native American languages are taught at the University of Oklahoma, more than any other university in the world.
- The University of Oklahoma ranks in the top five in the nation in the number of undergraduate degrees conferred to Native American students, according to *Diverse: Issues in Higher Education*.

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

The University of Oklahoma

RFP# R-15442-15

Close Date/Time – 02/05/15 – 2:00 PM CST

- The Fred Jones Jr. Museum of Art at the University of Oklahoma houses one of the most important collections of Native American art in the United States.
- The Gaylord College of Journalism and Mass Communication at OU is home to the Native American Journalists Association, the oldest and largest international organization for indigenous journalists.
- OU has been recognized as an outstanding university for Hispanic students by *Hispanic Outlook in Higher Education* magazine.
- The Carl Albert Congressional Research and Studies Center houses the papers of more than 55 former members of Congress, making it the nation's most comprehensive center for congressional studies.
- OU's journalism and mass communication school was elevated to college status, thanks to a \$22 million gift from Edward L. Gaylord on behalf of the Gaylord family of Oklahoma City.
- The OU Health Sciences Center is one of only four comprehensive academic health centers in the nation with seven professional schools: Allied Health, Dentistry, Medicine, Nursing, Pharmacy, Public Health and Graduate Studies.
- OU is the only public university in Oklahoma to be included in the *Fiske Guide to Colleges*, which lists the top 10 percent of all U.S. universities.
- OU frequently hosts national and international scholars and policymakers during major national conferences and symposia. Over the past few years, guests have included a former U.S. president, U.S. Supreme Court justices, a former British prime minister, international political analysts, and award-winning journalists, historians and authors.
- OU's A. Max Weitzenhoffer School of Musical Theatre is one of the very few university programs in the nation that provides students an opportunity to be in the same cast with professional Broadway actors in brand-new productions.
- The OU Press is the oldest in the Great Plains states and ranks among the 20 most important university presses in the United States. It is a leading publisher of books about Native Americans and the American West.
- The OU College of Law publishes the only law journal in the United States devoted exclusively to Native American legal issues.
- This year, OU finished seventh in the Director's Cup Standing. This year marks the fourth consecutive year that the Sooners have finished among the top 15 in the program that ranks overall program excellence in competition.
- A \$50 million gift from the George Kaiser Family Foundation – the largest single gift the university has ever received – helped create the OU School of Community Medicine. The school's mission is to improve the overall health status of underserved Oklahoma areas, both rural and urban, through community-based medicine.
- In 1999, a \$10 million grant to OU from the Charles and Lynn Schusterman Family Foundation of Tulsa supported the purchase of the BP Amoco property in Tulsa, enabling OU to establish a new community-based campus for the University's Tulsa programs.
- In 2003, the Schusterman Family underlined their support of OU in Tulsa with the announcement of a \$10 million challenge grant for OU-Tulsa to help complete the first phase of the campus master plan for the Schusterman Center and allow OU-Tulsa to expand degree programming in key areas.
- First- and second-year students receive outstanding instruction and mentoring under a program that brings more than 50 retired full professors back to campus to teach their introductory courses.
- OU Outreach is one of the largest continuing higher education organizations in the nation and annually serves more than 200,000 learners around the world.
- The OU Sooners have won 27 national championships in men's and women's sports with the latest coming in 2013 when the softball team won the Women's College World Series.
- Five student-athletes were named to Academic All-America teams, 10 Sooner student-athletes were named to Academic All-District first teams, and 150 were named to conference All-Academic teams.
- More than 300 Sooner student-athletes were named to the Big 12 Commissioner's Honor Roll each semester last year. More than 60 OU student-athletes recorded a perfect 4.0 GPA last year.

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

2.2 Attention to Terms and Conditions

Suppliers are cautioned to thoroughly understand and comply with all matters covered under the Terms and Conditions section of this RFP.

2.3 RFP Evaluation Criteria

The evaluation of each Response to this RFP will be based on its overall competence, compliance, format, and organization. Pricing will be a criterion, but not necessarily the one receiving the most weight.

2.4 Schedule of Events

The following schedule will apply to this RFP, but may change in accordance with the University's needs.

January 14, 2015	Issue RFP
January 28, 2015; 1:00 PM CST	Last date and time OU will accept questions relative to this RFP
January 29, 2015	Projected last date OU will issue an addendum
February 5, 2015	RFP Closes at 2:00 PM, CST
February 5, 2015 - TBD	Complete Evaluations
TBD	Award Notification
TBD	Commence Service / Implementation

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

2.5 Accommodations for People with Disabilities

If the Supplier or any of the Supplier's employees participating in this RFP need, or have questions about the University's accommodations for people with disabilities, please make arrangements with the contact listed below.

Name	Phone Number
Craig Sisco	405-325-5261

2.6 Performance Bond, Insurance or Similar Requirement

Suppliers should read the Terms and Conditions closely to determine whether a performance bond or similar requirement is indicated by this RFP. If so, such bond shall be issued to the Board of Regents of the University of Oklahoma and that complete and competent evidence of such coverage must be provided to the University in the Supplier's Proposal package.

2.7 Electronic and Information Technology Accessibility in Accordance with Section 508 of the Rehabilitation Act of 1998, as Amended. (Pursuant to Title 74, Section 85.7d and OAC 580:15-6-21)

All electronic and information technology procurements, agreements, and contracts shall comply with Oklahoma Information Technology Accessibility Standards issued by the Oklahoma Office of State Finance.

If this document does not meet your accessibility requirements, please contact the Buyer at (405) 325-5261 and appropriate accommodations will be made.

2.8 Health Insurance Portability and Accountability Act of 1996 (HIPAA)

To the extent applicable to this Request for Proposal, Supplier agrees to comply with the Health Insurance Portability and Accountability Act of 1996, as codified at 42 USC§ 1320d through d-8 ("HIPAA") and any current and future regulations promulgated thereunder including without limitation the federal privacy regulations contained in 45 C.F.R. Parts 160 and 164 (the "Federal Privacy Regulations"), the federal security standards contained in 45 C.F.R. Parts 160, 162 and 164 (the "Federal Security Regulations"), and the federal standards for electronic transactions contained in 45 C.F.R. Parts 160 and 162, all collectively referred to herein as "HIPAA Requirements." Supplier agrees to the terms of the Business Associate Agreement attached hereto and incorporated herein.

Confidentiality and Security of Protected Health Information

To the extent any provisions of the Health Insurance Portability and Accountability Act of 1996 ("HIPAA"), and its implementing regulations and amendments, apply to your functions or activities for or on behalf of the Board of Regents of the University of Oklahoma, the Covered Entity ("OU"), you, your officers, agents, and employees (collectively, "Business Associate"), agree to the terms herein. Business Associate acknowledges that it may have or obtain access to confidential protected health information ("PHI") (as defined below), some of which may be Electronic Protected Health Information ("Electronic PHI") (as defined below). The functions or activities that the Business Associate is authorized to perform for or on behalf of OU are described below:

Avigilon Video Management Software.

Additional Definitions:

Business Associate. "Business Associate" shall generally have the same meaning as the term "Business Associate" at 45 CFR 160.103, and in reference to the party to this the resulting Agreement, shall mean the entity whose name appears below.

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

Covered Entity. "Covered Entity" shall generally have the same meaning as the term "Covered Entity" at 45 CFR 160.103, and in reference to the party to this agreement, shall mean the Board of Regents of the University of Oklahoma ("OU").

HIPAA Rules. "HIPAA Rules" shall mean the Privacy, Security, Breach Notification, and Enforcement Rules at 45 CFR Part 160 and Part 164, all as may be amended.

The following terms shall have the same meaning as those terms in the HIPAA Rules: Breach, Data Aggregation, Designated Record Set, Disclosure, Health Care Operations, Individual, Minimum Necessary, Notice of Privacy Practices, Protected Health Information, Required By law, Secretary, Security Incident, Subcontractor, Unsecured PHI, and Use.

Obligations of Business Associate:

Business Associate may use Electronic PHI and PHI (collectively, "PHI") solely to perform its duties and responsibilities under the resulting Agreement and only as provided in that Agreement. For purposes of clarity, these confidential and security of PHI terms are incorporated into the Agreement. Business Associate acknowledges and agrees that PHI is confidential and shall not be used or disclosed, in whole or in part, except as provided in the Agreement or as required by law. Specifically, Business Associate agrees it will:

- (a) use or further disclose PHI only as permitted in the Agreement or as Required by Law, including, but not limited to the Privacy and Security Rule;
- (b) use appropriate safeguards, and comply with Subpart C of 45 CFR Part 164 with respect to Electronic PHI, to prevent use or disclosure of PHI other than as provided for by the Agreement;
- (c) implement and document appropriate administrative, physical, and technical safeguards to protect the confidentiality, integrity, and availability of PHI that it creates, receives, maintains, or transmits for or on behalf of OU in accordance with 45 CFR 164;
- (d) implement and document administrative safeguards to prevent, detect, contain, and correct Security violations in accordance with 45 CFR 164;
- (e) make its policies and procedures required by the Security Rule available to OU solely for purposes of verifying BA's compliance and the Secretary of the Department of Health and Human Services (HHS);
- (f) not receive remuneration from a third party in exchange for disclosing PHI received from or on behalf of OU;
- (g) in accordance with 45 CFR 164.502(e)(1) and 164.308(b), if applicable, ensure that any subcontractors that create, receive, maintain or transmit PHI on behalf of the Business Associate agree to the same restrictions, conditions, and requirements that apply to the Business Associate with respect to such information;
- (h) report to OU any use or disclosure of PHI that is not permitted under the Agreement as soon as reasonably practicable upon becoming aware of it and mitigate, to the extent practicable and in cooperation with OU, any harmful effects known to it of a use or disclosure made in violation of this Agreement;
- (i) promptly report to OU any Security Incident, as defined in the Security Rule, with respect to Electronic PHI;

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

(j) with the exception of law enforcement delays that satisfy the requirements of 45 CFR 164.412, notify OU promptly, in writing and without unreasonable delay and in no case later than five (5) calendar days, upon the discovery of a breach of Unsecured PHI. Such notice shall include, to the extent possible, the name of each individual whose Unsecured PHI has been, or is reasonably believed by Business Associate to have been, accessed, acquired, or disclosed during such Breach. Business Associate shall also, to the extent possible, furnish OU with any other available information that OU is required to include in its notification to Individuals under 45 CFR § 164.404(c) at the time of Business Associate's notification to OU or promptly thereafter as such information becomes available. As used in this Section, "breach" shall have the meaning given such term at 45 CFR 164.402;

(k) indemnify and hold OU harmless from all claims, liabilities, costs, and damages arising out of or in any manner related to the disclosure by Business Associate of any PHI or to the breach by Business Associate of any obligation related to PHI;

(l) provide access to PHI in a Designated Record Set to OU, or if directed by OU to an Individual in order to meet the requirements of 45 CFR 164.524. In the event that any Individual request access to PHI directly from Business Associate, Business Associate shall promptly forward such request to OU. Any denials of access to the PHI requested shall be the responsibility of OU;

(m) make PHI available to OU for amendment and incorporate any amendments to PHI in accordance with 45 CFR 164.526;

(n) document disclosure of PHI and information related to such disclosure as would be required for OU to respond to a request by an Individual for an accounting of disclosures of PHI, in accordance with 45 CFR 164.528, and within five (5) working days of receiving a request from OU, make such disclosure documentation and information available to OU. In the event the request for an accounting is delivered directly to Business Associate, Business Associate shall promptly forward such request to OU;

(o) make its internal practices, books, and records related to the use and disclosure of PHI received from or created or received by Business Associate on behalf of OU available to the Secretary of the Department of HHS, authorized governmental officials, and OU for the purpose of determining Business Associate's compliance with the Privacy Rule. Business Associate shall give OU advance written notice of requests from DHHS or government officials and provide OU with a copy of all documents made available; and

(p) ensure that all of its subcontractors, vendors, and agents to whom it provides PHI or who create, receive, use, disclose, maintain, or have access to OU's PHI shall agree in writing to requirements, restrictions, and conditions at least as stringent as those that apply to Business Associate under the Agreement, including but not limited to implementing reasonable and appropriate safeguards to protect PHI, and shall ensure that its subcontractors, vendors, and agents agree to indemnify and hold harmless OU for their failure to comply with each of the provisions of the Agreement.

Permitted Uses by Business Associate:

Except as otherwise provided in the Agreement, Business Associate may use or disclose PHI on behalf of or to provide services to OU for the purposes specified in the Agreement, if such use or disclosure of PHI would not violate the Privacy Rule if done by OU. Business Associate may:

(a) use PHI for its proper management and administration or to fulfill any present or future legal responsibilities of Business Associate;

- (b) disclose PHI for its proper management and administration or to fulfill any present or future legal responsibilities of Business Associate, provided that (i) the disclosure is Required by Law; or (ii) Business Associate obtains reasonable assurances from any person to whom the PHI is disclosed that such PHI will be kept confidential and will be used or further disclosed only as Required by Law or for the purpose(s) for which it was disclosed to the person, and the person commits to notifying Business Associate of any instances of which it is aware in which the confidentiality of the PHI has been breached;
- (c) disclose PHI to report violations of law to appropriate federal and state authorities; or
- (d) aggregate the PHI with other data in its possession for purposes of OU's Health Care Operations.
- (e) make uses and disclosures and requests for protected health information consistent with OU's minimum necessary policies and procedures.

Obligations of OU:

- (a) OU shall notify Business Associate of any limitation(s) in the Notice of Privacy Practices of OU or disclosure of PHI.
- (b) OU shall notify Business Associate of any changes in, or revocation of, the permission by an individual to use or disclose his or her PHI, to the extent that such changes may affect Business Associate's use or disclosure of PHI.
- (c) OU shall notify Business Associate of any restriction on the use or disclosure of PHI that OU has agreed to or is required to abide by under 45 CFR 164.522, to the extent that such restriction may affect Business Associate's use or disclosure of protected health information.
- (d) OU shall not request Business Associate use or disclose PHI in any manner that would violate the Privacy Rule if done by OU.

Term and Termination:

- (a) Term. These terms shall be effective as of the date of the underlying agreement, and shall terminate on the date the underlying Agreement terminates or on the date OU terminates for cause as authorized in paragraph (b) of this Section, whichever is sooner.
- (b) Termination for Cause. Business Associate authorizes termination of the Agreement by OU, if OU determines Business Associate has violated a material term of these terms (and Business Associate has not cured the breach or ended the violation within the time specified by OU); if a cure period is provided.
- (c) Obligations of Business Associate Upon Termination.
Upon termination of the Agreement for any reason, Business Associate, with respect to PHI received from OU, or created, maintained, or received by Business Associate on behalf of Covered Entity, shall:
 1. Retain only that PHI that is necessary for Business Associate to continue its proper management and administration or to carry out its legal responsibilities;
 2. Return to OU (or, if agreed to by OU, destroy) the remaining PHI that the Business Associate still maintains in any form;
 3. Continue to use appropriate safeguards and comply with Subpart C of 45 CFR Part 164 with respect to PHI to prevent use or disclosure of the PHI, other than as provided for in this Section, for as long as Business Associate retains the PHI;
 4. Not use or disclose the PHI retained by Business Associate other than for the purposes for which such PHI was retained and subject to the same conditions set out at above under

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

“Permitted Uses and Disclosures By Business Associate” that applied prior to termination;
and

5. Return to OU (or, if agreed to by OU, destroy) the PHI retained by Business Associate when it is no longer needed by Business Associate for its proper management and administration or to carry out its legal responsibilities.

- (d) All other obligations of Business Associate under these terms shall survive termination.

Miscellaneous:

- (a) Business Associate recognizes that any material breach of these terms or breach of confidentiality or misuse of PHI may result in the termination of this Agreement and/or legal action. Said termination may be immediate and need not comply with any termination provision in the parties' underlying agreement, if any.

- (b) The parties agree to amend the Agreement from time to time as is necessary for OU or BA to comply with the requirements of the Privacy Rule and related laws and regulations.

- (c) OU's Notice of Privacy Practices is available on its websites: www.ouhsc.edu and www.ou.edu.

- (d) Any ambiguity in these terms shall be resolved in a manner that causes the Agreement to comply with HIPAA.

- (e) These terms embody and constitute the entire agreement and understanding between the parties with respect to the subject matter hereof and supersede all prior Business Associate agreements pertaining to the subject matter hereof.

- (f) If Business Associate maintains a designated record set in an electronic format on behalf of Covered Entity, then Business Associate agrees that within 30 days of expiration or termination of the Agreement, Business Associate shall provide to OU a complete report of all disclosures of and access to the designated record set covering the three years immediately preceding the termination or expiration. The report shall include patient name, date and time of disclosures/access, description of what was disclosed/accessed, purpose of disclosure/access, name of individual who received or accessed the information, and, if available, what action was taken within the designated record set.

2.9 Debarment from Federal Healthcare Programs:

Supplier represents and warrants to University that Supplier, its officers, directors, agents, and employees (i) are not currently excluded, debarred, or otherwise ineligible to participate in the federal health care programs as defined in 42 USC § 1320a-7b(f) (the “Federal Healthcare Programs”) or any state healthcare programs; (ii) have not been convicted of a criminal offense related to the provision of healthcare items or services but have not yet been excluded, debarred, or otherwise declared ineligible to participate in the Federal Healthcare Programs or any state healthcare programs; and (iii) are not, to the best of its knowledge, under investigation or otherwise aware of any circumstances which may result in Supplier being excluded from participation in the Federal Healthcare Programs or any state healthcare programs. This shall be an ongoing representation and warranty during the term of this Agreement and Supplier shall immediately notify University of any change in the status of the representations and warranty set forth in this section. Any breach of this section shall give the University the right to terminate this Agreement immediately for cause in addition to any other remedies available to it herein or by law.

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

2.10 Family Educational Rights and Privacy Act (FERPA)

Protection of Confidential Data:

To the extent applicable to this Request for Proposal and any subsequent Agreement, Supplier agrees to abide by the limitations on re-disclosure of personally identifiable information from the University's education records as set forth in The Family Educational Rights and Privacy Act (FERPA) (34 CFR § 99.33(a)(2)) and with the terms set forth below. 34 CFR § 99.33 (a)(2) states that the officers, employees and agents of a party that receives education record information from the University, the educational institution, may use the information, but only for the purposes for which the disclosure was made.

Definition: Covered Data and Information (CDI):

Includes paper and electronic student education record information supplied by University, as well as any data provided by University's students to the Supplier.

Acknowledgment of Access to CDI:

Supplier acknowledges that the Agreement allows the Supplier access to CDI.

Prohibition on Unauthorized Use or Disclosure of CDI:

Supplier agrees to hold CDI in strict confidence. Supplier shall not use or disclose CDI received from or on behalf of University (or its students) except as permitted or required by the Agreement, as required by law, or as otherwise authorized in writing by University. Supplier agrees not to use CDI for any purpose other than the purpose for which the disclosure was made.

Return or Destruction of CDI:

Upon termination, cancellation, expiration or other conclusion of the Agreement, Supplier shall return all CDI to University or, if return is not feasible, destroy any and all CDI. If the Supplier destroys the information, the Supplier shall provide University with a certificate confirming the date of destruction of the data.

Remedies:

If University reasonably determines in good faith that Supplier has materially breached any of its obligations under this contract, University, in its sole discretion, shall have the right to require Supplier to submit to a plan of monitoring and reporting; provide Supplier with a fifteen (15) day period to cure the breach; or terminate the Agreement immediately if cure is not possible. Before exercising any of these options, University shall provide written notice to Supplier describing the violation and the action it intends to take. If the Family Policy Compliance Office of the U.S. Department of Education determines that the Supplier improperly disclosed personally identifiable information obtained from University's education records, University may not allow the Supplier access to its education records for at least five years.

Maintenance of the Security of Electronic Information:

Supplier shall develop, implement, maintain and use appropriate administrative, technical and physical security measures to preserve the confidentiality, integrity and availability of all electronically maintained or transmitted CDI received from, or on behalf of University or its students. These measures will be extended by contract to all subcontractors used by Supplier.

Reporting of Unauthorized Disclosures or Misuse of Covered Data and Information:

Supplier shall, within one day of discovery, report to University any use or disclosure of CDI not authorized by this agreement or in writing by University. Supplier's report shall identify: (i) the nature of the unauthorized use or disclosure, (ii) the CDI used or disclosed, (iii) who made the unauthorized use or received the unauthorized disclosure, (iv) what Supplier has done or shall do to mitigate any deleterious effect of the unauthorized use or disclosure, and (v) what corrective action Supplier has taken or shall take to prevent future similar unauthorized use or disclosure.

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

Supplier shall provide such other information, including a written report, as reasonably requested by University.

Indemnity:

Supplier shall defend and hold University harmless from all claims, liabilities, damages, or judgments involving a third party, including University's costs and attorney fees, which arise as a result of Supplier's failure to meet any of its obligations under this agreement.

3.0 DEFINITIONS

Contractor – Same as Supplier

Business Associate – Same as Supplier

CST – Central Standard Time

Customer - Unless otherwise implied by the context of the specific provision within this RFP, "Customer" means a customer of the Supplier, other than the University.

Proposal - The entirety of the Supplier's Responses to each point of this RFP, including any and all supplemental offers or information not explicitly requested within this RFP.

Proprietary Information - Information held by the owner that if released to the public or anyone outside the owner's organization, would be detrimental to its interests. It is an issue of fact rather than opinion.

Provider - Same as Supplier

Respondent - Same as Supplier

Response - Same as Proposal

Request for Proposal (RFP) - A competitive negotiation process. It is not to be confused with an Invitation to Bid (ITB), in which goods or services are precisely specified and price is substantially the only competitive factor. This RFP provides the University the flexibility to negotiate a mutually agreeable relationship. Price is considered, but is not the only factor of evaluation.

Successful Supplier - Any Supplier selected by the University to receive a notice of award as a result of this RFP and to enter into a contract to provide the University with the products or services sought by this RFP.

Supplier - For purposes of this RFP, "Supplier" means any entity responding to this RFP with the intention of winning the resulting award of contract, performing the work, and/or delivering the goods specified in the section titled "Detailed Specifications."

Supplier's Proposal - Same as Proposal.

Supplier's Response - Same as Proposal.

University - For purposes of this RFP, the scope of the term "University" is described in the paragraph titled "Scope" within the section titled "Terms and Conditions."

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

4.0 TERMS AND CONDITIONS

4.1 Terms and Conditions for the Resulting Contract

4.1.1 Contractual Force and Effect

The following terms and conditions establish the University's rights and expectations with respect to the goods and/or services sought hereunder. Unless otherwise specifically proposed by the Supplier, each term or condition herein shall, upon award by the University, have the force and effect of a contractual understanding between the University and each Successful Supplier. The University may pursue any remedy legally available to it in the event the Supplier breaches or violates any such term or condition.

4.1.2 Contract Term (if applicable)

The University reserves the right to set, and so sets, the intended contract term at a period not to exceed five (5) years, beginning upon award and notification of this RFP for a one (1) year period, with an option to renew at the end of each one (1) year term. While it is the intent of the University to maintain the contract for the term selected, as an agency of the State of Oklahoma, the University is prohibited from committing or otherwise obligating funds beyond the end of the then-existing fiscal year (June 30). Accordingly, the University shall have the option to renew any contract awarded under this RFP for up to four (4) additional one-year periods beyond the first year, one year at a time, in sequence. The University also reserves the right to terminate any contract at any time upon 30 days notice. Further, the University reserves the right to negotiate with the Supplier any additional contracts that would start prior to the intended expiration date, and/or has the option to extend the intended expiration date.

4.1.3 Performance Bond, Insurance or Similar Requirement

At its discretion or as mandated by law, ordinance, or regulation, the University may require the Supplier to post a performance bond in an amount set by law or at the University's discretion, as applicable. The University, at its discretion, may consider and accept, without any obligation to do so, alternate amounts and/or instruments proposed by Suppliers (for example, an interest bearing escrow account). THIS DOES NOT APPLY TO THIS RFP.

4.1.4 Date for Reckoning Prompt-payment Discount

For purposes of determining whether a prompt-payment discount, if applicable, may be taken by the University, the starting date of such reckoning period shall be the later of the date of a properly executed invoice or the date of completion of service and/or delivery of product.

4.1.5 Contract Status

The University may hold each Supplier's Response to this RFP as a legal offer to contract. If the University formally accepts such offer, a contractual relationship shall be deemed to exist and the University will so communicate to each Successful Supplier by issuing a notice of award.

4.1.6 Terms and Conditions of Resulting Contract are Incorporated by Reference

The specifications, terms, and conditions set forth in this RFP and any related award document shall be incorporated by reference without Supplier exception into any resulting contract between the University and any Successful Supplier.

4.1.7 Contract Format

The award notice will be a contract in the form of a document package comprising:

- All specifications, terms, conditions, and other particulars addressed by this RFP, whether in its original form or as amended by addenda;

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

- Each Successful Supplier's Responses, affidavits, certifications, and other information provided hereunder;
- The results of any final negotiations on those matters eligible for negotiation; and
- Any additional agreements and/or stipulations.

4.1.8 Conflicting Provisions

Under no circumstance shall any provision be effective if it is later found to be in conflict with state statute or other superior directive. In the event of a conflict between or among any provision contained in the resulting contract, such conflict shall be resolved in the following order, most effect to least effect.

1. Original RFP
2. Negotiations on those matters eligible for negotiation
3. Additional agreements and/or stipulations
4. Supplier's Proposal

4.1.9 Discrepancies between Numbers and Words

In the event of a discrepancy between information written in numbers and the same information also written in words, the information written in words shall govern.

4.1.10 Settlement of Contract Disputes

In the event of dispute, doubt, or difference of opinion as to any matter related to any contract resulting from this RFP, the University reserves the right to select a ranking University executive officer to render a decision. Such decision shall be final and binding on all parties to the contract.

4.1.11 Termination for Default / Show Cause Letter / Certain Remedies

The University may terminate a contract resulting from this RFP, for reason of the Supplier's default, if conditions including but not limited to those described in the following list come into being.

- The Supplier is adjudged bankrupt, makes a general assignment for the benefit of the Supplier's creditors, or a receiver is appointed on account of the Supplier's insolvency.
- The Supplier persistently or repeatedly refuses or fails to perform any of the provisions of the contract; or so fails to make progress pursuant to the contract's terms; or so fails to meet any delivery dates that may be specified in the section titled "Detailed Specifications," except when extensions may be granted to carry on as required by the contract.
- The Supplier persistently or repeatedly refuses or fails to make prompt payment to subcontractors.
- The Supplier persistently or repeatedly disregards laws, ordinances, or the instructions of any duly authorized representative of the University
- The Supplier otherwise commits a substantial violation of any provision of the contract.

The University may, in its sole discretion and without prejudice to any other right or remedy either terminate the contract or deliver to the Supplier a letter citing the instances of noncompliance and directing the Supplier to show cause why the contract should not be terminated (Show Cause Letter). The Supplier shall have ten (10) days to reply to the Show Cause letter and indicate why the contract should not be terminated. The Supplier shall then have thirty (30) days to cure the noncompliance cited in the Show Cause Letter. If the noncompliance is not cured within thirty (30) days, the University may negotiate a schedule to terminate the contract. In the event all or any part of the contract is terminated,

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

the University may take possession of any and all materials and finish the contract by whatever methods the University may deem expedient. In such case, the Supplier shall not be entitled to any further payment until the contract is finished. The Supplier shall be liable for any excess costs incurred by the University to perform the balance of the contract. The rights and/or remedies of the University under these terms and conditions are not exclusive but are in addition to any other rights and/or remedies provided by law or the contract. The University reserves the right to refuse to consider Proposals received from the Supplier in Response to RFPs that the University may issue in the future.

4.1.12 Contract Modification

No change or modification to a contract resulting from this RFP shall take effect until all parties have agreed in writing to such change or modification.

4.1.13 Contract Assignment or Sublet

No Successful Supplier shall assign, transfer, or sublet, either in whole or in part, any contract resulting from this RFP, without prior written University approval.

4.1.14 Referencing of Orders

For each order issued against a contract resulting hereunder, the University intends in good faith to reference this RFP for pricing, terms and conditions, delivery location, and other particulars. However, in the event the University fails to do so, the University's right to such terms, conditions, and particulars shall not be affected; and no liability of any kind or amount shall accrue to the University.

4.1.15 No Waiver of Rights by the University

No delay or failure on the University's part to enforce any provision of this agreement shall constitute or be construed by any party as a waiver or limitation of the University's rights under any resulting contract.

4.1.16 Choice of Law and Venue

The resulting Contract, its validity, and disputes arising under it shall be governed by, construed, and enforced in accordance with the laws of the State of Oklahoma, without regard to its choice of law provisions. The parties agree that any legal action relating to this Contract shall be filed in a court of competent jurisdiction in the State of Oklahoma, to which jurisdiction and venue the parties expressly agree.

4.1.17 Hold Harmless

Any Successful Supplier who becomes a party to any contract resulting from this RFP shall observe and execute indemnity and hold-harmless obligations in Response to the conditions included in, but not limited to those described in the following list. The beneficiaries of such hold-harmless obligations shall be the State of Oklahoma and the Board of Regents of the University of Oklahoma, including its agents, employees, and officers. The hold-harmless obligations apply to all claims, demands, losses, judgments and actions that may arise from the conditions included in, but not limited to those described in the following list, and all expenses associated therewith. The hold-harmless obligations extend to such Supplier's subcontractors and agents and shall be documented in any agreement between or among such parties.

- Any injury or damage sustained by any person or property as a result of any act or omission by such Supplier.
- Any infringement by such Supplier of patents, trademarks, service marks, copyrights, or other forms of intellectual property.
- Any claim or amounts arising or recovered under Workers' Compensation law or any other law in consequence of any act or omission by such Supplier.

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

4.1.18 Actions of Supplier

The University is under no obligation whatsoever to be bound by the actions of any Successful Supplier with respect to third parties. The Supplier is not a division, partner, or agent of the University.

4.1.19 Liens

Each Successful Supplier shall keep the University free and clear from all liens asserted by any person or entity for any reason arising out of the furnishing of services or materials by or to the Supplier.

4.1.20 Laws and Regulations

Suppliers are solely responsible for keeping themselves fully informed of and faithfully observing all laws, ordinances, and regulations affecting the rights of their employees, and shall protect and indemnify the University, its officers and agents against any claims of liability arising from or based on any violation thereof. By submitting a bid response or proposal for **services**, the Supplier or Bidder certifies that they, and any proposed subcontractors, are in compliance with 25 O.S. §1313 and participate in the Status Verification System. The Status Verification System is defined in 25 O.S. §1312 and includes but is not limited to the free Employment Verification Program (E-Verify) available at www.dhs.gov/E-Verify. Supplier further agrees to affirm and certify in writing to the University in the event a contract between the University and the Supplier results from this RFP that **sexual or violent offenders are prohibited** and no Supplier, subcontractor or their employee is registered or required to be registered as a sex or violent offender under the Oklahoma Sex Offender Registry, 22 O.S. § 991a or the Mary Rippey Violent Crimes Offender Act, 57 O.S. § 591-599.

4.1.21 Prior Course of Dealings

No trade usage, prior course of dealing, or course of performance under other contracts shall be a part of any contract resulting from this RFP; nor shall such trade usage, prior course of dealing, or course of performance be used in the interpretation or construction of such resulting contract.

4.1.22 Availability to Other Colleges and Universities, State Education Agencies, and/or Affiliates

In the event a contract between the University and the Supplier results from this RFP, the Supplier shall offer the same prices, terms, conditions, and all other particulars herein to all other institutions within the Oklahoma State Regents for Higher Education system, State Education Agencies, and/or affiliates. Provided however that the Supplier may apply fair and reasonable delivery cost adjustments to those institutions whose locations may be materially remote or proximate when compared to the delivery distances contemplated under this RFP.

4.1.23 Federal, State, and Local Taxes, Licenses and Permits

Suppliers are solely responsible for complying with all laws, ordinances, and regulations on taxes, licenses and permits, as they may apply to any matter under this RFP. Suppliers shall, at no expense to the University, procure and keep in force during the entire period of the contract all such permits and licenses and pay such taxes.

4.1.24 Payment in Advance of Receipt of Products or Services Prohibited

As a state agency, the University is prohibited by statute from paying for products or services in advance. Payment provisions shall be in arrears, with late payment and interest calculated as provided by Oklahoma law.

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

4.1.25 Equal Employment Opportunity Requirements

In entering into a contract resulting from this RFP, the Supplier agrees to comply with Equal Employment Opportunity Affirmative Action requirements as stipulated in Executive Order 11246 as amended by Executive Order 11375 and all subsequent amendments and supplements thereto and superseding orders. The Supplier's failure to comply may result in Supplier disqualification and/or cancellation of award. Such disqualification and/or cancellation shall be at no fault or liability whatsoever to the University.

4.1.26 Service related report as a result of this Request for Proposal

If Request for Proposal includes a requirement to provide a written proposal, report or study, per 74 Okl. Stat. 85.41 (F)(1), Supplier will certify the following in any resulting contract or award:

Supplier certifies it has not previously provided the University or any other Oklahoma state agency with a product that is a substantial duplication of the written proposal, report or study required in this Agreement.

4.1.27 Insurance Requirements

Successful Suppliers shall, prior to beginning any work under any contract that may result under this RFP as applicable, or as required by State or Federal law, acquire and have in effect minimum insurance coverage as set forth in the following table. The said minimum amounts are not intended to limit and do not or reduce any Supplier's liability.

Coverage Type	Minimum Amount
Workers Compensation	Statutory
Public Liability Insurance Bodily Injury: each person	\$1,000,000
Property Damage: each person	\$1,000,000
Per-Occurrence for All Claimants and Coverage	\$1,000,000

Successful Suppliers shall carry on their work in accordance with the requirements of the workers compensation law of the State of Oklahoma, and shall not reject the provisions thereof during the life of the contract. Successful Suppliers shall also protect themselves using liability insurance coverage against any and all claims for damages to persons or property which may arise out of operations under the contract, whether such operations be by the contractor, subcontractor, or anyone directly employed by either of them.

Prior to commencement of work under any contract that may result from this RFP; Successful Suppliers shall purchase and maintain property insurance coverage for the full insurable value of the property at the site of such work. If the policy evidencing such insurance coverage stipulates a deductible amount, Successful Suppliers shall pay the difference attributable to such deductible in any payments made by the insurance carrier on claims paid by such carrier. The University will not purchase insurance relative to this RFP unless otherwise stated herein.

Successful Suppliers shall file certificates of such insurance with the University, and such related coverage shall be subject to the University's approval.

4.1.28 Environmental Safety Requirements

All suppliers providing products and/or services to the University shall comply with the provisions set forth in the following subparagraphs.

Suppliers shall comply with all applicable Federal, State, and Local environmental, occupational, and safety statutes, regulations, and guidelines. Suppliers will also obtain all permits required by these statutes and regulations. For example, the contractor shall file a notice of intent for storm water discharges with the Oklahoma Department of Environmental Quality if the project meets the permitting requirements.

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

Suppliers shall be responsible for maintaining a training and education program for their employees which meets the requirements of the Federal Hazard Communication Standard (29 CFR 1910.1200 or 29 CFR 1926.56) along with other applicable standards such as the OSHA Bloodborne Pathogen Standard (29 CFR 1910.1030) or OSHA Respiratory Protection Standard (29 CFR 1910.134). Successful suppliers shall submit proof of such training and education program prior to award.

Suppliers shall not dispose of hazardous materials on University property or down sanitary or sewer drains, and shall not dispose of any materials, including water or wastewater, down storm drains.

All hazardous wastes generated by suppliers are the responsibility and property of such suppliers. Suppliers shall dispose of them in an environmentally responsible manner and in compliance with all applicable laws and regulations.

Where biological or hazardous materials are used or transported by the vendor, the vendor is responsible for; properly packaging and transporting the materials, providing appropriate training including spill response training for his/her employees, performing appropriate spill response activities when needed and notifying the appropriate regulatory agencies when required.

Suppliers who encounter suspected asbestos-containing material (ACM) during the course of their work and who may disturb, contact, or damage the suspected ACM, must immediately stop work and contact the OU-Tulsa Environmental Health and Safety Office (EHSO), the OUHSC EHSO or OU ACM Remediation Services. That office will determine whether the material contains asbestos.

Suppliers who use hazardous materials are responsible for notifying the appropriate EHSO in advance of the work, while also providing Safety Data Sheets (SDS) (formerly known as Material Safety Data Sheets or MSDSs) to the appropriate EHSO for those materials. Where University employees may be exposed to such materials, the contractor shall notify the appropriate EHSO and the affected University departments in advance of such exposures, and shall make every effort to minimize such exposures. Suppliers/contractors shall minimize University employee exposures to dust, mold, paint odors, and other construction-related airborne hazards through the use of barriers and engineering controls.

Suppliers who work on the OU campus must inquire as to the location of hazardous chemicals at OU that may be encountered during the course of their work and as to any safety precautions that should be taken while at the facility. Contractor's employees shall not disturb or handle any hazardous chemicals belonging to OU encountered in the course of their duties and shall report immediately the existence of any hazardous chemicals belonging to OU in their work area that may be disturbed or handled so that the appropriate EHSO may determine how best to proceed.

Any operation that has the potential to cause University employees to be exposed to noise levels in excess of OSHA allowable noise levels or hazardous substances in excess of OSHA allowable exposure limits shall be done after normal business hours and shall be scheduled 24 hours in advance with the appropriate EHSO.

Contractors performing hot work on OU property are responsible for having a company safety program that includes a hot work permit program. Contractors are responsible for performing hot work on OU property in a way that does not create hazardous conditions. Contractors performing hot work on OU-Tulsa or OUHSC campuses should provide a hot

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

work permit to the EHSO prior to initiating hot work. Contractors performing hot work on the Norman campus should contact the OU Fire Marshall.

Successful suppliers shall ensure that any subcontractors comply with these requirements.

4.1.29 Recycled Materials

Oklahoma is an energy Conservation State and any comments are welcomed in your Proposal that would indicate energy savings.

4.1.30 Export Controlled Products

If Supplier's Proposal will include a product that is export controlled, a Response to the following questions should be included in the Proposal:

Is your product export controlled? _____

If yes, please state under what specific regulation. _____

Do you agree to mark it export controlled? _____

4.1.31 Information Technology Access

All solicitations and contracts for information technology shall include the following clause pursuant to Title 74, Section 85.7d and OAC 580:15-6-21:

Pursuant to Title 74, Section 85.7d and OAC 580:15-6-21 electronic and information technology procurements, agreements, and contracts shall comply with applicable Oklahoma Information Technology Accessibility Standards issued by the Oklahoma Office of State Finance. EIT Standards may be found at:

www.ok.gov/DCS/Central_Purchasing/index.html or http://www.ok.gov/OSF/documents/isd_itas.doc

1) For Information Technology or Communications Products, Systems and Applications not requiring development and/or customization. The Contractor shall provide a description of conformance with the applicable Oklahoma Information Technology Accessibility Standards for the proposed product, system or application by means of either a Voluntary Product Accessibility Template (VPAT) or other comparable document, upon request.

The Contractor shall indemnify and hold harmless the State of Oklahoma and any Oklahoma Government entity purchasing the products, systems, or applications not requiring development and/or customized by the Contractor from any claim arising out of the Contractor's failure to comply with applicable Oklahoma Information Technology Accessibility Standards subsequent to providing certification of compliance to such Standards.

2) For Information Technology or Communications Products, Systems or Applications requiring development and/or customization. The Contractor shall provide a description of conformance with the applicable Oklahoma Information Technology Accessibility Standards for the proposed product, system, or application developed and/or customized by means of either a Voluntary Product Accessibility Template (VPAT) or other comparable document, upon request. Additional requirements and documentation may be required and compliance will be necessary on the Contractor's part. Such requirements will be stated in documents such as State Bids, Request for Proposals, Contracts, Agreements, Purchase Orders, and Amendments.

The Contractor shall indemnify and hold harmless the State of Oklahoma and any Oklahoma Government entity purchasing the products, systems, or applications from the Contractor, from any claim arising out of the Contractor's failure to comply with applicable Oklahoma Information Technology Accessibility Standards subsequent to providing certification of compliance to such Standards. However, the Contractor shall no longer have an obligation to indemnify the State for liability resulting from products, systems or applications developed and/or customized that are not in compliance with applicable

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

Oklahoma Information Technology Accessibility Standards (“Standards”) **after** the State has tested and confirmed that the product, system or application meets the accessibility requirements in the Standards.

4.2 Terms and Conditions for this RFP

4.2.1 Contractual Intent / Right to Terminate and Recommence RFP Process

The University intends to contract with one or more Suppliers whose Proposals are considered to be in the best interests of the University. However, the University may terminate this RFP process at any time up to notice of award, without prior notice, and without liability of any kind or amount. Further, the University reserves the right to commence one or more subsequent RFP processes seeking the same or similar products or services covered hereunder.

4.2.2 Proposal Acceptance/Rejection

The University reserves the right to reject any or all Proposals. Such rejection may be without prior notice and shall be without any liability of any kind or amount to the University. The University shall not accept any Proposal that the University deems not to be in its best interests. The University shall reject Proposals submitted after the closing date and time.

4.2.3 Supplier's Understanding of the RFP

In responding to this RFP, the Supplier accepts the responsibility fully to understand the RFP in its entirety, and in detail, including making any inquiries to the University as necessary to gain such understanding. The University reserves the right to disqualify any Supplier who demonstrates less than such understanding. Further the University reserves the right to determine, at its sole discretion, whether the Supplier has demonstrated such understanding. Related to this, the University's right extends to cancellation of award if award has been made. Such disqualification and/or cancellation shall be at no fault, cost, or liability whatsoever to the University.

4.2.4 University Provides Information in Good Faith without Liability

All information provided by the University in this RFP is offered in good faith. Individual items are subject to change at any time. The University makes no warranty or certification that any item is without error. The University is not responsible or liable for any use of the information, or for any claims attempted to be or asserted therefrom.

4.2.5 Proposal Costs

The University is not liable in any manner or to any extent for any cost or expense incurred by any Supplier in the preparation, submission, presentation, or any other action connected with proposing or otherwise responding to this RFP. Such exemption from liability applies whether such costs are incurred directly by the Supplier or indirectly through the Supplier's agents, employees, assigns, or others, whether related or not to the Supplier.

4.2.6 Determination of and Information Concerning Supplier's Qualifications

The University reserves the right to determine whether a Supplier has the ability, capacity, and resources necessary to perform in full any contract resulting from this RFP. The University may request from Suppliers information it deems necessary to evaluate such Suppliers' qualifications and capacities to deliver the products and/or services sought hereunder. The University may reject any Supplier's Proposal for which such information has been requested but which the Supplier has not provided. Such information may include but is not limited to:

- Financial resources
- Personnel resources
- Physical resources

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

- Internal financial, operating, quality assurance, and other similar controls and policies
- Resumes of key executives, officers, and other personnel pertinent to the requirements of the RFP
- Customer references
- Disclosures of complaints or pending actions, legal or otherwise, against the Supplier

4.2.7 Pre-Proposal Conference

The University may hold a pre-Proposal conference related to this RFP. The University will determine whether attendance by responding Suppliers shall be mandatory or optional. Further, the University may disqualify any responding Supplier who does not attend such pre-Proposal conference for which the University has determined Supplier attendance to be mandatory. With respect to this RFP, the University's determinations in this connection are documented in the section titled "Instructions / Schedules / Information."

4.2.8 Selection, Negotiation, Additional Information

Although the University reserves the right to negotiate with any Supplier or Suppliers to arrive at its final decision and/or to request additional information or clarification on any matter included in the Proposal, it also reserves the right to select the most responsive Supplier or Suppliers without further discussion, negotiation, or prior notice. The University presumes that any Proposal is a best-and-final offer.

4.2.9 Revisions to the RFP

The University may revise any part of this RFP for any reason by issuing addenda. The University will communicate addenda to all Suppliers on record as having received this RFP, and such Suppliers are responsible for the information contained in such addenda, whether or not they acknowledge receipt. The University is under no obligation to communicate such addenda to Suppliers who notify the University that they will not be responding to this RFP. The University may determine whether an addendum will be considered as part of this RFP and/or as part of any contract resulting therefrom. The University shall reject Suppliers' Responses to addenda if such Responses are received after the RFP closing date and time.

4.2.10 Supplier Visits to University Site(s)

The University may require Suppliers to visit and inspect any site that the University determines relevant to this RFP. The University may determine whether the visit(s) by responding Suppliers shall be mandatory or optional. Further, the University may disqualify any responding Supplier who does not visit if the University has determined a visit is mandatory. With respect to this RFP, the University's determinations in this connection are documented in the section titled "Instructions / Schedules / Information."

4.2.11 Proposal Organization

Suppliers shall present Proposals in a format that can be readily incorporated into a contract as prescribed in section 4.1.7 titled "Contract Format." Suppliers may present narrative Proposals provided that such Proposals follow the same outline and numbering scheme of this RFP, including full descriptive cross-references to all requirements listed in the section titled "Detailed Specifications." Suppliers shall ensure that their Proposals include page numbers and are organized in a manner that will facilitate the University's evaluation of them. The University reserves the right to reject without prior notice and without liability of any kind or amount any Proposal that it deems overly complex, disorganized, or difficult to evaluate. The University reserves the right to make such a decision without any input or communication from any other party. Suppliers shall ensure that, at a minimum, their Proposals contain the components set forth in the following list.

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

- Original required sections from this RFP
- Any additional Responses in corresponding sequence order
- Any additional supporting data

4.2.12 Pricing and/or Revenue Proposal

Suppliers shall indicate pricing and/or revenue offers in the appropriate spaces and/or areas provided in this RFP. Suppliers shall ensure that any departure from this condition results in an offer that is clearly cross-referenced to the applicable sections within this RFP. For any material departure from this condition, Suppliers shall provide clear and unambiguous explanations of how the departure relates in detail to the applicable sections within this RFP. If the Supplier responds with an "All or None" Proposal, it shall be clearly and unambiguously marked as such.

The University may presume and hold as the Supplier's final offer all pricing and/or revenue offerings, whether stated as amounts or percentages, and/or whether or not offered on an all-or-none basis, if not otherwise specified by the Supplier. The University may accept or reject in part or entirely the Supplier's pricing and/or revenue offerings when such offerings are not on an all-or-none basis. The University prohibits the changing of pricing and/or revenue Proposals after the RFP closing date and time. Unless otherwise specifically proposed by the Supplier, the University reserves the right to hold such pricing and/or revenue Proposal as effective for the entire intended contract term. The University may prescribe the manner and method by which pricing and/or revenue offerings shall be communicated in the Supplier's Proposal. The University may reject any Proposal in which the pricing and/or revenue offering does not conform to such prescribed manner and method.

4.2.13 No Obligation to Select Lowest Pricing

The University is under no obligation whatsoever to select as most responsive the Proposal that demonstrates the lowest pricing.

4.2.14 Errors and Omissions in This RFP / Enhancements

Suppliers shall bring to the University's attention any discrepancies, errors, or omissions that may exist within this RFP. Suppliers shall recommend to the University any enhancements in respect to this RFP, which might be in the University's best interests.

4.2.15 Errors and Omissions in Suppliers' Proposals

The University may accept or reject any Supplier's Proposal, in part or in its entirety, if such Proposal contains errors, omissions, or other problematic information. The University shall determine the materiality of such errors, omissions, or other problematic information.

4.2.16 Required Signatures

The University may reject any Supplier's Response if it is not signed and/or notarized as indicated and/or required on the areas, spaces, or forms provided within this RFP.

4.2.17 Proposal Submission and Opening

The University shall, at the specified closing date and time, open and document the date and time on all Proposals that are otherwise in order. The University will make no immediate decision at such time. The University will allow interested parties to attend such opening for purposes of learning which Suppliers have responded. However, the University will not disclose any information contained in any Proposal until after formal notice of award and execution of any contract resulting from this RFP. When multiple documents are scheduled to be opened at the same date and time, the University will open documents with individuals present in sequential order by document number. The University may hold unopened any Proposals received after the closing date and time, and will not consider such Proposals. The University reserves the right to retain or dispose of any such

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

Proposals at its discretion; however, the University may at its discretion, return such Proposals to their related Suppliers, but only at such Supplier's request and at no cost or expense whatsoever to the University.

4.2.18 Notification of Non-selection

The University reserves the right not to notify Suppliers whose RFP Responses are not selected for further consideration or notice of award. If the University decides to notify such Suppliers in writing, it will send the notifications to the address indicated in each such Supplier's Proposal.

4.2.19 Withdrawal of RFPs

Suppliers may withdraw their Proposals at any time prior to the RFP closing date. Suppliers may request to withdraw their Proposals after the RFP closing date and any time prior to notice of award. The University shall have sole authority to grant or deny such a request. In the event the University grants such a request, it may withhold issuing future RFPs to such Suppliers.

4.2.20 Evaluation Criteria

The University reserves the right to establish the criteria by which it will evaluate each Supplier's Response to this RFP and by which it will determine the most responsive, capable, and qualified Supplier(s).

4.2.21 Pre-Award Presentations

The University reserves the right to require presentations from the highest ranked Suppliers, in which they may be asked to provide information in addition to that provided in their Proposals.

4.2.22 Pre-Award Negotiations

The University reserves the right to negotiate prior to award with the highest ranked Suppliers for purposes of addressing the matters set forth in the following list, which may not be exhaustive.

- Obtaining the lowest and best pricing and/or revenue agreement
- Resolving minor differences and scrivener's errors
- Clarifying necessary details and responsibilities
- Emphasizing important issues and points
- Receiving assurances from Suppliers

4.2.23 Effective Period of Proposals

Under this RFP, the University shall hold that Suppliers' Responses to this RFP shall remain in effect for a period of ninety (90) days following the closing date, in order to allow time for evaluation, approval, and award of the contract. Any Supplier who does not agree to this condition shall specifically communicate in its Proposal such disagreement to the University, along with any proposed alternatives. The University may accept or reject such proposed alternatives without further notification or explanation.

4.2.24 Rejection of Supplier Counter-offers, Stipulations and Other Exceptions

Any Supplier exception, stipulation, counter-offer, requirement, and/or other alternative term or condition shall be considered rejected if State law or University policy govern the issue as solely determined by the University and unless specifically accepted in writing by the University and thereafter incorporated into any contract resulting from this RFP.

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

4.2.25 University's Right to Use Supplier's Ideas / Proprietary Information

If the Supplier needs to submit Proprietary Information with the Proposal, it is the Supplier's responsibility to ensure that it is enclosed in a separate envelope from the Proposal and that it is clearly designated and conspicuously labeled as such. Such designed and labeled information otherwise voluntarily submitted will be subject to any public records request. Please note that pricing information is not considered Proprietary Information.

The University shall have the right to use any ideas that are contained in any Proposal received in Response to this RFP, along with any adaptation of such ideas. Selection or rejection of the Proposal shall not affect the University's right of use. Provided, however, that subject to 4.2.27, the University will, in good faith, and to the extent permitted by applicable law including the Oklahoma Open Records Act, honor any Supplier information that is clearly designated and conspicuously labeled as proprietary. The University shall not be liable in any manner or in any amount for disclosing Proprietary Information if such information is not clearly so designated and conspicuously so labeled. The University shall likewise not be liable if it did not know or could not have reasonably known that such information was proprietary.

4.2.26 Supplier's Need to Use Proprietary Rights of the University

All information proprietary to the University and disclosed by the University to any Supplier shall be held in confidence by the Supplier and shall be used only for purposes of the Supplier's performance under any contract resulting from this RFP.

4.2.27 Public Record

Once finalized, all documents resulting from this RFP, including the resulting award(s), are available for public inspection pursuant to the Open Records Act. Copies are provided upon written request to the University's Open Records Office. The University shall not be liable in any manner or in any amount for disclosing Proprietary Information if such information is required by law to be disclosed.

4.2.28 Proposal Pricing to Reflect University's Tax Exempt Status

Proposal pricing shall be exclusive of taxes. The University of Oklahoma is exempt from taxes, including State Sales Tax, Property (Ad Valorem) Tax, and Federal Excise Tax. The exemption authority is Oklahoma State Tax Code, Title 68, OS 1981, Article 13, Section 1356 and Federal Tax Exempt number 736017987.

4.3 Terms and Conditions for Communications between the University and Suppliers

4.3.1 Communications and Inquiries between the University and Suppliers

Supplier inquiries and requests for clarification related to this RFP should be directed to the University official indicated in the following table, **IN WRITING ONLY**:

Craig Sisco, C.P.O. - Acquisitions Manager
Purchasing Department
University of Oklahoma
2750 Venture Drive
Norman, OK 73069
craig-sisco@ouhsc.edu
FAX (405) 360-0481

Applicable terms and conditions herein shall govern communications and inquiries between the University and Suppliers, as they relate to this RFP. Informal and formal communications shall commence and cease as described in the following subparagraphs.

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

Informal communications shall include but are not limited to requests from/to Suppliers or Suppliers' representatives of any kind or capacity, to/from any University employee or representative of any kind or capacity, for information, comments, speculation, etc. Formal communications shall include but are not limited to verbal and/or written presentations and pre-award negotiations under this RFP.

4.3.1.1 Start and Stop Dates for Formal and Informal Communications

On the date that the Supplier receives this RFP, informal communications shall cease and formal communications shall commence. On the date that the University notifies responding Suppliers of this RFP's results and executes the resulting contract with the Successful Supplier(s), informal communications may resume and formal communications must cease.

4.3.1.2 Verbal versus Written Communication

Verbal communication shall not be effective unless formally confirmed in writing by the specified University procurement official in charge of managing this RFP's process. In no case shall verbal communication override written communication.

4.3.1.3 University's Response to Communications from Supplier

The University will make a good-faith effort to provide a written Response to each written request for clarification as described in section 2.4 – Schedule of Events.

4.3.2 Inquiries about Interpretations

All requests for interpretations shall be formal and written. The University may treat Responses to such requests as Revisions to the RFP, which are discussed in this section in the subparagraph titled "Revisions to the RFP."

4.3.3 Apparently Conflicting Information Obtained by Supplier

The University is under no obligation whatsoever to honor or observe any information that may apparently conflict with any provision herein, regardless of whether such information be obtained from any office, agent, or employee of the University. Such information shall not affect the Supplier's risks or obligations under a contract resulting from this RFP.

4.3.4 Collusion Prohibited

In connection with this RFP, Supplier collusion with other Suppliers or employees thereof, or with any employee of the State, including any employee of the University, is prohibited and may result in Supplier disqualification and/or cancellation of award. Any attempt by the Supplier, whether successful or not, to subvert or skirt the principles of open and fair competition may result in Supplier disqualification and/or cancellation of award. Such disqualification and/or cancellation shall be at no fault or liability whatsoever to the University.

4.3.5 Improper Business Relationships / Conflict of Interest Prohibited

In connection with this RFP, each Supplier shall ensure that no improper, unethical, or illegal relationships or conflict of interest exists between or among the Supplier, the University, and any other party to this RFP. The University reserves the right to determine the materiality of such relationships, when discovered or disclosed, whether intended or not; and to decide whether or not Supplier disqualification and/or cancellation of award shall result. Such disqualification and/or cancellation shall be at no fault or liability whatsoever to the University.

4.4 Terms and Conditions for Packaging and Transmitting Proposals

4.4.1 Corrections, Changes, and Providing Information on Forms within the RFP

Suppliers shall ensure that an authorized individual initials each correction using pen and ink. Suppliers shall use pen and ink or typewriter in providing information directly on pages, or copies thereof, contained within this RFP.

4.4.2 Transmittal

Suppliers shall submit an original signed copy of the RFP as well as One (1) electronic copy (s) in compact disc format or flash drive to the address below.

Sealed Proposals shall be opened by the Purchasing Department at the address indicated below and at the time and date indicated in 4.4.5 of this Request for Proposal.

Purchasing Department
University of Oklahoma
2750 Venture Drive
Norman, OK 73069

4.4.3 Faxes Not Accepted

The University shall not accept Proposals sent by fax or electronic mail.

4.4.4 Binding and Marking

Suppliers shall ensure that the original and each copy are individually bound. When submitting more than one Proposal, Suppliers shall ensure that units are clearly marked; for example, as "Original of Proposal One," "Copy One of Proposal One," "Original of Proposal Two," "Copy One of Proposal Two," and so on.

4.4.5 Marking of Envelopes

Suppliers shall ensure that sealed transmittal envelopes clearly and conspicuously display the following identifying information in addition to any other information otherwise required for transmittal.

Supplier's Name
Supplier's Address
RFP # R-15442-15
Closing date: February 5, 2015 at 2:00 PM,CST

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

- ✓ • The proposed software must support the following camera manufacturers/models:

SONY	PANASONIC	AXIS	AVIGILON	ARECONT	SAMSUNG
SNC-RZ25N	WV-NW484S	P3301-V	1.0-H3-DO1	8185DN	SNV-6084
SNC-RZ30N	WV-NW502	P3301	1.0.H3.D1		SNV-6084R
SNC-RZ50N	WV-SW395	Q1602-E	3.0W-H3-D1		
SNC-DF40N	WV-SW395A	P3354			
SNC-DF70N	WV-NF284	P1346-E			
SNC-DS60		P1346			
SNC-Z20N		P3344			
SNC-DH180		P5532-E			
SNC-EP550		P1602			
SNC-EB600		P3367			
		P3364-VE			
		M3006-V			
		M3006			
		3027			
		Q6032-E			
		216MFD			
		P3364			
		P3384-V			
		Q1604-E			
		P3384-VE			

- ✓ • The system must support an unlimited number of licenses.
- ✓ • The successful bidder must be a certified Avigilon partner in good standing and must have held such certification for at least 3 years.
- ✓ • It is very important that we not lose any video during the cutover process. The successful bidder must provide any hardware necessary to accomplish cutover to the new software with no loss of video. In your response, please explain how you intend to accomplish cutover without loss of video.
- ✓ • The successful bidder assumes all risk for any equipment installed on the University of Oklahoma campus.
- ✓ • Successful bidder is responsible for providing System Administrator training for up to 3 people.
- ✓ • Successful bidder must provide at least 3 references with a system of similar size and complexity. (SEE SECTION 5.4 – REFERENCES)

For questions regarding this Request for Proposal contact:
Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

- ✓ The successful bidder must provide software upgrades to the most current release during the first year of installation at no additional cost.

5.3 Pricing (SUPPLIER COMPLETES) - Detailed Pricing should be attached to your proposal.

- The successful bidder must guarantee pricing for individual and packaged licenses for a minimum of three (3) years. State the number of years for which you will guarantee the quoted license prices. 5 years or more
- All bidders must quote a guaranteed fixed price. Bidders may also quote a percentage off MSRP provided it is less than the fixed price.
- Successful bidder is to pass any Avigilon price decreases to the University of Oklahoma.
- Please explain the cost associated with software upgrades beyond year 1.
- Please explain the cost associated with implementation and training.
- As an optional quote, please provide pricing for Avigilon compatible cameras of similar function to the following:

PANASONIC	QTY		IQinVision	QTY
WV-NF302	24		IQEYE511	6
WV-NP304	5		IQEYE703	2

5.4 References

Please provide the names and phone numbers of at least three (3) customer references with systems of similar size and complexity.

Customer Company Name	Contact Person	Telephone Number
Roger's State University	Gary Boegermann - Chief	918-639-8890
Oklahoma County Sheriff	Captain David Baisden	405-615-0242
Jenks Public Schools	Perry Markler	918-630-5009
Norman Public Schools	Jack Green	417-499-6678

5.5 Pending Litigation or Formal Complaints

Please provide information regarding any pending litigation or formal complaints against you.

N/A

For questions regarding this Request for Proposal contact:


Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

The University of Oklahoma

RFP# R-15442-15

Close Date/Time – 02/05/15 – 2:00 PM CST



For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

Page 33

The University of Oklahoma

RFP# R-15442-15

Close Date/Time – 02/05/15 – 2:00 PM CST

6.0 SIGNATURES (SUPPLIER COMPLETES)


6.1 COLLUSION AFFIDAVIT (SUPPLIER COMPLETES - NOTARIZATION REQUIRED)


Explanation. With regard to any competitive RFP for goods or services which is issued by the State of Oklahoma or any of its agencies, Oklahoma laws require each Supplier to execute and submit a notarized sworn Statement of Non-Collusion. This statement assures the State that the Supplier has not in any way subverted or skirted the principles of competition by colluding with other Suppliers or with any employee of the State.

Action. This affidavit immediately follows. Please ensure it is duly completed and correctly executed by an authorized officer of your company.

Josnva Heron, of lawful age, being first duly sworn, on oath affirms:

1. (s) he is the duly authorized agent of, the Supplier submitting the competitive RFP which is attached to this statement, for the purpose of certifying the facts pertaining to the existence of collusion among Suppliers and between Suppliers and state officials or employees, as well as facts pertaining to the giving or offering of things of value to government personnel in return for special consideration in the letting of any contract pursuant to the RFP to which this statement is attached;
2. (s)he is fully aware of the facts and circumstances surrounding the making of the RFP to which this statement is attached and has been personally and directly involved in the proceedings leading to the submission of such RFP; and
3. Neither the Supplier nor anyone subject to the Supplier's direction or control has been a party; a) to any collusion among Suppliers in restraint of freedom of competition by agreement to RFP at a fixed price or to refrain from bidding; b) to any collusion with any state official or employee as to quantity, quality or price in the prospective contract, or as to any other terms of such prospective contract, nor; c) in any discussions between Suppliers and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract.

FIRM Digi Security Systems
SIGNATURE 
NAME, TITLE Josnva Heron, President
PRINCIPAL ADDRESS 4492 Hunt St, Bldg #3
CITY/STATE/ZIP Payor, OK, 74361
PHONE/EMAIL 918-864-1861, josh@digiss.com
ORDER ADDRESS IF DIFFERENT PO Box 1046
CITY/STATE/ZIP Payor, OK, 74362
PHONE/EMAIL SAME

DATE OF DELIVERY 1 MONTH FROM AWARD & ORDER
DISCOUNT PAYMENT TERMS NA
ACCEPT UNIVERSITY PCARD NA
SEAL OR STAMP 
Subscribed and sworn before me this 5 day of FEB., 2015
NOTARY PUBLIC (OR CLERK OR JUDGE)
My Commission Expires: 9/4/16

6.2 Business Relationships Affidavit (Supplier completes - notarization required)

Explanation. This affidavit is required to detect whether an illegal or inappropriate business relationship exists between a Supplier and the University.

Action. This affidavit immediately follows. Please ensure it is duly completed and correctly executed by an authorized officer of your company. If none of the business relationships described below pertain to the Supplier, the affiant should so state.

I, Josh Harron, of lawful age, being first duly sworn, on oath says that (s)he is the agent authorized by the bidder to submit the attached bid. Affiant further states that the nature of any partnership, joint venture, or other business relationship presently in effect or which existed within one (1) year to the date of this statement with the architect, engineer, or other party to the project is as follows:

OU has purchased cameras from Digi in the past year.

Affiant further states that any such business relationship presently in effect or which existed within one (1) year prior to the date of this statement between any officer or director of the bidding company and any officer or director of the architectural or engineering firm or other party to the project is as follows:

None

Affiant further states that the names of all persons having any such business relationships and the positions they hold with their respective companies or firms are as follows:

OU IT & Purchasing have purchased cameras in the past year.

Signed [Signature]

Name and Title Josh Harron, President

Company Digi Security Systems

F.E.I.N. # 47-107482

Subscribed and sworn to before me this 5 day of FEB, 20 15.

Notary Public [Signature]

My Commission Expires 9/4/16

(SEAL)

The University of Oklahoma

RFP# R-15442-15

Close Date/Time – 02/05/15 – 2:00 PM CST

6.3 EEO Certificate of Compliance - Contracts over \$10,000 (Supplier completes)

Explanation. This certificate is required under Executive Order 11246 (as amended). In entering into any resulting contract over \$10,000, the Supplier agrees to comply with the Equal Employment Opportunity requirements stipulated in Executive Order 11246 as amended by Executive Order 11375 and 11141 and as supplemented in Department of Labor regulations (41 CFR Part 60-1.4(a), 60-300.5(a) and 60-741.5(a) et. seq.).

Action. This certificate immediately follows. Please ensure it is duly completed and correctly executed by an authorized officer of your company.

Equal Opportunity Clause

During the performance of this/these contract(s) the contractor agrees as follows:

The contractor will not discriminate against any employee or applicant for employment because of race, sex, color, religion, sex, or national origin. The contractor will take affirmative action to ensure that applicants are employed, and employees are treated during employment, without regard to their race, sex, religion, color, national origin, political beliefs, or veteran's status. Such action shall include, but not be limited to the following:

Employment, upgrading, demotion or transfer; recruitment or recruitment advertising; lay-off or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the contracting officer setting forth the provisions of this nondiscrimination clause.

The contractor will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, stated that all qualified applicants will receive consideration for employment without regard to race, sex, religion, color, national origin, political beliefs, or veteran's status.

The contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided by the agency contracting officer, advising the labor union or workers' representative of the contractor's commitments under Section 202 of Executive Order 11246 of September 24, 1965, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

The contractor will comply with all provisions of Executive Order 11246 of September 24, 1965 and of the rules, regulations and relevant orders of the Secretary of Labor.

The contractor will furnish all information and reports required by Executive Order 11246 of September 24, 1965, and by the rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the contracting agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations and orders.

In the event of the contractor's noncompliance with the nondiscrimination clauses of this contract or with any of such rules, regulations, or orders, this contract may be canceled, terminated or suspended in whole or part and the contractor may be declared ineligible for further government contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.

The contractor will include the provisions of Paragraphs A through G in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to Section 204 of Executive Order 11246 of September 24, 1965, so that such provisions will be binding upon each subcontractor or Supplier.

The contractor will take such action with respect to any subcontract or purchase order as may be directed by the Secretary of Labor as a means of enforcing such provisions including sanctions for noncompliance: Provided, however, that in the event the contractor becomes involved in, or is threatened with, litigation with a subcontractor or Supplier as a result of such direction, the contractor may request the United States to enter such litigation to protect the interests of the United States.

Certification of Non-segregated Facilities

By the submission of this bid and/or acceptance of purchase order(s) during the above period, the bidder, offerer, applicant, or subcontractor certifies that he does not maintain or provide for his employees any segregated facilities at any of his establishments, and that he does not permit his employees to perform their services at any location, under his control, where segregated facilities are maintained.

He certifies further that he will not maintain or provide for his employees any segregated facilities at any of his establishments, and that he will not permit his employees to perform their services at any location, under his control, where segregated facilities are maintained. The bidder, offerer, applicant, or subcontractor agrees that a breach of this certification is a violation of the equal opportunity clause in this contract. As used in this certification, the term "segregated facilities" means any waiting rooms, work areas, rest rooms and wash rooms, restaurants and other eating areas, time clocks, locker rooms and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing facilities provided for employees which are segregated by explicit directive or are in fact segregated on the basis of race, sex, religion, color, national origin, political beliefs, or veteran's status, because of habit, local custom, or otherwise. He further agrees that (except where he has obtained identical certifications from proposed subcontractors for specific time periods) he will obtain identical certifications from proposed subcontractors prior to the award of subcontracts exceeding \$10,000 which are not exempt from the provisions of the equal opportunity clause; that he will retain such certifications in his files; and that he will forward the following notice to such proposed subcontractors (except where the proposed subcontractors have submitted identical certifications for specific time periods).

Disabled Veteran and Vietnam Era Veteran Affirmative Action Program Requirements

In entering into any contract which exceeds \$10,000, the bidder agrees to comply with Disabled Veteran and Vietnam Era Veteran Affirmative Action Program Requirements as stipulated in Public Law 93-508 and all amendments thereto. Failure to comply with the requirements of Public Law 93-508, Title 41, CFR60-250 and Title 41, CFR60-741 and all amendments thereto shall be deemed a material breach of this agreement and shall subject this contract to cancellation and rescission at the option of the University of Oklahoma. Copies of the applicable portions of this law are available from the University of Oklahoma Purchasing Office if required.

These provisions must be included in any subcontracts awarded involving this bid.

CERTIFICATION

If awarded this contract Digi Security Systems agrees to comply with all above provisions.
(Company)

[Signature]
(Signature)

Josh Hareon, President 2-4-2015
(Name and Title) (Date)

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

6.4 (EEO Certificate of Compliance - Contracts over \$50,000 (Supplier completes))

Explanation. This certificate is required under Executive Order 11246 (as amended). In entering into any resulting contract over \$50,000, the Supplier agrees to comply with the Equal Employment Opportunity requirements stipulated in Executive Order 11246 as amended by Executive Order 11375 and 11141 and as supplemented in Department of Labor regulations (41 CFR Part 60 - 1.4(a), 60-300.5(a) and 60-741.5(a) et. seq.).

Action. This certificate immediately follows. Please ensure it is duly completed and correctly executed by an authorized officer of your company. *Note: if the Supplier has 50 employees or less, this certificate is not required*

In the event that any resulting contract exceeds \$50,000 and the contractor has more than 50 employees, the contractor agrees to submit Standard Form (EEO-1) to the Joint Reporting Committee (unless previously submitted). The report must be submitted within 30 days after the award of the contract. This requirement is waived if the contractor has submitted this report within the past twelve (12) months.

If awarded a contract over \$50,000 and the contractor has more than 50 employees, the contractor agrees to develop and maintain on file a written Affirmative Action Program. The elements of this program are as follows:

Identification and analysis of problem areas inherent in minority employment and an evaluation of opportunities for utilization of minority group personnel.

The specific steps which should be taken to guarantee equal employment opportunity in the identified problem areas and, where deficiencies exist, the development of specific goals and timetables.

A table of job classifications.

Approval by an executive official of the contractor.

Utilization Evaluation: The evaluation of utilization of minority group personnel shall include the following:

An analysis of minority group representation in all job categories.

An analysis of hiring practices for the past year, including recruitment sources and testing, to determine whether equal employment opportunity is being afforded in all job categories.

An analysis of upgrading, transfer and promotion for the past year to determine whether equal employment opportunity is being afforded.

Maintenance of Programs: Within 120 days from the commencement of the contract, each contractor shall maintain a copy of separate affirmative action compliance programs for each establishment, including evaluations of utilization of minority group personnel and the job classification tables, at each local office responsible for the personnel matters of such establishment. An affirmative action compliance program shall be part of the manpower and training plans for each new establishment and shall be developed and made available prior to the staffing of such establishment. A report of the results of such program shall be compiled annually and the program shall be updated at that time.

Information on compliance with Affirmative Action Program requirements is also contained in Office of Federal Contract Compliance Revised Order No. 14.

These provisions must be included in any subcontracts awarded involving this bid.

CERTIFICATION

If awarded this contract Digi Security Systems agrees to comply with all above provisions.
(Company)



(Signature)

Joshua Haeon, President

(Name and Title)

2-4-2015

(Date)

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481

The University of Oklahoma

RFP# R-15442-15

Close Date/Time – 02/05/15 – 2:00 PM CST

6.5 Certification of Proposal (Supplier completes)

Explanation. This certification attests to the Supplier's awareness of and agreement to the content of this RFP and all accompanying provisions contained herein.

Action. This certificate immediately follows. Please ensure it is duly completed and correctly executed by an authorized officer of your company.

This Proposal is submitted in Response to Request for Proposal number R-15442-15 issued by the University of Oklahoma. The undersigned, as a duly authorized officer, hereby certifies that

Digi Security Systems
(Company)

agrees to be bound by the content of this Proposal and agrees to comply with the terms, conditions and provisions of the referenced Request for Proposal (RFP) and any addenda thereto in the event of an award. Exceptions may be noted only as stated in the RFP. The Proposal shall remain in effect for a period of ninety (90) calendar days as of the Due Date for Responses to the RFP.

Person(s) authorized to negotiate in good faith on behalf of this firm for purposes of this Request for Proposal are:

Joshua Herron President
(Name) (Title)

(Name) (Title)

Signature 

Printed Joshua Herron

Title President

Date 2-4-2015

F.E.I.N. 47-1017482

For questions regarding this Request for Proposal contact:

Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu

Fax (405) 360-0481



"Digi - Your Security Source"
 TERO Certified 100% Indian Owned
 4492 Hunt Street
 Pryor, OK 74361
 918.864.1861
 josh@digriss.com

Proposal

**OU - Enterprise IP Video - 1418
 Channels SEE_ATTACHED_PLAN**

Total \$239,000.00
 Date 02-04-2015

Reference OU - Enterprise IP Video - 1418 Channels SEE_ATTACHED_PLAN

NOTE: Special Project Pricing for OU Conversion
 Lead Time: Phase I - 30 Business Days (M-F) From PO Receipt, Completion Upon Video
 Retention Timeframe Requirement

ITEM	DESCRIPTION	MSRP	OU Convert Cost	Qty	MSRP EXT	OU Convert COST	OU SAVINGS
OU Enterprise IP Video Software - Conversion 1418 Channels to Enterprise Avigilon							
24C-ACC5-ENT	24 Channel Enterprise High Definition Network Video Software	\$6,695.00	\$3,683.00	50.00	\$334,750.00	\$184,150.00	\$150,600.00
16C-ACC5-ENT	16 Channel Enterprise High Definition Network Video Software	\$4,495.00	\$2,473.00	4.00	\$17,980.00	\$9,892.00	\$8,088.00
8C-ACC5-ENT	8 Channel Enterprise High Definition Network Video Software	\$2,290.00	\$1,260.00	12.00	\$27,480.00	\$15,120.00	\$12,360.00
4C-ACC5-ENT	4 Channel Enterprise High Definition Network Video Software	\$1,155.00	\$636.00	8.00	\$9,240.00	\$5,088.00	\$4,152.00
1C-ACC5-ENT	1 Channel Enterprise High Definition Network Video Software	\$335.00	\$185.00	26.00	\$8,710.00	\$4,810.00	\$3,900.00
SENIOR TECH	Onsite Setup / Technical Programming + Configuration - Senior Technician	\$32,000.00	\$19,940.00	1.00	\$32,000.00	\$19,940.00	\$12,060.00
ADMIN TRAINING	System Administrator Training (NO COST - 5 PEOPLE)	\$750.00	\$0.00	5.00	\$3,750.00	\$0.00	\$3,750.00
ONGOING TRAINING	Ongoing Training - Web modules + Onsite 1-2 Times/Year (NO COST)	\$600.00	\$0.00	10.00	\$6,000.00	\$0.00	\$6,000.00
LOANER SERVERS	Loaner Servers as Required (See Migration Plan)	\$82,600.00	\$0.00	1.00	\$82,600.00	\$0.00	\$82,600.00
					MSRP Total	OU COST	OU Savings
					\$522,510.00	\$239,000.00	\$283,510.00

*** NOTE: Ongoing negotiated licensing cost for OU is \$185.00 per channel of ENTERPRISE software. ***

Total: \$239,000.00

Date: 02-04-2015

Accepted Payments: PO w/ Company Check, Electronic Funds Transfer

Payment Terms: \$229,000.00 BILLED ON MIGRATION PHASE I AND \$10,000.00 BILLED ON COMPLETION

Payable to: Digi Security Systems

PO Box 1046
 Pryor, OK 74362
 918.864.1861

Digi Security Video Migration Plan

The University of Oklahoma is seeking proposals to replace our existing OnSSI Ocularis Video Management Software with Avigilon ACC Release 5.4.0.32 or higher Video Management Software. The current systems has 1,379 licensed cameras and 1,418 licenses. The cameras are implemented across 30 servers with total storage of 86 TB allocated as follows:

Live Write Usage: 4.3 TB, 15 Day Usage: 63 TB, 70 Day Usage: 13 TB, 90 Day Usage: 5 TB

Processing / Storage Space During Migration (2 Phases: Phase 1 & Completion)

PHASE I – Migration & setup all existing cameras on loaner servers & provide system administration training.

COMPLETION – Move all cameras to OU servers after retention timeframe is met.

University of Oklahoma has a total of 85.3 terabytes of storage currently in-use including live write, 15 day retention, 70 day retention and 90 day retention.

Digi Security Systems will provide the university phased usage of servers and storage during the video migration so that the video will be available at all times. The video and storage appropriations will be as follows:

Live write usage 4.3TB

Live write will be phased out initially as the cameras are migrated to the new system. Once all cameras are migrated the live write usage of 4.3TB will no longer be required. Digi will ensure the live write data is moved to appropriate allocation.

15 Day usage ~63TB (Digi provided servers/storage for 30 days)

Digi will provide ~63TB in processing and storage for a period of 30 days from the camera migration to new platform. During the first 15 days the cameras will be writing to the servers/storage provided by Digi until the 15 day retention of video on the old ONSSI platform is no longer required. Once this time has elapsed we will load Avigilon platform on the OU servers/storage that previously housed the 15 days of storage and the cameras will remain on these servers. Digi will allow OU to retain the servers and storage for an additional 15 days until the retention on the Digi provided servers is no longer required.

Digi will then wipe out all data on the Digi provided servers/storage and remove servers.

70 Day usage ~13TB (Digi provided servers/storage for 140 days)

Digi will provide ~13TB in processing and storage for a period of 140 days from the camera migration to new platform. During the first 70 days the cameras will be writing to the servers/storage provided by Digi until the 70 day retention of video on the old ONSSI platform is no longer required. Once this time has elapsed we will load Avigilon platform on the OU servers/storage that previously housed the 70 days of storage and the cameras will remain on these servers. Digi will allow OU to retain the servers and storage for an additional 70 days until the retention on the Digi provided servers is no longer required.

Digi will then wipe out all data on the Digi provided servers/storage and remove servers.

90 Day usage ~5TB (Digi provided servers/storage for 180 days)

Setup & Programming (For both loaner servers & existing servers.)

Digi will setup all names, motion regions, retention timeframes and compression settings for cameras.

Digi will create and setup site hierarchy based on OU requirements.

Digi will setup mobile viewing gateway for access on mobile devices & browsers.

Digi will setup all views and client access rights.

Digi will setup Active Directory integration.

Training

Digi will provide training for up to (5) system administrators. Digi will also provide continued training for end users 1-2 times per year. OU must provide facilities and computers for all training.

Loaner Servers (Based on Provided Server Information)

NOTE: Loaner server configuration may change based on individual camera retention timeframe requirements and most effective server load capacities. In the event the configuration changes for optimization purposes Digi will ensure OU retention timeframes are met for all cameras.

LoanServer	OU Server #	Camera Count
LOANER SERVER 1 - 99 Cams	1 2	49 50
LOANER SERVER 2 - 110 Cams	3 4	55 55
LOANER SERVER 3 - 95 Cams	5 6	43 52
LOANER SERVER 4 - 107 Cams	7 8	52 55
LOANER SERVER 5 - 107 Cams	9 10	50 57
LOANER SERVER 6 - 115 Cams	11 12	54 61
LOANER SERVER 7 - 86 Cams	13 14	38 48
LOANER SERVER 8 - 74 Cams	15 16	23 51
LOANER SERVER 9 - 107 Cams	17 18	51 56
LOANER SERVER 10 - 94 Cams	19 20	41 53
LOANER SERVER 11 - 109 Cams	21 23	56 53
LOANER SERVER 12 - 104 Cams	24 25	55 49
LOANER SERVER 13 - 116 Cams	26 27	61 55
LOANER SERVER 14 - 57 Cams	28 29	48 9
	22	BACKUP (Future Use)
	30	ORDERED (Future Use)
		1380

Ongoing Costs

There are no ongoing software maintenance or upgrade costs.

All future price changes & decreases will be passed on to OU as a part of this contract.

All future products will be available to OU at discounted pricing provided within these terms.

In addition to pricing provided for initial bid Digi is extending discounted pricing to OU (and other universities & schools throughout Oklahoma and surrounding states) for all Digi Labor and Avigilon hardware & software for both video surveillance & electronic access control. All ongoing pricing will be a **minimum 30% OFF MSRP (current Avigilon pricing is attached for your reference.)**

Digi Labor Rates Discounted:

LEVEL	MSRP RATE	CONTRACT RATE
Technician	\$90.00/HR	\$63.00/HR
Senior Technician	\$110.00/HR	\$77.00/HR
Software Development	\$135.00/HR	\$94.50/HR
EMERGENCY CALL 365/24/7	\$150.00/HR	\$99.00/HR



"Digi - Your Security Source"
 TERO Certified 100% Indian Owned
 4492 Hunt Street
 Pryor, OK 74361
 josh@digiss.com

Proposal

OU - Comparable Avigilon Camera Model & Pricing for Panasonic & IQEYE

Total \$14,032.00
 Date 02-04-2015

Reference OU - Comparable Avigilon Camera Model & Pricing for Panasonic & IQEYE

NOTE: Special Project Pricing for OU Conversion
 Lead Time: 5 Business Days from Award & PO Receipt

ITEM	DESCRIPTION	MSRP	OU Convert Cost	Qty	MSRP EXT	OU Convert COST	OU SAVINGS
OU - Comparable Avigilon Camera Model & Pricing for Panasonic & IQEYE							
PANASONIC CAMERA MODEL							
WV-NF302	(INDOOR DOME) 1.3MP Super LowLight 3-9mm AutoFocus, POE (Exceeds Specs)	\$640.00	\$416.00	0.00	\$0.00	\$0.00	\$0.00
1.3L-H3-D1 (OPTION)	(OUTDOOR DOME) 1.3MP Super LowLight 3-9mm AutoFocus (Exceeds Specs)	\$765.00	\$488.00	24.00	\$18,360.00	\$11,952.00	\$6,408.00
1.3L-H3-D01							
PANASONIC CAMERA MODEL							
WV-NP304	(BOX CAMERA) 1.3MP Super LowLight 3-9mm AutoFocus, POE (Exceeds Specs)	\$640.00	\$416.00	5.00	\$3,200.00	\$2,080.00	\$1,120.00
1.3L-H3-B2							
IQEYE CAMERA MODEL							
IQEYE511	(BOX CAMERA) 1.3MP Super LowLight 3-9mm AutoFocus, POE (Exceeds Specs)	\$640.00	\$416.00	6.00	\$3,840.00	\$2,496.00	\$1,344.00
1.3L-H3-B2							
IQEYE CAMERA MODEL							
IQEYE703	(BOX CAMERA) 3.0MP WideDynamic Day/Night 3-9mm AutoFocus, POE (Exceeds Specs)	\$640.00	\$416.00	2.00	\$1,280.00	\$832.00	\$448.00
3.0W-H3-B2							
					MSRP Total	OU COST	OU Savings
					\$26,680.00	\$14,032.00	\$12,648.00

*** NOTE: ONGOING OU PRICING 30% - 35% OFF MSRP FOR ALL EQUIPMENT ***

Total: \$14,032.00

Date: 02-04-2015

Accepted Payments: PO w/ Company Check, Electronic Funds Transfer

Payment Terms: NET30

Payable to: Digi Security Systems

PO Box 1046

Pryor, OK 74362

918.864.1861

Avigilon - ACSP Price List - USD

Effective October 22, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Updates from July 15, 2014

- New HD Video Appliances
- New HD Dome and Bullet Cameras with Adaptive Video Analytics
- Pricing change for 1-2 MP MicroDome, Dome, Bullet and Box cameras

Page	
2	Avigilon Control Center 5 HD Network Video Management Software
3	Avigilon Control Center 5: SDK (Software Development Kit), 3rd Party Integration Licensing, and POS (Point of Sale) Transaction Engine
4	Avigilon Control Center 4 HD Network Video Management Software
5	Avigilon Control Center 4: SDK (Software Development Kit), 3rd Party Integration Licensing, and POS (Point of Sale) Transaction Engine
6	HD Video Appliances
7	HD Network Video Recorders
8	HD Dome and Bullet Cameras with Adaptive Video Analytics
9 & 10	H.264 HD Dome Cameras
11	H.264 HD Cameras, Bullet Cameras, and PTZ Cameras
12	JPEG2000 HD Panoramic Dome Cameras
13	HD Pro Cameras and Analog Video Encoders
14	Avigilon Control Center HD License Plate Recognition Capture Kits
15	Avigilon Rialto Analytic Appliances
16	EF Mount Lenses for HD Pro Cameras
17	Accessories: Remote Monitoring Workstations, Microphones, Professional Services, Switches, and Monitors
18	Accessories: Indoor and Outdoor Enclosures
19	Accessories: SD Cards
20	Avigilon Warranty & Support Information

Avigilon - ACSP Price List - USD

Effective October 22, 2014
CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.



Avigilon Control Center (ACC) 5 High Definition Network Video Management Software

Model No.	Description	MSRP	ACSP Price 30%
ACC 5 HD Network Video Management Software			
	ACC 5 HD NVMS (Network Video Management Software) is stand alone software for recording, viewing, and managing Avigilon HD Multi-Megapixel IP cameras, Analog Video Encoders, and 3 rd party IP cameras. It is licensed by the number of cameras the system will record. Please visit the Avigilon website (www.avigilon.com) for minimum system requirements and a detailed list of supported 3rd party IP cameras. ACC HD NVMS is available in three editions Core, Standard and Enterprise. Please visit the Avigilon Website for a detailed listing of the features available between the editions. Licenses from different editions cannot be combined. ACC 4 and ACC 5 systems cannot be combined.		
-M	All ACC software licenses are delivered via e-mail, append -M to a part number to receive a CD with printed license sticker for any software part	\$ 0	\$ 0
ACC 5 Core HD Network Video Management Software			
		\$ 95	\$ 67
1C-ACC5-COR	ACC 5 Core license for up to 1 camera channels and 2 viewing clients	\$ 325	\$ 228
4C-ACC5-COR	ACC 5 Core license for up to 4 camera channels and 2 viewing clients	\$ 645	\$ 452
8C-ACC5-COR	ACC 5 Core license for up to 8 camera channels and 2 viewing clients	\$ 1,285	\$ 900
16C-ACC5-COR	ACC 5 Core license for up to 16 camera channels and 2 viewing clients	\$ 1,895	\$ 1,327
24C-ACC5-COR	ACC 5 Core license for up to 24 camera channels and 2 viewing clients		
		\$ 115	\$ 81
1C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 1 camera channel	\$ 425	\$ 298
4C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 4 camera channels	\$ 855	\$ 599
8C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 8 camera channels	\$ 1,695	\$ 1,187
16C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 16 camera channels	\$ 2,550	\$ 1,785
24C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 24 camera channels		
ACC 5 Standard HD Network Video Management Software			
		\$ 185	\$ 130
1C-ACC5-STD	ACC 5 Standard license for up to 1 camera channels and 5 viewing clients	\$ 665	\$ 466
4C-ACC5-STD	ACC 5 Standard license for up to 4 camera channels and 5 viewing clients	\$ 1,325	\$ 928
8C-ACC5-STD	ACC 5 Standard license for up to 8 camera channels and 5 viewing clients	\$ 2,645	\$ 1,852
16C-ACC5-STD	ACC 5 Standard license for up to 16 camera channels and 5 viewing clients	\$ 3,955	\$ 2,769
24C-ACC5-STD	ACC 5 Standard license for up to 24 camera channels and 5 viewing clients		
		\$ 215	\$ 151
1C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 1 camera channel	\$ 715	\$ 501
4C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 4 camera channels	\$ 1,420	\$ 994
8C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 8 camera channels	\$ 2,845	\$ 1,992
16C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 16 camera channels	\$ 4,245	\$ 2,972
24C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 24 camera channels		
ACC 5 Enterprise HD Network Video Management Software			
		\$ 335	\$ 235
1C-ACC5-ENT	ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients	\$ 1,155	\$ 809
4C-ACC5-ENT	ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients	\$ 2,290	\$ 1,603
8C-ACC5-ENT	ACC 5 Enterprise license for up to 8 camera channels and unlimited viewing clients	\$ 4,495	\$ 3,147
16C-ACC5-ENT	ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients	\$ 6,695	\$ 4,687
24C-ACC5-ENT	ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients		
ACC 5 Edition Upgrade From ACC 4			
		\$ 95	\$ 67
ACC5-4TO5-COR-UPG	ACC 5 upgrade license for one ACC 4 Core server	\$ 185	\$ 130
ACC5-4TO5-STD-UPG	ACC 5 upgrade license for one ACC 4 Standard server	\$ 335	\$ 235
ACC5-4TO5-ENT-UPG	ACC 5 upgrade license for one ACC 4 Enterprise server		
Notes			
All prices in US Dollars exclusive of taxes and freight			
All installation and use of Avigilon software is governed by its end user license agreement (EULA), contact Avigilon or visit www.avigilon.com to get a full copy of the EULA.			
Avigilon reserves the right to make changes to pricing and discount margins.			

Avigilon - ACSP Price List - USD

Effective October 22, 2014
CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Avigilon Control Center: SDK (Software Development Kit), 3rd Party Integration Licensing, and POS (Point of Sale) Transaction Engine			
Model No.	Description	MSRP	ACSP Price 30%
-M	All ACC software licenses are delivered via e-mail, append -M to a part number to receive a CD with printed license sticker for any software part	\$ 0	\$ 0
Avigilon Control Center Point of Sale (POS) Transaction Engine Licensing and Serial Servers - Compatible with ACC Enterprise and Standard only			
ACC5-POS-1STR	ACC 5 POS Transaction SW license for recording a single stream of transaction details.	\$ 225	\$ 158
ACC-POS-HW-2S	2 port serial server to allow two streams of RS232 serial transaction information to be converted and transmitted over the network to an Avigilon Control Center server.	\$ 513	\$ 359
All Avigilon Control Center 5 3rd party integration licenses listed below require Enterprise HD NVMS. Licensing is no longer required for end customers to run a custom or 3rd party developed integration.			
Amag Symmetry Integration License - ACC 5 only			
ACC5-AMAG-SMTRY	Amag Symmetry Integration Module for a site. Enables event and video integration between Amag Symmetry and an Avigilon Control Center site.	\$ 2,500	\$ 1,750
Gallagher Integration License - ACC 5 only			
ACC5-GLGR-CMNDC	Gallagher (Formerly Cardax) Integration Module for a site. Enables bi-directional event and video integration between Gallagher Command Center and an Avigilon Control Center site.	\$ 2,500	\$ 1,750
Lenel Facility Commander Wnx Integration License - ACC 5 only			
ACC5-LENL-FCWNX	Lenel Facility Commander Wnx Integration Module for a site. Enables bi-directional event integration between Facility Commander Wnx and an Avigilon Control Center site.	\$ 2,500	\$ 1,750
Lenel OnGuard Integration License - ACC 5 only			
ACC5-LENL-ONGRD	OAAP Certified Lenel OnGuard Integration Module for a site. Enables event and video integration between Lenel OnGuard and an Avigilon Control Center site.	\$ 2,500	\$ 1,750
Hirsch Velocity Integration License - ACC 5 only			
ACC5-HRSH-VLCTY	Hirsch Velocity Integration Module for a site. Enables alarm integration from Hirsch Velocity to an Avigilon Control Center site.	\$ 2,500	\$ 1,750
Jacques Integration License - ACC 5 only			
ACC5-JAQS-INTCM	Jacques Integration Module for a site. Enables bi-directional event integration between Jacques VoIP Voice Communication System and an Avigilon Control Center site.	\$ 2,500	\$ 1,750
Paxton Net2 Integration License - ACC 5 only			
ACC5-PXTN-NET2	Paxton Net2 Integration Module for a site. Enables event and video integration between Paxton Net2 and an Avigilon Control Center site.	\$ 2,500	\$ 1,750
S2 Net Box Integration License - ACC 5 only			
ACC5-S2-NETBX	S2 NetBox Integration Module for a site. Enables video integration between S2 NetBox and an Avigilon Control Center site.	\$ 2,500	\$ 1,750
Software House Integration License - ACC 5 only			
ACC5-SWHS-CCURE	Software House CCURE 9000 Integration Module for a site. Enables video integration between Software House CCURE 9000 and an Avigilon Control Center site.	\$ 2,500	\$ 1,750
Stentofon (Zenitel) Integration License - ACC 5 only			
ACC5-STFN-ALPHA	Stentofon AlphaCom Integration Module for a site. Enables bi-directional event integration between Stentofon AlphaCom and an Avigilon Control Center site.	\$ 2,500	\$ 1,750
Avigilon Control Center SDK Developer License			
ACC-SDK-DEV	Development license for the Avigilon Control Center SDK, grants access to the Avigilon Control Center SDK source code, examples, and ACC SDK Technical Support. Includes access to both the ACC 4 and ACC 5 SDKs. Requires Avigilon Non-Disclosure Agreement be signed by the SDK development partner.	N/A	\$ 2,450
Notes			
SDK (Software Development Kit)			
Any integration developed and maintained by a 3rd party, along with the RS2 AccessIt!, DSX WinDSX, and DDS Amadeus 5 integrations, are now available on ACC 5 Standard edition.			
All installation and use of Avigilon software is governed by its end user license agreement (EULA), contact Avigilon or visit www.avigilon.com to get a full copy of the EULA.			
All prices in US Dollars exclusive of taxes and freight			
Avigilon reserves the right to make changes to pricing and discount margins.			

Avigilon - ACSP Price List - USD

Effective October 22, 2014
CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Avigilon Control Center (ACC) 4 High Definition Network Video Management Software			
Model No.	Description	MSRP	ACSP Price 30%
	ACC 4 HD Network Video Management Software		
	ACC 4 HD NVMS is stand alone software for recording, viewing, and managing Avigilon HD Multi-Megapixel IP cameras, Analog Video Encoders, and 3 rd party IP cameras. It is licensed by the number of cameras the system will record. Please visit the Avigilon website (www.avigilon.com) for minimum system requirements and a detailed list of supported 3rd party IP cameras.		
	ACC HD NVMS is available in three editions Core, Standard and Enterprise. Please visit the Avigilon Website for a detailed listing of the features available between the editions. <i>Licenses from different editions cannot be combined. ACC 4 and ACC 5 systems cannot be combined.</i>		
-M	All ACC software licenses are delivered via e-mail, append -M to a part number to receive a CD with printed license sticker for any software part	\$ 0	\$ 0
	ACC 4 Core HD Network Video Management Software		
	ACC 4 Core HD NVMS for up to 1 camera channels and 2 viewing clients	\$ 95	\$ 67
	ACC 4 Core HD NVMS for up to 4 camera channels and 2 viewing clients	\$ 325	\$ 228
	ACC 4 Core HD NVMS for up to 8 camera channels and 2 viewing clients	\$ 645	\$ 452
	ACC 4 Core HD NVMS for up to 16 camera channels and 2 viewing clients	\$ 1,285	\$ 900
GATE-HD-NVMS-COR	ACC Gateway connection license for a single NVR.	\$ 195	\$ 137
	ACC 4 Standard HD Network Video Management Software		
	ACC upgrade license Core to Standard for 1 camera channel	\$ 115	\$ 81
	ACC upgrade license Core to Standard for 4 camera channels	\$ 425	\$ 298
	ACC upgrade license Core to Standard for 8 camera channels	\$ 855	\$ 599
	ACC upgrade license Core to Standard for 16 camera channels	\$ 1,695	\$ 1,187
	ACC 4 Standard HD Network Video Management Software		
	ACC 4 Standard HD NVMS for up to 1 camera channels and 5 viewing clients	\$ 185	\$ 130
	ACC 4 Standard HD NVMS for up to 4 camera channels and 5 viewing clients	\$ 665	\$ 466
	ACC 4 Standard HD NVMS for up to 8 camera channels and 5 viewing clients	\$ 1,325	\$ 928
	ACC 4 Standard HD NVMS for up to 16 camera channels and 5 viewing clients	\$ 2,655	\$ 1,859
	ACC 4 Standard HD NVMS for up to 24 camera channels and 5 viewing clients	\$ 3,955	\$ 2,769
GATE-HD-NVMS-STD	ACC Gateway connection license for a single NVR.	\$ 195	\$ 137
	ACC 4 Enterprise HD Network Video Management Software		
	License for 1 microphone channel and 1 speaker channel	\$ 105	\$ 74
	License for 4 microphone channels and 4 speaker channels	\$ 410	\$ 287
	License for 8 microphone channels and 8 speaker channels	\$ 805	\$ 564
	ACC 4 Enterprise HD Network Video Management Software		
	ACC upgrade license Standard to Enterprise for 1 camera channel	\$ 215	\$ 151
	ACC upgrade license Standard to Enterprise for 4 camera channels	\$ 715	\$ 501
	ACC upgrade license Standard to Enterprise for 8 camera channels	\$ 1,420	\$ 994
	ACC upgrade license Standard to Enterprise for 16 camera channels	\$ 2,845	\$ 1,992
	ACC upgrade license Standard to Enterprise for 24 camera channels	\$ 4,245	\$ 2,972
	ACC 4 Enterprise HD Network Video Management Software		
	ACC 4 Enterprise HD NVMS for up to 1 camera channels and unlimited viewing clients	\$ 335	\$ 235
	ACC 4 Enterprise HD NVMS for up to 4 camera channels and unlimited viewing clients	\$ 1,155	\$ 809
	ACC 4 Enterprise HD NVMS for up to 8 camera channels and unlimited viewing clients	\$ 2,290	\$ 1,603
	ACC 4 Enterprise HD NVMS for up to 16 camera channels and unlimited viewing clients	\$ 4,590	\$ 3,213
	ACC 4 Enterprise HD NVMS for up to 24 camera channels and unlimited viewing clients	\$ 6,840	\$ 4,788
GATE-HD-NVMS-ENT	ACC Gateway connection license for a single NVR.	\$ 195	\$ 137
	ACC 4 Enterprise HD Network Video Management Software		
	License for 1 microphone channel and 1 speaker channel	\$ 105	\$ 74
	License for 4 microphone channels and 4 speaker channels	\$ 410	\$ 287
	License for 8 microphone channels and 8 speaker channels	\$ 805	\$ 564
	Notes		
	NVMS (Network Video Management Software)		
	All prices in US Dollars exclusive of taxes and freight		
	All installation and use of Avigilon software is governed by its end user license agreement (EULA), contact Avigilon or visit www.avigilon.com to get a full copy of the EULA.		
	Avigilon reserves the right to make changes to pricing and discount margins.		

Avigilon - ACSP Price List - USD



Effective October 22, 2014
CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Avigilon Control Center: SDK (Software Development Kit), 3rd Party Integration Licensing, and POS (Point of Sale) Transaction Engine			
Model No.	Description	MSRP	ACSP Price 30%
-M	All ACC software licenses are delivered via e-mail, append -M to a part number to receive a CD with printed license sticker for any software part	\$ 0	\$ 0
	Avigilon Control Center Point of Sale (POS) Transaction Engine Licensing and Serial Servers - Compatible with ACC Enterprise and Standard only		
ACC-POS-1STR	ACC 4 POS Transaction SW license for recording a single stream of transaction details.	\$ 225	\$ 158
ACC-POS-HW-2S	2 port serial server to allow two streams of RS232 serial transaction information to be converted and transmitted over the network to an Avigilon Control Center server.	\$ 513	\$ 359
	All Avigilon Control Center 4 3rd party integration and SDK licenses require Enterprise HD NVMS. Integrations on these page are for ACC 4 only.		
	Amag Symmetry Integration License - ACC 4 only		
ACC-AMAG-NVR	Amag Symmetry Integration Module for a single NVR. Enables event and video integration between Amag Symmetry and Avigilon Control Center on a single NVR.	\$ 2,500	\$ 1,750
	Cardax Integration License - ACC 4 only		
ACC-CARDAX-NVR	Cardax Integration Module for a single NVR. Enables bi-directional event and video integration between Cardax FT Command Center and Avigilon Control Center on a single NVR.	\$ 2,500	\$ 1,750
	GE Facility Commander Wnx Integration License - ACC 4 only		
ACC-GEFCWNX-NVR	GE FcWnx Integration Module for a single NVR. Enables bi-directional event integration between GE Facility Commander Wnx and Avigilon Control Center on a single NVR.	\$ 2,500	\$ 1,750
	Hirsch Velocity Integration License - ACC 4 only		
ACC-HIRSCH-NVR	Hirsch Velocity Integration Module for a single NVR. Enables alarm integration from Hirsch Velocity to Avigilon Control Center on a single NVR.	\$ 2,500	\$ 1,750
	Lenel Integration License - ACC 4 only		
ACC-ONGUARD-NVR	OAAP Certified Lenel Integration Module for a single NVR, required for all NVRs recording cameras that you need to access through your Lenel OnGuard.	\$ 2,500	\$ 1,750
	Picture Perfect Integration License - ACC 4 only		
ACC-PP4-NVR	Picture Perfect Integration Module for a single NVR. Enables alarm integration from Picture Perfect to Avigilon Control Center on a single NVR.	\$ 2,500	\$ 1,750
	Jacques Integration License - ACC 4 only		
ACC-JACQUES-NVR	Jacques Integration Module for a single NVR. Enables bi-directional event integration between Jacques VoIP Voice Communication System and Avigilon Control Center on a single NVR.	\$ 2,500	\$ 1,750
	S2 Net Box Integration License - ACC 4 only		
ACC-S2-NVR	S2 Net Box Integration Module for a single NVR. Enables video integration between S2 Net Box and Avigilon Control Center on a single NVR.	\$ 2,500	\$ 1,750
	Software House Integration License - ACC 4 only		
ACC-CCURE9-NVR	Software House Integration Module for a single NVR. Enables video integration between Software House CCURE 9000 and Avigilon Control Center on a single NVR. Available for both 1.93 and 2.02.	\$ 2,500	\$ 1,750
	Stentofon (Zenitel) Integration License - ACC 4 only		
ACC-STENTOFON-NVR	Stentofon Integration Module for a single NVR. Enables bi-directional event integration between Stentofon and Avigilon Control Center on a single NVR.	\$ 2,500	\$ 1,750
	RS2 Integration License - ACC 4 only		
ACC-RS2-NVR	RS2 Integration license for a single NVR, required for all NVRs being accessed by an instance of RS2 Access It software.	\$ 1,250	\$ 875
	DSX Integration License - ACC 4 only		
ACC-DSX-NVR	DSX Integration license for a single NVR, required for all NVRs being accessed by an instance of WnDSX software.	\$ 1,250	\$ 875
	DDS Integration License - ACC 4 only		
ACC-DDS-NVR	DDS Integration license for a single NVR, required for all NVRs being accessed by an instance of Amadeus software.	\$ 1,250	\$ 875
	SDK License - ACC 4 only		
ACC-SDK-NVR	SDK license for a single NVR, required for all NVRs being accessed by any application written using the ACC SDK.	\$ 1,250	\$ 875
	Avigilon Control Center SDK Developer License		
ACC-SDK-DEV	Development license for the Avigilon Control Center SDK, grants access to the Avigilon Control Center SDK source code, examples, and ACC SDK Technical Support. Includes access to both the ACC 4 and ACC 5 SDKs. Requires Avigilon Non-Disclosure Agreement be signed by the SDK development partner.	NA	\$ 2,450
	Notes		
	SDK (Software Development Kit)		
	All installation and use of Avigilon software is governed by its end user license agreement (EULA), contact Avigilon or visit www.avigilon.com to get a full copy of the EULA		
	All prices in US Dollars exclusive of taxes and freight		
	Avigilon reserves the right to make changes to pricing and discount margins.		

Avigilon - ACSP Price List - USD




Effective October 22, 2014
CONFIDENTIAL

HD Video Appliance Series			
Model No.	Description	MSRP	ACSP Price 30%
	HD Video Appliance  <p>The HD Video Appliance is a turnkey product that combines an 8-port Power-over-Ethernet (PoE) network switch along with full video management server and client software capabilities into a single compact form factor. The HD Video Appliance is powered by Avigilon's market-leading ACC software and comes pre-installed with Core edition licensing included (activation required).</p>		
VMA-AS1-8P2	HD Video Appliance 8-port 2TB unit with ACC Core 8-ch license	\$2,497	\$ 1,748
VMA-AS1-8P4	HD Video Appliance 8-port 4TB unit with ACC Core 8-ch license	\$2,745	\$ 1,922
8C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 8 camera channels	\$855	\$599
	HD Video Appliance Pro  <p>The HD Video Appliance Pro is a turnkey product that combines a 16 or 24-port Power-over-Ethernet (PoE) network switch along with full video management server and client software capabilities into a single compact form factor. The HD Video Appliance is powered by Avigilon's market-leading ACC software and comes pre-installed with Standard edition licensing included (activation required).</p>		
VMA-AS1-16P06	HD Video Appliance Pro 16-port 6TB unit with ACC Standard 16-ch license	\$7,729	\$ 5,411
VMA-AS1-16P09	HD Video Appliance Pro 16-port 9TB unit with ACC Standard 16-ch license	\$8,234	\$ 5,764
VMA-AS1-16P12	HD Video Appliance Pro 16-port 12TB unit with ACC Standard 16-ch license	\$8,711	\$ 6,097
VMA-AS1-24P09	HD Video Appliance Pro 24-port 9TB unit with ACC Standard 24-ch license	\$9,517	\$ 6,862
VMA-AS1-24P12	HD Video Appliance Pro 24-port 12TB unit with ACC Standard 24-ch license	\$11,548	\$ 8,084
16C-ACC5-STD-ENT-UPG	ACC 5 upgrade license Standard to Enterprise for 16 camera channels	\$2,845	\$1,992
24C-ACC5-STD-ENT-UPG	ACC 5 upgrade license Standard to Enterprise for 24 camera channels	\$4,245	\$2,972
	Notes All Avigilon HD Video Appliances are covered by a 3 year warranty Onsite service is not included ACC license activation is required after purchase Mouse, keyboard, monitor not included All installation and use of Avigilon software is governed by its end user license agreement (EULA), contact Avigilon or visit www.avigilon.com to get a full copy of the EULA. All prices in US Dollars exclusive of taxes and freight Avigilon reserves the right to make changes to pricing and discount margins.		

Avigilon - ACSP Price List - USD

Effective October 22, 2014
CONFIDENTIAL



The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

High Definition Network Video Recorders			
Model No.	Description	MSRP	ACSP Price 30%
<i>Visit www.avigilon.com and use the NVR Storage Calculator to find the right HD NVR for your installation</i>			
<p>All HD NVRs are sold without an Avigilon Control Center license which must be purchased separately.</p> <p>All HD NVR Workstations and Servers support both ACC 4 and ACC 5.</p>			
<p>HD Network Video Recorder Workstations</p> <p>1. HD NVR Workstations are designed to be stand alone units for recording, playback, and camera management. 2. HD NVR Workstations include a keyboard and mouse. A display monitor, network switches and cabling for cameras are not included, see the accessories list for more details. 3. HD NVR Workstations support multiple viewing clients, additional camera channel licenses, and audio channel licenses. 4. An ACC license is not included with the hardware and must be purchased separately for either ACC Core, Standard, or Enterprise.</p>			
	<p>1.0TB-HD-NVRWS HD NVR Workstation, 1.0 TB Storage</p> <p>2.0TB-HD-NVRWS HD NVR Workstation, 2.0 TB Storage</p> <p>3.0TB-HD-NVRWS HD NVR Workstation, 3.0 TB Storage</p>	<p>\$ 1,655</p> <p>\$ 2,625</p> <p>\$ 3,450</p>	<p>\$ 1,159</p> <p>\$ 1,838</p> <p>\$ 2,415</p>
<p>HD Network Video Recorder Servers</p> <p>1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class hardware components and include keyboard, mouse, and rails for mounting. Included rails are compatible with square and round hole racks. All HD NVR servers are configured for RAID 5 across all hard drives. 2. HD NVR Servers are compatible with redundant power supply and expansion hard drive options, as well as multiple viewing clients, additional camera channel licenses, and audio channel licenses. 3. HD NVR Servers only support remote viewing clients, no local viewing of video is supported. See page 14 for details on Avigilon remote monitoring workstations or visit www.avigilon.com for system requirements. 4. HD NVR Servers for use with ACC HD LPR require an additional processor installed, customer installation is required, purchase HD-NVR2-LPRPROC 5. Using HD NVR Servers with expansion storage requires an expansion card installed, customer installation is required, purchase HD-NVR2-EXP2-CARD 6. An ACC license is not included with the hardware and must be purchased separately for either ACC Core, Standard, or Enterprise.</p>			
	<p>3.0TB-HD-NVR2 HD NVR, 3.0 TB Storage, 2U Rack Mount</p> <p>5.0TB-HD-NVR2 HD NVR, 5.0 TB Storage, 2U Rack Mount</p> <p>10.0TB-HD-NVR2 HD NVR, 10.0 TB Storage, 2U Rack Mount</p> <p>15.0TB-HD-NVR2 HD NVR, 15.0 TB Storage, 2U Rack Mount</p> <p>21.0TB-HD-NVR2 HD NVR, 21.0 TB Storage, 2U Rack Mount</p>	<p>\$ 5,160</p> <p>\$ 7,660</p> <p>\$ 9,660</p> <p>\$ 11,660</p> <p>\$ 14,995</p>	<p>\$ 3,612</p> <p>\$ 5,362</p> <p>\$ 6,762</p> <p>\$ 8,162</p> <p>\$ 10,497</p>
<p>HD Network Video Recorder Options - Servers Only</p>			
	<p>HD-NVR2-2ND-PS Secondary redundant power supply for a HD NVR Server</p> <p>HD-NVR2-EXP2-CARD Expansion card for connecting HD-NVR-EXP2 storage expansions to an HD NVR Server.</p> <p>HD-NVR2-LPRPROC Additional processor and memory installation kit for use with ACC HD LPR</p>	<p>\$ 275</p> <p>\$ 895</p> <p>\$ 895</p>	<p>\$ 193</p> <p>\$ 627</p> <p>\$ 627</p>
<p>HD Network Video Recorder Storage Expansion</p> <p>1. HD NVR Storage expansions come assembled in industry standard rack mount chassis using enterprise class hardware components and rails for mounting. Included rails are compatible with square hole racks only. 2. Using HD NVR Servers with expansion storage requires an expansion card installed, customer installation is required, purchase HD-NVR2-EXP2-CARD 3. HD NVR Storage expansions contain redundant management modules and redundant power supplies.</p>			
	<p>HD-NVR-EXP2-10TB 10TB RAID 6 Expansion, 2U Rack Mount</p> <p>HD-NVR-EXP2-20TB 20TB RAID 6 Expansion, 2U Rack Mount</p> <p>HD-NVR-EXP2-30TB 30TB RAID 6 Expansion, 2U Rack Mount</p>	<p>\$ 9,795</p> <p>\$ 17,495</p> <p>\$ 20,450</p>	<p>\$ 6,857</p> <p>\$ 12,247</p> <p>\$ 14,315</p>
<p>Upgrade NVR Operating System</p> <p>Enable an Avigilon™ HD NVR Workstation or Avigilon™ HD NVR Server operating system to be upgraded from Windows XP to Windows Embedded Standard 7. Included is a Microsoft® Windows® Embedded Standard Certificate of Authenticity security label, upgrade procedure document, and DVD. Note: The upgrade procedure document is only available in English.</p>			
	<p>NVR-WS1-XP2WES7-UPG WinXP to WES7E upgrade for Dell Precision T5500 based HD NVR Workstation</p> <p>NVR-SVR1-XP2WES7-UPG WinXP to WES7E upgrade for Dell PowerEdge R710 based HD NVR Server</p>	<p>\$ 135</p> <p>\$ 135</p>	<p>\$ 95</p> <p>\$ 95</p>
<p>Avigilon Control Center Professional High Performance Remote Monitoring Workstation</p> <p>Avigilon Control Center Professional high performance remote monitoring workstations are intended for use with Avigilon Control Center 4 or 5 HD NVMS. Avigilon Control Center Client is preloaded and a keyboard and mouse are included, a display monitor is not included. Visit www.avigilon.com for system requirements if you wish to configure your own remote monitoring workstation.</p>			
	<p>2MN-HD-RMWS Avigilon Control Center Professional high performance remote monitoring workstation for up to two monitors.</p> <p>4MN-HD-RMWS Avigilon Control Center Professional high performance remote monitoring workstation with a second graphics card and processor for viewing on up to four monitors.</p>	<p>\$1,655</p> <p>\$3,475</p>	<p>\$1,159</p> <p>\$2,433</p>
<p>Notes</p> <p>All Avigilon NVRs are covered by a 3 year warranty, see page 14 for details.</p> <p>NVR (Network Video Recorder)</p> <p>NVMS (Network Video Management Software)</p> <p>All installation and use of Avigilon software is governed by its end user license agreement (EULA), contact Avigilon or visit www.avigilon.com to get a full copy of the EULA.</p> <p>All prices in US Dollars exclusive of taxes and freight</p> <p>Avigilon reserves the right to make changes to pricing and discount margins.</p>			

Avigilon - ACSP Price List - USD

Effective October 22, 2014



CONFIDENTIAL

HD Dome and Bullet Cameras with Adaptive Video Analytics			
Model No.	Description	MSRP	ACSP Price 30%
<i>Visit www.avigilon.com and use the camera resolution calculator to find the right camera for your installation</i>			
			
1.0 Megapixel HD Dome Cameras with Adaptive Video Analytics			
1.0-H3A-DO1	1.0 Megapixel (720p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, Adaptive Video Analytics	\$870	\$609
1.0-H3A-DO1-IR	1.0 Megapixel (720p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator, Adaptive Video Analytics	\$920	\$644
1.0-H3A-DP1	1.0 Megapixel (720p) Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens, Adaptive Video Analytics	\$870	\$609
1.0-H3A-DO2	1.0 Megapixel (720p) Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens, Adaptive Video Analytics	\$910	\$637
1.0-H3A-DP2	1.0 Megapixel (720p) Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens, Adaptive Video Analytics	\$910	\$637
2.0 Megapixel HD Dome Cameras with Adaptive Video Analytics			
2.0-H3A-DO1	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, Adaptive Video Analytics	\$990	\$693
2.0-H3A-DO1-IR	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator, Adaptive Video Analytics	\$1,040	\$728
2.0-H3A-DP1	2.0 Megapixel (1080p) Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens, Adaptive Video Analytics	\$990	\$693
2.0-H3A-DO2	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens, Adaptive Video Analytics	\$1,030	\$721
2.0-H3A-DP2	2.0 Megapixel (1080p) Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens, Adaptive Video Analytics	\$1,030	\$721
3.0 Megapixel HD Dome Cameras with Adaptive Video Analytics			
3.0W-H3A-DO1	3.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, Adaptive Video Analytics	\$1,110	\$777
3.0W-H3A-DO1-IR	3.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator, Adaptive Video Analytics	\$1,160	\$812
3.0W-H3A-DP1	3.0 Megapixel (1080p) Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens, Adaptive Video Analytics	\$1,110	\$777
3.0W-H3A-DO2	3.0 Megapixel (1080p) Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens, Adaptive Video Analytics	\$1,150	\$805
3.0W-H3A-DP2	3.0 Megapixel (1080p) Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens, Adaptive Video Analytics	\$1,150	\$805
			
HD Bullet Cameras with Adaptive Video Analytics			
1.0W-H3A-BO1-IR	1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Adaptive Video Analytics	\$920	\$644
1.0W-H3A-BO2-IR	1.0 Megapixel (720p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Adaptive Video Analytics	\$960	\$672
2.0W-H3A-BO1-IR	2.0 Megapixel (1080p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Adaptive Video Analytics	\$1,040	\$728
2.0W-H3A-BO2-IR	2.0 Megapixel (1080p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Adaptive Video Analytics	\$1,080	\$756
3.0W-H3A-BO1-IR	3.0 Megapixel WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Adaptive Video Analytics	\$1,160	\$812
3.0W-H3A-BO2-IR	3.0 Megapixel WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Adaptive Video Analytics	\$1,200	\$840
HD Dome and Bullet Camera Accessories			
MNT-PEND-WALL	Compact wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	\$90	\$63
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$90	\$63
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$90	\$63
H3-DOP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for outdoor and pendant domes.	\$60	\$42
H3-DOP-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for outdoor and pendant domes. Reduces light transmission by 50% compared to the standard clear cover. <i>Not recommended for low light applications or with the integrated IR illuminator.</i>	\$60	\$42
<i>All Avigilon cameras are covered by a 3 year warranty, see page 16 for details.</i>			
<i>All prices in US Dollars exclusive of taxes and freight</i>			
<i>Avigilon reserves the right to make changes to pricing and discount margins.</i>			

Avigilon - ACSP Price List - USD

Effective October 22, 2014
CONFIDENTIAL


The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

H.264 High Definition Dome Cameras			
Model No.	Description	MSRP	ACSP Price 30%
<i>Visit www.avigilon.com and use the camera resolution calculator to find the right camera for your installation</i>			
			
HD Micro Domes			
1.0-H3M-DO1	1.0 Megapixel (720p) Outdoor Micro Dome, 2.8mm f/1.6 lens	\$280	\$196
2.0-H3M-DO1	2.0 Megapixel (1080p) Outdoor Micro Dome, 2.8mm f/1.6 lens	\$380	\$266
1.0-H3M-DC1	1.0 Megapixel (720p) Indoor In-Ceiling Micro Dome, 2.8mm f/1.6 lens	\$280	\$196
1.0-H3M-DC1-BL	1.0 Megapixel (720p) Indoor In-Ceiling Micro Dome, 2.8mm f/1.6 lens, Black	\$280	\$196
2.0-H3M-DC1	2.0 Megapixel (1080p) Indoor In-Ceiling Micro Dome, 2.8mm f/1.6 lens	\$380	\$266
2.0-H3M-DC1-BL	2.0 Megapixel (1080p) Indoor In-Ceiling Micro Dome, 2.8mm f/1.6 lens, Black	\$380	\$266
			
1.0 Megapixel H.264 HD Dome Cameras			
1.0-H3-D1	1.0 Megapixel (720p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	\$505	\$354
1.0-H3-D1-IR	1.0 Megapixel (720p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	\$550	\$385
1.0-H3-DO1	1.0 Megapixel (720p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	\$635	\$445
1.0-H3-DO1-IR	1.0 Megapixel (720p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	\$675	\$473
1.0-H3-DP1	1.0 Megapixel (720p) Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	\$635	\$445
1.0-H3-DC1	1.0 Megapixel (720p) Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	\$550	\$385
1.0-H3-D2	1.0 Megapixel (720p) Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	\$540	\$378
1.0-H3-DO2	1.0 Megapixel (720p) Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	\$665	\$466
1.0-H3-DP2	1.0 Megapixel (720p) Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	\$665	\$466
1.0-H3-DC2	1.0 Megapixel (720p) Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	\$580	\$408
1.3 Megapixel H.264 HD Dome Cameras			
1.3L-H3-D1	1.3 Megapixel (1024p) LightCatcher Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	\$640	\$448
1.3L-H3-DO1	1.3 Megapixel (1024p) LightCatcher Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	\$765	\$536
1.3L-H3-DP1	1.3 Megapixel (1024p) LightCatcher Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	\$765	\$536
1.3L-H3-DC1	1.3 Megapixel (1024p) LightCatcher Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	\$680	\$476
1.3L-H3-D2	1.3 Megapixel (1024p) LightCatcher Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	\$670	\$469
1.3L-H3-DO2	1.3 Megapixel (1024p) LightCatcher Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	\$800	\$560
1.3L-H3-DC2	1.3 Megapixel (1024p) LightCatcher Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	\$715	\$501
1.3L-H3-DP2	1.3 Megapixel (1024p) LightCatcher Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	\$800	\$560
2.0 Megapixel H.264 HD Dome Cameras			
2.0-H3-D1	2.0 Megapixel (1080p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	\$610	\$427
2.0-H3-D1-IR	2.0 Megapixel (1080p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	\$660	\$455
2.0-H3-DO1	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	\$735	\$515
2.0-H3-DO1-IR	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	\$780	\$546
2.0-H3-DP1	2.0 Megapixel (1080p) Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	\$735	\$515
2.0-H3-DC1	2.0 Megapixel (1080p) Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	\$660	\$455
2.0-H3-D2	2.0 Megapixel (1080p) Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	\$640	\$448
2.0-H3-DO2	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	\$770	\$539
2.0-H3-DP2	2.0 Megapixel (1080p) Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	\$770	\$539
2.0-H3-DC2	2.0 Megapixel (1080p) Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	\$685	\$480
H.264 HD Dome Camera Accessories			
MNT-PEND-WALL	Compact wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	\$90	\$63
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$90	\$63
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$90	\$63
H3-D-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for indoor domes.	\$40	\$28
H3-DOP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for outdoor and pendant domes.	\$60	\$42
H3-DC-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for in-ceiling domes.	\$40	\$28
H3-DC-PNL	Metal ceiling panel for use with H3-DC in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	\$95	\$67
H3-D-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for indoor domes. Reduces light transmission by 50% compared to the standard clear cover. <i>Not recommended for low light applications or with the integrated IR illuminator.</i>	\$40	\$28
H3-DOP-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for outdoor and pendant domes. Reduces light transmission by 50% compared to the standard clear cover. <i>Not recommended for low light applications or with the integrated IR illuminator.</i>	\$60	\$42
H3-DC-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for in-ceiling domes. Reduces light transmission by 50% compared to the standard clear cover. <i>Not recommended for low light applications.</i>	\$40	\$28
<small>All Avigilon cameras are covered by a 3 year warranty, see page 16 for details.</small>			
<small>All prices in US Dollars exclusive of taxes and freight</small>			
<small>Avigilon reserves the right to make changes to pricing and discount margins.</small>			

Avigilon - ACSP Price List - USD

Effective October 22, 2014
CONFIDENTIAL





The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

H.264 High Definition Dome Cameras			
Model No.	Description	MSRP	ACSP Price 30%
<i>Visit www.avigilon.com and use the camera resolution calculator to find the right camera for your installation</i>			
			
3.0 Megapixel H.264 HD Dome Cameras			
3.0W-H3-D1	3.0 Megapixel WDR Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	\$ 835	\$ 585
3.0W-H3-D1-IR	3.0 Megapixel WDR Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	\$ 885	\$ 620
3.0W-H3-DO1	3.0 Megapixel WDR Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	\$ 985	\$ 690
3.0W-H3-DO1-IR	3.0 Megapixel WDR Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	\$ 1,035	\$ 725
3.0W-H3-DP1	3.0 Megapixel WDR Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	\$ 985	\$ 690
3.0W-H3-DC1	3.0 Megapixel WDR Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	\$ 885	\$ 620
3.0W-H3-D2	3.0 Megapixel WDR Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	\$ 875	\$ 613
3.0W-H3-DO2	3.0 Megapixel WDR Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	\$ 1,025	\$ 718
3.0W-H3-DP2	3.0 Megapixel WDR Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	\$ 1,025	\$ 718
3.0W-H3-DC2	3.0 Megapixel WDR Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	\$ 925	\$ 648
5.0 Megapixel H.264 HD Dome Cameras			
5.0-H3-D1	5.0 Megapixel Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	\$ 955	\$ 669
5.0-H3-D1-IR	5.0 Megapixel Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	\$ 1,005	\$ 704
5.0-H3-DO1	5.0 Megapixel Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	\$ 1,105	\$ 774
5.0-H3-DO1-IR	5.0 Megapixel Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	\$ 1,155	\$ 809
5.0-H3-DP1	5.0 Megapixel Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	\$ 1,105	\$ 774
5.0-H3-DC1	5.0 Megapixel Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	\$ 1,005	\$ 704
5.0-H3-D2	5.0 Megapixel Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	\$ 995	\$ 697
5.0-H3-DO2	5.0 Megapixel Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	\$ 1,145	\$ 802
5.0-H3-DP2	5.0 Megapixel Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	\$ 1,145	\$ 802
5.0-H3-DC2	5.0 Megapixel Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	\$ 1,045	\$ 732
H.264 HD Dome Camera Accessories			
MNT-PEND-WALL	Compact wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	\$ 90	\$ 63
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$ 90	\$ 63
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$ 90	\$ 63
H3-D-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for indoor domes.	\$ 40	\$ 28
H3-DOP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for outdoor and pendant	\$ 60	\$ 42
H3-DC-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for in-ceiling domes.	\$ 40	\$ 28
H3-DC-PNL	Metal ceiling panel for use with H3-DC in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	\$ 95	\$ 67
H3-D-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for indoor domes. Reduces light transmission by 50% compared to the standard clear cover. <i>Not recommended for low light applications or with the integrated IR illuminator.</i>	\$ 40	\$ 28
H3-DOP-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for outdoor and pendant domes. Reduces light transmission by 50% compared to the standard clear cover. <i>Not recommended for low light applications or with the integrated IR illuminator.</i>	\$ 60	\$ 42
H3-DC-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for in-ceiling domes. Reduces light transmission by 50% compared to the standard clear cover. <i>Not recommended for low light applications.</i>	\$ 40	\$ 28
<i>All Avigilon cameras are covered by a 3 year warranty, see page 16 for details.</i>			
<i>All prices in US Dollars exclusive of taxes and freight</i>			
<i>Avigilon reserves the right to make changes to pricing and discount margins.</i>			

Avigilon - ACSP Price List - USD

Effective October 22, 2014
CONFIDENTIAL


The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras			
Model No.	Description	MSRP	ACSP Price 30%
<i>Visit www.avigilon.com and use the camera resolution calculator to find the right camera for your installation</i>			
 H.264 HD Cameras			
1.0-H3-B2	1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-Iris lens	\$505	\$354
1.0-H3-B3	1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-Iris lens	\$540	\$378
1.0-H3-B1	1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens	\$550	\$385
1.3L-H3-B2	1.3 Megapixel (1024p) LightCatcher Day/Night, 3-9mm f/1.2 P-Iris lens	\$640	\$448
1.3L-H3-B3	1.3 Megapixel (1024p) LightCatcher Day/Night, 9-22mm f/1.6 P-Iris lens	\$670	\$469
2.0-H3-B2	2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-Iris lens	\$810	\$567
2.0-H3-B3	2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-Iris lens	\$840	\$588
2.0-H3-B1	2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens	\$850	\$595
3.0W-H3-B2	3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens	\$ 835	\$ 585
3.0W-H3-B3	3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-Iris lens	\$ 875	\$ 613
5.0-H3-B2	5.0 Megapixel Day/Night 3-9mm f/1.2 P-Iris lens	\$ 955	\$ 669
5.0-H3-B3	5.0 Megapixel Day/Night, 9-22mm f/1.6 P-Iris lens	\$ 995	\$ 697
 HD Bullet Cameras			
1.0W-H3-BO1-IR	1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage	\$795	\$473
1.0W-H3-BO2-IR	1.0 Megapixel (720p) WDR, 9-22mm f/1.6 P-Iris lens, Integrated IR, Onboard storage	\$835	\$497
2.0W-H3-BO1-IR	2.0 Megapixel (1080p) WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage	\$915	\$546
2.0W-H3-BO2-IR	2.0 Megapixel (1080p) WDR, 9-22mm f/1.6 P-Iris lens, Integrated IR, Onboard storage	\$955	\$567
3.0W-H3-BO1-IR	3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage	\$ 1,035	\$ 725
3.0W-H3-BO2-IR	3.0 Megapixel WDR, 9-22mm f/1.6 P-Iris lens, Integrated IR, Onboard storage	\$ 1,075	\$ 753
5.0-H3-BO1-IR	5.0 Megapixel 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage	\$ 1,155	\$ 809
5.0-H3-BO2-IR	5.0 Megapixel 9-22mm f/1.6 P-Iris lens, Integrated IR, Onboard storage	\$ 1,195	\$ 837
HD Bullet Accessories			
H3-BO-JB	Junction box for the H3-BO-IR HD Bullet Cameras	\$ 95	\$ 67
 HD PTZ Pendant Cameras			
1.0W-H3PTZ-DP20	1.0 Megapixel (720p) WDR Day/Night, 20x, Pendant Dome	\$ 2,995	\$ 2,097
2.0W-H3PTZ-DP20	2.0 Megapixel (1080p) WDR Day/Night, 20x, Pendant Dome	\$ 3,495	\$ 2,447
 HD PTZ In-Ceiling Cameras			
1.0W-H3PTZ-DC20	1.0 Megapixel (720p) WDR Day/Night, 20x, In-Ceiling Dome	\$ 2,645	\$ 1,852
2.0W-H3PTZ-DC20	2.0 Megapixel (1080p) WDR Day/Night, 20x, In-Ceiling Dome	\$ 3,145	\$ 2,202
HD PTZ Accessories			
MNT-PEND-WALL	Compact wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	\$ 90	\$ 63
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$ 90	\$ 63
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$ 90	\$ 63
H3PTZ-DC-PNL	Metal ceiling panel for use with H3PTZ-DC in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	\$ 90	\$ 63
H3PTZ-DC-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover HD PTZ In-Ceiling cameras. Reduces light transmission by 50% compared to the standard clear cover. <i>Not recommended for low light applications.</i>	\$ 120	\$ 84
H3PTZ-DC-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for HD PTZ In-Ceiling cameras.	\$ 120	\$ 84
H3PTZ-DP-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for HD PTZ Pendant cameras. Reduces light transmission by 50% compared to the standard clear cover. <i>Not recommended for low light applications.</i>	\$ 120	\$ 84
H3PTZ-DP-CLEAR-IK	IK10 replacement clear transparent cover, includes dome bubble and camera cover for HD PTZ Pendant cameras.	\$ 150	\$ 105
H3PTZ-DP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for HD PTZ Pendant cameras.	\$ 120	\$ 84
<small>All Avigilon cameras are covered by a 3 year warranty, see page 16 for details. All prices in US Dollars exclusive of taxes and freight Avigilon reserves the right to make changes to pricing and discount margins.</small>			

Avigilon - ACSP Price List - USD

Effective October 22, 2014
CONFIDENTIAL





The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

JPEG2000 HD Panoramic Dome Cameras			
Model No.	Description	MSRP	ACSP Price 30%
<i>Visit www.avigilon.com and use the camera resolution calculator to find the right camera for your installation</i>			
JPEG2000 HD Panoramic Dome Cameras			
	<p>All Panoramic HD Dome cameras are vandal resistant, and can be mounted to any flat surface. Additional mounting options are available using the accessories listed below. Four lenses are factory installed and pre-focused with all Panoramic HD Dome Cameras. All HD Panoramic Dome require only one channel license in Avigilon Control Center.</p> <p>Panoramic HD Domes come standard with a cool grey base color, custom base colors are available, please call for pricing.</p>		
8.OMP-HD-DOME-180	180° 8.0 Megapixel Panoramic HD Color Dome	\$ 1,495	\$ 1,047
8.OMP-HD-DOME-360	360° 8.0 Megapixel Panoramic HD Color Dome	\$ 1,495	\$ 1,047
8.OMP-HD-DOME-180-H	180° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater	\$ 1,545	\$ 1,082
8.OMP-HD-DOME-360-H	360° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater	\$ 1,545	\$ 1,082
JPEG2000 HD Panoramic Dome Camera Accessories			
DOME-INDE-PLT	Indoor electrical box mounting plate add-on, allows mounting with side cable access and mounting to a 4S electrical box.	\$ 18	\$ 13
DOME-OD-BASE	Outdoor mounting base add-on, creates an IP66 seal and allows conduit connection and pipe mounting.	\$ 23	\$ 16
DOME-OD-PEND	Indoor/Outdoor pendant mount, creates an IP66 sealed enclosure for connection to industry standard pendant wall brackets.	\$ 23	\$ 16
MNT-PEND-WALL	Compact wall bracket for use with DOME-OD-PEND	\$ 90	\$ 63
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$ 90	\$ 63
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$ 90	\$ 63
DOME-IND-CEL	Indoor in-ceiling mount add-on adapter allows the camera to be ceiling mounted with only the external clear bubble showing.	\$ 95	\$ 67
IND-CEL-PNL	Metal ceiling panel for use with the DOME-IND-CEL to replace or reinforce the existing ceiling tile in suspended ceiling installations.	\$ 87	\$ 61
DOME-SMOKE	Replacement smoked transparent cover. Reduces light transmission by 50% compared to the standard clear cover. <i>Not recommended for low light applications.</i>	\$ 10	\$ 7
Notes			
<i>All Avigilon cameras are covered by a 3 year warranty, see page 16 for details.</i>			
<i>All prices in US Dollars exclusive of taxes and freight</i>			
<i>Avigilon reserves the right to make changes to pricing and discount margins.</i>			

Avigilon - ACSP Price List - USD

Effective October 22, 2014
CONFIDENTIAL



The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

HD Pro Cameras			
Model No.	Description	MSRP	ACSP Price 30%
<i>Visit www.avigilon.com and use the camera resolution calculator to find the right camera for your installation</i>			
H.264 HD Pro Color Cameras with LightCatcher Technology			
	All HD Pro Color Cameras come with an EF/EF-S lens mount that supports auto-iris and motorized focus control when connected to a compatible lens. Onboard storage capable.		
8L-H4PRO-B	8 Megapixel H.264 HD Pro with LightCatcher Technology	\$ 4,650	\$ 3,255
12L-H4PRO-B	12 Megapixel H.264 HD Pro with LightCatcher Technology	\$ 7,075	\$ 4,953
16L-H4PRO-B	16 Megapixel H.264 HD Pro with LightCatcher Technology	\$ 7,500	\$ 5,250
JPEG2000 HD Pro Color Cameras			
	All HD Pro Color Cameras come with an EF lens mount that supports auto-iris and motorized focus control when connected to a compatible lens		
29MP-HD-PRO-C	29 Megapixel HD Pro, Color	\$ 9,850	\$ 6,895
JPEG2000 HD Pro Monochrome Cameras			
	All HD Pro Monochrome Cameras come with a EF lens mount that supports auto-iris and motorized focus control when connected to a compatible lens		
29MP-HD-PRO-M	29 Megapixel HD Pro, Monochrome	\$ 9,850	\$ 6,895
Analog Video Encoders			
H.264 Analog Video Encoder			
	A single Avigilon H.264 Analog Video Encoder requires only one channel license in Avigilon Control Center regardless of the number of analog cameras connected to it.		
ENC-4P-H264	4-Port H.264 Analog Video Encoder with 4 audio support	\$ 345	\$ 242
Analog Video Encoder Options			
ENC-BRK1U	Mounting bracket for 3 Avigilon Analog Video Encoders in 1U of standard rack space	\$ 55	\$ 39
Notes			
<i>All Avigilon cameras are covered by a 3 year warranty, see page 16 for details.</i>			
<i>All prices in US Dollars exclusive of taxes and freight</i>			
<i>Avigilon reserves the right to make changes to pricing and discount margins.</i>			

Avigilon - ACSP Price List - USD

Effective October 22, 2014
CONFIDENTIAL






The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Avigilon Control Center High Definition LPR / ANPR			
Model No.		MSRP	ACSP Price 30%
	Refer to the Avigilon ACC HD LPR Design Guide, available from the Avigilon Partner Section, for additional information on designing and quoting ACC HD LPR Systems. ACC HD LPR requires ACC Enterprise HD NVMS.		
Single Lane HD LPR Capture Kits			
	<p>All Single Lane HD LPR Capture Kits include a monochrome LPR camera and lens preinstalled in an outdoor enclosure with integrated IR illumination and advanced visible light blocking filter.</p> <p>The enclosure includes a position for an optional HD Color Day/Night overview camera. Manual iris lenses must be used on the overview camera, contact Avigilon for lens options.</p>		
1L-HD-LP-35	35ft (11m) Single Lane HD LPR Capture Kit	\$ 4,950	\$ 3,465
1L-HD-LP-50	50ft (15m) Single Lane HD LPR Capture Kit	\$ 4,950	\$ 3,465
1L-HD-LP-75	75ft (23m) Single Lane HD LPR Capture Kit	\$ 4,950	\$ 3,465
1L-HD-LP-100	100ft (30m) Single Lane HD LPR Capture Kit	\$ 5,150	\$ 3,605
Dual Lane HD LPR Capture Kits			
	<p>All Dual Lane HD LPR Capture Kits include a monochrome LPR camera and lens preinstalled in an outdoor enclosure with integrated IR illumination and advanced visible light blocking filter.</p> <p>The enclosure includes a position for an optional HD Color Day/Night overview camera. Manual iris lenses must be used on the overview camera, contact Avigilon for lens options.</p>		
2L-HD-LP-40	40ft (12m) Dual Lane HD LPR Capture Kit	\$ 5,950	\$ 4,165
ACC HD LPR Module License			
1LPR-HD-NVMS	Avigilon Control Center HD LPR base license for 1 lane of LPR on a single ACC 4 server. Includes a single USB security dongle required for ACC HD LPR.	\$ 3,200	\$ 2,240
1LPR-HD-NVMS-ADD	Add-on to add an additional LPR lane to an ACC 4 server, required for a dual lane capture kit or when running multiple HD LPR Capture kits on a single NVR server.	\$ 1,500	\$ 1,050
1LPR-ACC5-BASE-M	Avigilon Control Center HD LPR base license for 1 lane of LPR on a single ACC 5 server. Includes a single USB security dongle required for ACC HD LPR.	\$ 3,200	\$ 2,240
1LPR-ACC5-ADD	Add-on to add an additional LPR lane to an ACC 5 server, required for a dual lane capture kit or when running multiple HD LPR Capture kits on a single NVR server.	\$ 1,500	\$ 1,050
HD NVR Servers for LPR			
	HD LPR requires additional processing capacity, consult the HD NVR Server page for available HD NVR Server options to install an additional processor.		
Notes			
	All Avigilon cameras are covered by a 3 year warranty, see page 16 for details.		
	LPR (License Plate Recognition)		
	ANPR (Automatic Number Plate Recognition)		
	All prices in US Dollars exclusive of taxes and freight		
	Avigilon reserves the right to make changes to pricing and discount margins.		

Avigilon - ACSP Price List - USD

Effective October 22, 2014
CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Avigilon Rialto™ Analytic Appliance			
Model No.	Description	MSRP	ACSP Price 30%
Rialto Analytic Appliances			
	IP and Analog video analytic appliances support Avigilon 1 & 2 MP and third party IP and analog cameras. All devices support audio channels and onboard storage from 40GB to 2TB.		
1U Rack-Mount Analytic Appliance			
	Rialto R-Series Analytic Appliance records up to 16 security cameras per unit. The rack-mount form factor is configurable with IP and analog modules. Supports up to 1080p resolution at 30 fps.		
VAA-I4-1U	Digital 1U Analytic Appliance Module	\$ 1,500	\$ 1,050
VAA-A4-1U	Analog 1U Analytic Appliance Module	\$ 1,500	\$ 1,050
VAA-1U-2TB	Base System 1U Analytic Appliance 2TB Storage	\$ 2,500	\$ 1,750
Digital Small Footprint Analytic Appliance			
	Rialto I4 digital analytic appliance. 4 channel IP digital encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1, 3 x 720p or 2 x 1080p high definition cameras at 30 fps.		
VAA-I4-S40GB	Digital Analytic Appliance, 40GB SDD Storage	\$ 2,050	\$ 1,435
VAA-I4-H500G	Digital Analytic Appliance, 500GB HDD Storage	\$ 2,240	\$ 1,568
Analog Small Footprint Analytic Appliance			
	Rialto A4 analog analytic appliance. 4 channel analog camera encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1 resolution cameras at 30 fps.		
VAA-A4-S40GB	Analog Analytic Appliance, 40GB SDD Storage	\$ 2,050	\$ 1,435
VAA-A4-H500G	Analog Analytic Appliance, 500GB HDD Storage	\$ 2,240	\$ 1,568
1U Rack-Mount Analytic Appliance Accessories			
	Rack-mount shelf for the Rialto R-Series analytic appliance.		
VAA-1USHLF	1U Rack-mount shelf	\$ 130	\$ 91
Notes			
All Avigilon analytic appliances are covered by a 3 year warranty, see page 16 for details.			
All prices in US Dollars exclusive of taxes and freight			
Avigilon reserves the right to make changes to pricing and discount margins.			

Avigilon - ACSP Price List - USD

Effective October 22, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Fixed Focal Length EF & EF-S Mount Lenses for JPEG2000 HD Pro and H.264 HD Pro Cameras

Lens Model No.	Description	Recommended Avigilon Camera Models	Notes	MSRP	ACSP Price 30%
LEF2414CA	Canon, 24mm, f/1.4, Auto-Iris	x-H4PRO-B & x-HD-PRO-x	Highest image quality available, excellent in low light	\$ 3,540	\$ 2,478
LEF2818CA	Canon, 28mm, f/1.8, Auto-Iris	x-H4PRO-B & x-HD-PRO-x	Highest image quality, good in low light, excellent value	\$ 930	\$ 651
LEFS3014SI	Sigma, 30mm, f/1.4, Auto-Iris	x-H4PRO-B	Highest image quality available, excellent in low light	\$ 865	\$ 606
LEF3514CA	Canon, 35mm, f/1.4, Auto-Iris	x-H4PRO-B & x-HD-PRO-x	Highest image quality available, excellent in low light	\$ 2,917	\$ 2,042
LEF3520CA	Canon, 35mm, f/2.0, Auto-Iris	x-H4PRO-B & x-HD-PRO-x	Good image quality, excellent value	\$ 667	\$ 467
LEF4028CA	Canon, 40mm, f/2.8, Auto-Iris	x-H4PRO-B & x-HD-PRO-x	Good image quality, excellent value	\$ 400	\$ 280
LEF5012CA	Canon, 50mm, f/1.2, Auto-Iris	x-H4PRO-B & x-HD-PRO-x	Highest image quality available, excellent in low light	\$ 3,332	\$ 2,332
LEF5014CA	Canon, 50mm, f/1.8, Auto-Iris	x-H4PRO-B & x-HD-PRO-x	Good image quality, excellent in low light, excellent value	\$ 834	\$ 584
LEF5018CA	Canon, 50mm, f/1.8, Auto-Iris	x-H4PRO-B & x-HD-PRO-x	Good image quality, good in low light, excellent value	\$ 207	\$ 145
LEF8512CA	Canon, 85mm, f/1.2, Auto-Iris	x-H4PRO-B & x-HD-PRO-x	Highest image quality available, excellent in low light	\$ 4,105	\$ 2,874
LEF8518CA	Canon, 85mm, f/1.8, Auto-Iris	x-H4PRO-B & x-HD-PRO-x	Good image quality, good in low light, excellent value	\$ 960	\$ 672
LEF10020CA	Canon, 100mm, f/2.0, Auto-Iris	x-H4PRO-B & x-HD-PRO-x	Good image quality	\$ 907	\$ 635
LEF20028CA	Canon, 200mm, f/2.8, Auto-Iris	x-H4PRO-B & x-HD-PRO-x	Good image quality, <i>not recommended for low light on HD-PRO cameras</i>	\$ 1,920	\$ 1,344

Variable Focal Length EF Mount Lenses for JPEG2000 HD Pro and H.264 HD Pro Cameras

Visit www.avigilon.com and use the lens calculator to find the right lens for your installation

Lens Model No.	Description	Recommended Avigilon Camera Models	Notes	MSRP	ACSP Price 30%
LEFS111628TO	Tokina, 11-16mm, f/2.8, Auto-Iris, Vari Focal	x-H4PRO-B	Good image quality, vari-focal	\$ 1,280	\$ 896
LEF163528CA	Canon, 16-35mm, f/2.8, Auto-Iris, Vari Focal	x-H4PRO-B & x-HD-PRO-x	Highest image quality available, vari-focal <i>Not recommended for low light on HD-PRO cameras.</i>	\$ 3,167	\$ 2,217
LEFS175028SI	Sigma, 17-50mm, f/2.8, Auto-Iris, Vari Focal	x-H4PRO-B	Good image quality, vari-focal	\$ 890	\$ 623
LEFS183518SI	Sigma, 18-35mm, f/1.8, Auto-Iris, Vari Focal	x-H4PRO-B	Highest image quality available, vari-focal, excellent in low light.	\$ 1,510	\$ 1,057
LEF247028SI	Sigma 24-70mm, f/2.8, Auto-Iris, Vari Focal	x-H4PRO-B & x-HD-PRO-x	Highest image quality available, vari-focal <i>Not recommended for low light on HD-PRO cameras</i>	\$ 1,895	\$ 1,327
LEF7020028CA	Canon, 70-200mm, f/2.8, Auto-Iris, Vari Focal	x-H4PRO-B & x-HD-PRO-x	Highest image quality available, vari-focal <i>Not recommended for low light on HD-PRO cameras.</i>	\$ 2,709	\$ 1,896
LEF7030040CA	Canon, 70-300mm, f/4-f/5.6, Auto-Iris, Vari Focal	x-H4PRO-B & x-HD-PRO-x	Good image quality available, vari-focal, excellent value <i>Not recommended for low light</i>	\$ 1,130	\$ 791
LEF10040045CA	Canon, 100-400mm, f/4.5-f/5.6, Auto-Iris, Vari Focal	x-H4PRO-B & x-HD-PRO-x	Highest image quality available, vari-focal, <i>Not recommended for low light</i>	\$ 3,355	\$ 2,349

Notes

There are other lenses available for Avigilon cameras if you have requirements for lenses outside what is listed here please contact Sales at Avigilon

All prices in US Dollars exclusive of taxes and freight

Avigilon - ACSP Price List - USD

Effective October 22, 2014
CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Accessories: Remote Monitoring Workstations, Professional Services, Microphones, Surveillance Joysticks, Switches, and Monitors			
Model No.	Description	MSRP	ACSP Price 30%
Professional Services			
PR-ON-1D	One day of on-site support for integration, troubleshooting, and training. Excludes travel expenses, contact your regional sales representative for a quote.	\$ 4,000	\$ 2,800
Surveillance Microphone			
ACC-MIC	Omni-directional, low impedance, electret condenser microphone with built-in preamp for producing line level output. It is housed in a high impact ABS dome designed for ceiling or wall mounting. Normal pick-up pattern is approximately 15' from the microphone location, all directions, or within 30' diameter circle. <i>No wiring or plug is provided with the microphone, Avigilon HD Dome Cameras and Analog Encoders with Audio use a 3.5mm plug.</i>	\$ 292	\$ 204
Surveillance Joystick			
ACC-USB-JOY	Programmable USB Surveillance Joystick for controlling digital and conventional PTZ within Avigilon Control Center	\$ 625	\$ 438
ACC-USB-JOY-PRO	Fully configured Professional USB Surveillance joystick for full control of Avigilon Control Center including shuttle playback control and digital and conventional PTZ.	\$ 945	\$ 662
POE Switches			
S8	Switch, Gigabit 802.3af Class 3 PoE, 8 Port	\$ 730	\$ 511
S24	Switch, Gigabit 802.3af Class 3 PoE, 24 Port	\$ 1,980	\$ 1,386
POE Injector			
S1	Single port Gigabit 802.3af Class 3 PoE injector for powering a single camera	\$ 67	\$ 47
S1P	Single port Gigabit 802.3at PoE plus injector for powering a single camera	\$ 72	\$ 50
POE Extender			
EX1	Single port 100Mbps POE Extender for extending Cat 5 beyond the 100m cable limit.	\$ 311	\$ 218
Coax to Ethernet Converter			
C2E-P	Coax-to-Ethernet converter pair. Converts ethernet signals to run at 100Mbps over existing coax cable (up to 800 feet). Units do not carry POE and require a power supply at each end, contact Avigilon for more details.	\$ 623	\$ 436
Monitors			
M4000	Monitor, 30", LCD, 4.0 Megapixel, 16:10 Widescreen Aspect Ratio	\$ 2,667	\$ 1,867
M2300	Monitor, 24", LCD, 2.3 Megapixel, 16:10 Widescreen Aspect Ratio	\$ 1,058	\$ 741
M1300	Monitor, 19", LCD, 1.3 Megapixel, 5:4 Standard Aspect Ratio	\$ 325	\$ 228
HD Camera Installation Tools			
ACC-SPLIT	POE Splitter for Camera Installation, extracts 12V DC from a POE input for powering a camera during focusing	NA	\$ 37
Notes			
POE (Power Over Ethernet)			
All prices in US Dollars exclusive of taxes and freight			
Avigilon reserves the right to make changes to pricing and discount margins.			

Avigilon - ACSP Price List - USD

Effective October 22, 2014
CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Accessories: Indoor and Outdoor Enclosures			
Model No.	Description	MSRP	ACSP Price 30%
	Small Indoor/Outdoor Enclosure for H.264 HD Cameras		
ES-HD-HWS-SM	Standard Format Enclosure for Avigilon HD H.264 IP Cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	\$ 150	\$ 105
	Standard Indoor/Outdoor Enclosure for H.264 HD Pro, JPEG2000 HD Pro and H.264 HD Cameras		
ES-HD-HWS	Standard Format Enclosure for cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	\$ 225	\$ 158
ES-HD-CWS	Standard Format Enclosure for cameras with 12VDC/24VAC Vented Cooler, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	\$ 330	\$ 231
	Large Indoor/Outdoor Camera Enclosures for JPEG2000 HD Pro and H.264 HD Pro Cameras		
ES-HD-HWS-LG	Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 12.8" (32.5 cm).	\$ 415	\$ 291
ES-HD-CWS-LG	Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VAC Vented Cooler, Wall Bracket and Sunshield. Maximum combined camera and lens length is 12.8" (32.5 cm).	\$ 500	\$ 350
ES-HD-HS-XL	Extra Large Format Enclosure for Avigilon HD IP Professional Cameras with 24 VAC Triple fan assisted heater. Maximum combined camera and lens length is 20" (51.9 cm).	\$ 1,705	\$ 1,194
	Enclosure Options		
ES-HD-IPM	Optional PoE+ power module. Powers full camera enclosure features & camera with a single Ethernet connection. Compatible with ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG	\$ 235	\$ 165
ES-HD-MNT-PAR	Pedestal and ceiling mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG	\$ 110	\$ 77
ES-HD-MNT-POLE-LG	Large pole mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	\$ 160	\$ 112
ES-HD-MNT-POLE-MD	Medium pole mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG. Additional mounting point if used with ES-HD-MNT-PLATE.	\$ 190	\$ 133
ES-HD-MNT-POLE-SM	Small dual pole mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	\$ 75	\$ 53
ES-HD-MNT-ARM	Ceiling arm mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	\$ 115	\$ 81
ES-HD-MNT-CORNER	Corner mount adapter for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	\$ 65	\$ 46
ES-HD-MNT-PLATE	Reinforcing wall mount adapter for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	\$ 40	\$ 28
ES-HD-MNT-WBLA	Ball joint mount for ES-HD-HS-XL	\$ 810	\$ 567
	Notes		
	All prices in US Dollars exclusive of taxes and freight		
	Avigilon reserves the right to make changes to pricing and discount margins.		

Avigilon - ACSP Price List - USD

Effective October 22, 2014
CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Accessories: SD Cards			
Model No.	Description	MSRP	ACSP Price 30%
SD Cards add-on memory for cameras with onboard storage			
Avigilon resells high quality SD Cards for use on cameras with onboard storage capabilities.			
8GB-SD-MEM	8GB SD Card, UHS-1	\$ 38	\$ 27
16G-SD-MEM	16GB SD Card, UHS-1	\$ 50	\$ 35
32G-SD-MEM	32GB SD Card, UHS-1	\$ 95	\$ 67
64G-SD-MEM	64GB SD Card, UHS-1	\$ 175	\$ 123
128-SD-MEM	128GB SD Card, UHS-1	\$ 350	\$ 245
256-SD-MEM	256GB SD Card, UHS-1	\$ 800	\$ 560
Avigilon SD Card - Warranty Policy			
<p>Avigilon warrants to the original consumer purchaser, that SD card memory resold by Avigilon will be free of defects in material and workmanship for a period of 1 years for 8GB, 2 years for 16GB or 32GB and 3 years for 64GB or higher capacity, from date of purchase. The manufacturer's liability hereunder is limited to replacement of the product, repair of the product or replacement of the product with repaired product at the discretion of the manufacturer. This warranty is void if the product has been damaged by accident, unreasonable use, neglect, tampering or other causes not arising from defects in material or workmanship. This warranty extends to the original consumer purchaser of the product only.</p> <p>AVIGILON DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXCEPT TO THE EXTENT THAT ANY WARRANTIES IMPLIED BY LAW CANNOT BE VALIDLY WAIVED.</p> <p>No oral or written information, advice or representation provided by Avigilon, its distributors, dealers, agents or employees shall create another warranty or modify this warranty. This warranty states Avigilon's entire liability and your exclusive remedy against Avigilon for any failure of this product to operate properly. In no event shall Avigilon be liable for any indirect, incidental, special, consequential, exemplary, or punitive damages whatsoever (including but not limited to, damages for loss of profits or confidential or other information, for business interruption, for personal injury, for loss of privacy, for failure to meet any duty including of good faith or of reasonable care, for negligence, and for any other pecuniary or other loss whatsoever) arising from the use of or inability to use the product, even if advised of the possibility of such damages. Since some jurisdictions do not allow the above limitation of liability, such limitation may not apply to you. This Limited Warranty gives you specific legal rights and you may also have other rights which vary from jurisdiction to jurisdiction.</p>			
Notes			
All prices in US Dollars exclusive of taxes and freight			
Avigilon reserves the right to make changes to pricing and discount margins.			

Avigilon - ACSP Price List - USD

Effective October 22, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Avigilon Warranty & Support Information	
Avigilon Technical Support	
All products sold by Avigilon are supported by Avigilon Technical Support. Technical Support regular hours are from 12:00am to 6:00pm PST (8:00am to 2:00am UTC/GMT) and emergency technical support is available 24 hours a day / 7 days a week. Please visit http://www.avigilon.com/contact-us for contact details.	
Avigilon Control Center Software Upgrade & Support Policy	
All installation and use of Avigilon software is governed by its end user license agreement (EULA). Software upgrades, support and problem resolution are available through Avigilon Technical Support for the current 'major release' of all Avigilon software and one previous generation. A 'major release' is defined as an increase in the primary version number to the left of the first decimal point in the software version number. Typically a major release will occur every 18-24 months, fees may apply to upgrade a system between major versions. The introduction of add-ons or plug-in modules will be made available to the core Avigilon Control Center software package at an additional fee.	
Avigilon Control Center Software Licensing and Activation Policy	
License activation is required to install and use Avigilon Control Center, license activation allows Avigilon to verify that license keys are genuine and being used as allowed by the end-user license agreement. All ACC licenses may only be activated on a single computer. For the current 'major release' and one previous generation of Avigilon Control Center, the end-user of a license may request in writing to Avigilon to activate the license on a different computer. When activated on a new computer the license may no longer be active on any other computers, the continued use of a license on multiple computers will be considered a violation of the end-user license agreement. If a license enabling multiple features has been activated it is not possible to transfer a subset of the enabled features to a second computer. Licenses must be transferred in whole as covered by the licensing and activation policy.	
Avigilon Product Replacement and Return Policy	
Avigilon Technical Support must be contacted at +1-888-281-5182 or support@avigilon.com prior to the return of any product to the factory. Any product within warranty that requires repair at the factory will be replaced in advance at the discretion of Avigilon Technical Support. Any return of product for credit must be in resalable condition, include all parts, and be in original packaging with no cosmetic damage. Activated software licenses cannot be returned for credit. Any product returned within 60 days of delivery in resalable condition, will be issued a credit and charged a 20% restocking fee. The restocking fee will not be charged for any unopened product returned within 30 days.	
Avigilon Product Repair Policy	
For any damage done outside of the warranty term and policies, a one-time replacement of any Avigilon cameras or encoders is available at a cost of 50% off of the MSRP. A billable repair service is also available for any Avigilon HD Professional cameras, HD PTZ cameras, or HD LPR Capture kits with the repair costs charged on a time and materials basis and limited to a maximum of 50% of the MSRP. To receive a quote for a repair, the product must be returned to Avigilon with an RMA number provided by Avigilon Technical Support. Out of warranty replacements or repairs are only available during the active supported life of the product. All shipping and handling, taxes and duties are billable for out of warranty replacements and repairs. Out of warranty replacements or repairs are covered by a limited 90-day warranty. Out of warranty service is not available for Avigilon HD NVRs, HD Video Appliance, lenses, or accessories.	
Avigilon Camera, NVR, HD Video Appliance and HD-RMWS Hardware - 3 Year Warranty	
Avigilon warrants to the original consumer purchaser, that this product will be free of defects in material and workmanship for a period of 3 years from date of purchase. The warranty period for cameras shall be limited to a period of 1 year from date of purchase for all moving parts (including but not limited to fans, pan/tilt motors, lens motors, irises and lens assemblies). The manufacturer's liability hereunder is limited to replacement of the product, repair of the product or replacement of the product with repaired product at the discretion of the manufacturer. This warranty is void if the product has been damaged by accident, unreasonable use, neglect, tampering or other causes not arising from defects in material or workmanship. This warranty extends to the original consumer purchaser of the product only. AVIGILON DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXCEPT TO THE EXTENT THAT ANY WARRANTIES IMPLIED BY LAW CANNOT BE VALIDLY WAIVED. No oral or written information, advice or representation provided by Avigilon, its distributors, dealers, agents or employees shall create another warranty or modify this warranty. This warranty states Avigilon's entire liability and your exclusive remedy against Avigilon for any failure of this product to operate properly. In no event shall Avigilon be liable for any indirect, incidental, special, consequential, exemplary, or punitive damages whatsoever (including but not limited to, damages for loss of profits or confidential or other information, for business interruption, for personal injury, for loss of privacy, for failure to meet any duty including of good faith or of reasonable care, for negligence, and for any other pecuniary or other loss whatsoever) arising from the use of or inability to use the product, even if advised of the possibility of such damages. Since some jurisdictions do not allow the above limitation of liability, such limitation may not apply to you. This Limited Warranty gives you specific legal rights and you may also have other rights which vary from jurisdiction to jurisdiction.	
Avigilon Camera, Encoder and NVR Hardware - Extended Warranty Policy	
The warranty period for Avigilon Cameras, encoders and NVR hardware - including servers, workstations, and remote monitoring workstations - can be extended up to 5 years for 10% of the final purchase price per year of additional warranty coverage. Extended warranty must be purchased on the same order as the cameras and NVR hardware or within 60 days of shipment from Avigilon. The extended warranty does not apply to moving parts of pan-tilt-zoom cameras.	
Avigilon Lenses and Accessories - 1 Year Warranty	
Avigilon warrants to the original consumer purchaser, that lenses and accessories resold by Avigilon will be free of defects in material and workmanship for a period of 1 years from date of purchase. The manufacturer's liability hereunder is limited to replacement of the product, repair of the product or replacement of the product with repaired product at the discretion of the manufacturer. This warranty is void if the product has been damaged by accident, unreasonable use, neglect, tampering or other causes not arising from defects in material or workmanship. This warranty extends to the original consumer purchaser of the product only. AVIGILON DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXCEPT TO THE EXTENT THAT ANY WARRANTIES IMPLIED BY LAW CANNOT BE VALIDLY WAIVED. No oral or written information, advice or representation provided by Avigilon, its distributors, dealers, agents or employees shall create another warranty or modify this warranty. This warranty states Avigilon's entire liability and your exclusive remedy against Avigilon for any failure of this product to operate properly. In no event shall Avigilon be liable for any indirect, incidental, special, consequential, exemplary, or punitive damages whatsoever (including but not limited to, damages for loss of profits or confidential or other information, for business interruption, for personal injury, for loss of privacy, for failure to meet any duty including of good faith or of reasonable care, for negligence, and for any other pecuniary or other loss whatsoever) arising from the use of or inability to use the product, even if advised of the possibility of such damages. Since some jurisdictions do not allow the above limitation of liability, such limitation may not apply to you. This Limited Warranty gives you specific legal rights and you may also have other rights which vary from jurisdiction to jurisdiction.	

Avigilon - Access Control - ACSP Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Updates from February 12, 2014

- New ACM Professional Appliance
- Price change for 16 reader ACM Enterprise Appliance
- Discontinued AC-HW-RCKMNT legacy Express appliance rack mount kit

Page


2	Access Control Manager Professional Appliance
3-4	Access Control Manager Enterprise Appliance
5	Access Control Manager Virtual
6	Additional Software Licenses
7-8	Mercury Hardware & Accessories
9	LifeSafety Power – Power Supply & Enclosure Kit Config Table
10-14	LifeSafety Power – Power Supply & Enclosure Kit
15	HID Global – Readers & Cards
16-17	Allegion – Readers & Cards
18-20	Farpointe Data Hardware & Accessories
21	HID EasyLobby® Visitor Management
22	Avigilon Warranty & Support Information

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.


Avigilon Access Control Manager Enterprise Appliance			
			
Model No.	Description	MSRP	ACSP Price 30%
AC-APP-16R-PRO	Access Control Manager Professional – Web-Based PACS Appliance for 16 Readers - includes: physical appliance embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License One (1), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity can be expanded from 16 to 32 readers with the purchase of the AC-SW-16RCU, 16 Reader Count Software License Supports up to 500K identities and 75M stored events and fifty (50) simultaneous operators (via browser) Three (3) year appliance HW warranty begins at date of shipment	\$1,667	\$1,167
AC-APP-32R-PRO	Access Control Manager Professional – Web-Based PACS Appliance for 32 Readers - includes: physical appliance embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License Two (2), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity cannot be expanded Supports up to 500K identities and 75M stored events and fifty (50) simultaneous operators (via browser) Three (3) year appliance HW warranty begins at date of shipment	\$2,500	\$1,750
	Notes		
	<i>All Avigilon Professional Appliances are covered by a 3 year warranty, see Warranty Section for details.</i>		
	<i>All prices in US Dollars exclusive of taxes and freight</i>		
	<i>Avigilon reserves the right to make changes to pricing and discount margins.</i>		

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Avigilon Access Control Manager Enterprise Appliance			
			
Model No.	Description	MSRP	ACSP Price 30%
AC-APP-16R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 16 Readers - includes: physical appliance embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License One (1), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity can be expanded from 16 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser) Three (3) year appliance HW warranty begins at date of shipment	\$3,333	\$2,333
AC-APP-32R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 32 Readers - includes: physical appliance embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License Two (2), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity can be expanded from 32 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser) Three (3) year appliance HW warranty begins at date of shipment	\$4,166	\$2,916
AC-APP-64R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 64 Readers - includes: physical appliance embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License Four (4), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity can be expanded from 64 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser) Three (3) year appliance HW warranty begins at date of shipment	\$5,833	\$4,083
AC-APP-128R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 128 Readers - includes: physical appliance embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License Eight (8), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity can be expanded from 128 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser) Three (3) year appliance HW warranty begins at date of shipment	\$9,167	\$6,417

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.


Avigilon Access Control Manager Enterprise Appliance			
Model No.	Description	MSRP	ACSP Price 30%
AC-APP-256R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 256 Readers - includes: physical appliance embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License Sixteen (16), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity can be expanded from 256 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser) Three (3) year appliance HW warranty begins at date of shipment	\$15,833	\$11,083
AC-APP-512R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 512 Readers - includes: physical appliance embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License Thirty-Two (32), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity can be expanded from 512 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser) Three (3) year appliance HW warranty begins at date of shipment	\$29,167	\$20,417
AC-APP-1024R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 1,024 Readers - includes: physical appliance embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License Sixty-Four (64), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity can be expanded from 1,024 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser) Three (3) year appliance HW warranty begins at date of shipment	\$36,667	\$25,667
AC-APP-2048R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 2,048 Readers - includes: physical appliance embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License One hundred Twenty-Eight (128), AC-SW-16RCU, 16 Reader Count Software License Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser) Three (3) year appliance HW warranty begins at date of shipment	\$55,000	\$38,500
	Notes		
	<i>All Avigilon Enterprise Appliances are covered by a 3 year warranty, see Warranty Section for details.</i>		
	<i>All prices in US Dollars exclusive of taxes and freight</i>		
	<i>Avigilon reserves the right to make changes to pricing and discount margins.</i>		

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.


Avigilon Access Control Manager Virtual			
			
Model No.	Description	MSRP	ACSP Price 30%
AC-APP-16R-VM	Access Control Manager Virtual - Web-Based PACS Appliance for 16 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License One (1), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity can be expanded from 16 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses VMware software required and not included	\$2,500	\$1,750
AC-APP-32R-VM	Access Control Manager Virtual - Web-Based PACS Appliance for 32 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License Two (2), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity can be expanded from 32 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses VMware software required and not included	\$3,333	\$2,333
AC-APP-64R-VM	Access Control Manager Virtual -Web-Based PACS Appliance for 64 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License Four (4), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity can be expanded from 64 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses VMware software required and not included	\$5,000	\$3,500
AC-APP-128R-VM	Access Control Manager Virtual - Web-Based PACS Appliance for 128 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License Eight (8), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity can be expanded from 128 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses VMware software required and not included	\$8,333	\$5,833
AC-APP-256R-VM	Access Control Manager Virtual - Web-Based PACS Appliance for 256 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License Sixteen (16), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity can be expanded from 256 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses VMware software required and not included	\$15,000	\$10,500
AC-APP-512R-VM	Access Control Manager Virtual - Web-Based PACS Appliance for 512 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License Thirty Two (32), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity can be expanded from 512 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses VMware software required and not included	\$28,334	\$19,834

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Avigilon Access Control Manager Virtual			
			
Model No.	Description	MSRP	ACSP Price 30%
AC-APP-1024R-VM	Access Control Manager Virtual - Web-Based PACS Appliance for 1024 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License Sixty Four (64), AC-SW-16RCU, 16 Reader Count Software License Total reader capacity can be expanded from 1,024 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses VMware software required and not included	\$35,000	\$24,500
AC-APP-2048R-VM	Access Control Manager Virtual - Web-Based PACS Appliance for 2048 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database Access Control Manager Security Management Software License One Hundred Twenty-Eight (128), AC-SW-16RCU, 16 Reader Count Software License VMware software required and not included	\$53,333	\$37,333
	Notes		
	<i>All prices in US Dollars exclusive of taxes and freight</i>		
	<i>Avigilon reserves the right to make changes to pricing and discount margins.</i>		

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Additional Software Licenses for Avigilon Access Control Manager Enterprise & Virtual			
Model No.	Description	MSRP	ACSP Price 30%
Access Control Manager Additional Reader Licensing for Enterprise & Virtual			
AC-SW-16RCU	16 Reader Count Software License	\$833	\$583
Access Control Manager Badging Software Options for Enterprise & Virtual			
AC-SW-BDGE	Badging Application Software License (one per Appliance or Virtual)	\$833	\$583
Access Control Manager Video Integration License Options for Enterprise & Virtual			
AC-SW-LIC-AVIGILON	Access Control Manager License for Video Integration for Avigilon (per Appliance)	N/C	N/C
AC-SW-LIC-EXACQ	Access Control Manager License for Video Integration for Exacq (per Appliance)	\$4,166	\$2,916
AC-SW-LIC-PELCO	Access Control Manager License for Video Integration for Pelco Endura (per Appliance)	\$4,166	\$2,916
AC-SW-LIC-SALIENT	Access Control Manager License for Video Integration for Salient Systems (per Appliance)	\$4,166	\$2,916
AC-SW-LIC-MILEST	Access Control Manager License for Video Integration for Milestone (per Appliance)	\$4,166	\$2,916
Access Control Manager IT Collaboration Software Options for Enterprise & Virtual			
AC-SW-LIC-REP	Multi-Appliance Replication Software License (per Appliance)	\$3,333	\$2,333
AC-SW-LIC-AF	Hot Standby - Auto Failover Software License (per Appliance) includes AC-SW-LIC-REP	\$5,000	\$3,500
AC-SW-LIC-PART	Partitioning License for more than 5 partitions (per Appliance) (not approved for use in a central station or managed services VAR offering)	\$4,167	\$2,917
AC-SW-LIC-SQL	Microsoft SQL Server Connectivity Software License (from Microsoft SQL 2000 forward)	\$1,667	\$1,167
AC-SW-LIC-ORCL	Oracle Server Connectivity Software License (from Oracle DB 9i forward)	\$3,333	\$2,333
AC-SW-LIC-LDAP	LDAP Directory Connectivity Software License (required for integration with Microsoft Active Directory or other directory products)	\$2,500	\$1,750
AC-SW-CB-CM	Access Control Manager – HID pivCLASS® Certificate Manager Software Integration License (1 required per instance of HID pivCLASS® Certificate Manager)	\$8,333	\$5,833
AC-SW-CB-PVCP-DM	Access Control Manager – HID pivCLASS® Plus Desktop or Mobile Edition Software Integration License (1 required per instance of HID pivCLASS® Plus Desktop or Mobile Edition Software)	\$5,667	\$3,967
AC-SW-LIC-XML	XML Events Connectivity Software License	\$833	\$583
AC-SW-LIC-REST	REST Connectivity Software License	\$833	\$583
Notes			
<i>All prices in US Dollars exclusive of taxes and freight</i>			
<i>Avigilon reserves the right to make changes to pricing and discount margins.</i>			

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Mercury Hardware & Accessories			
(Note: enclosures, power supplies & batteries not included)			
Model No.	Description	MSRP	ACSP Price 30%
System Controller Modules			
AC-MER-CONT-64DR	Controller, 32MB RAM, Ethernet (Mercury EP2500)	\$1,717	\$1,202
AC-MER-CONT-1DR	Controller, Single Door, 16MB RAM, w/PoE, 2In/2Out/2Rdr (Mercury EP1501)	\$583	\$408
AC-MER-CONT-2DR	Controller, 16MB RAM, Ethernet, 8In/4Out/2Rdr (Mercury EP1502)	\$1,142	\$799
Reader Interface Modules			
AC-MER-CON-MR50	Reader Interface Module - (1 reader: mag or wiegand, 2 inputs, 2 relays) (Mercury MR50)	\$317	\$222
AC-MER-CON-MR52	2-Reader Interface Module - (2 reader: mag or wiegand, 8 inputs, 6 relays) (Mercury MR52)	\$633	\$443
AC-MER-CON-MR51E	Single Door Interface Module w/PoE - (2 reader: mag/wiegand, 4 inputs, 2 relays) (Mercury MR51E)	\$492	\$344
Input Monitor and Output Control Modules			
AC-MER-CON-MR16IN	16 Zone Input Monitor Module (with 2 relays) (Mercury MR16IN)	\$717	\$502
AC-MER-CON-MR16OUT	16 Relay Output Control Module (Mercury MR16OUT)	\$717	\$502
Communication and Interface Modules			
AC-MER-MUX8	RS-232/485 to 8 RS-485 Channel Mux (Mercury MUX8)	\$592	\$414
Accessories			
AC-MER-A-TERM5-3	Replace 3-Position Terminal Blocks, 10-pack	\$25	\$18
AC-MER-A-TERM5-4	Replace 4-Position Terminal Blocks, 10-pack	\$33	\$23
AC-MER-A-TERM5-5	Replace 5-Position Terminal Blocks, 10-pack	\$42	\$29
AC-MER-A-TERM5-6	Replace 6-Position Terminal Blocks, 10-pack	\$50	\$35
AC-MER-A-TC-MR50	Cable for MR-50 Tamper	\$3	\$2
AC-MER-A-RES-1K32	Axial Leaded 1K1%1/4W Resistors, 32-pack	\$10	\$7
AC-MER-A-BAT23MM	Lithium Coin Cells BR/CR2325, 20-pack	\$83	\$58

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Mercury Hardware & Accessories			
(Note: enclosures, power supplies & batteries not included)			
Model No.	Description	MSRP	ACSP Price 30%
Avigilon Access Control Manager OEM - Mercury Security Hardware – M5 (Casi Retrofit)			
Systems Controller & Communication Modules			
AC-MER-M5-IC-1	Intelligent Controller, 32MB RAM, Ethernet, Dual RS485 ports (1 board)	\$1,433	\$1,003
AC-MER-M5-COM-1	Combination Power & RS485; Communications Bridge (1 board)	\$333	\$233
Reader Interface Modules			
AC-MER-M5-2RP-1	Reader Interface Module (2 Rdr, 4 Inputs, 6 Outputs) (1 board)	\$733	\$513
AC-MER-M5-2SRP-1	Supervised Reader Interface Module (2 Rdr, 4 Inputs, 6 Outputs) (1 board)	\$733	\$513
AC-MER-M5-8RP-1	Supervised Reader Interface Module (8 Supervised Rdr Connections) (1 board)	\$1,167	\$817
Input Monitor and Output Control Modules			
AC-MER-M5-20IN-1	20 Zone Input Monitor Module (1 board)	\$767	\$537
AC-MER-M5-16DOR-1	16 Relay Output Controller Module (16 solid state relays) (1 board)	\$733	\$513
AC-MER-M5-16DO-1	16 Digital Output Control Module (16 digital arrays) (1 board)	\$733	\$513
ASSA ABLOY - Mercury Aperio Hub			
AC-MER-AH30RN1-RC	ASSA ABLOY -Mercury Aperio Hub 1:8- with RC Enablement SW	\$1,783	\$1,248
AC-MER-APD-10-USB	ASSA ABLOY - USB Radio Dongle	\$1,500	\$1,050
	Notes		
	<i>All prices in US Dollars exclusive of taxes and freight</i>		
	<i>Avigilon reserves the right to make changes to pricing and discount margins.</i>		

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.






LifeSafety Power – Power Supply & Enclosure Kit			
Suggested Configurations Table for Mercury Boards			
Config.	Mercury Application	LSP Model (old version)	Quick Description
Type 1	(1)-EP1502 + (1)-MR52	FPO75-E2M (FPO75-E2BP2)	75W-12/24VDC PS; E2M Cabinet 16"x20"x4.5"
Type 2	(1)-EP2500 + (1)-MR52	FPO75-E2M (FPO75-E2BP2)	75W-12/24VDC PS; E2M Cabinet 16"x20"x4.5"
Type 3	(2)-MR52	FPO75-E2M (FPO75-E2BP2)	75W-12/24VDC PS; E2M Cabinet 16"x20"x4.5"
Type 4	(1)-EP2500 + (5)-MR52 (or mix of MR50)	FPO75-2E2M (FPO75-2E2BP2)	(1) 75W-12/24VDC PS; (2) E2M Cabinet 16"x20"x4.5"
Type 5	(1)-EP1501 OR (1)-MR51e (no PoE – with LSP PS)	FPO75-E1M (FPO75-E1BP1)	75W-12/24VDC PS; E1M Cabinet 12"x 14"x4.5"
Type 6	(1)-EP1502 + (3)-MR52 (no LSP PS)	E2M (E2BP2)	E2M Cabinet 16"x20"x4.5"
Type 7	(1)-EP1501 OR (1)-MR51e (with PoE – no LSP PS)	E1M (E1BP1)	E1M Cabinet 12"x14"x4.5"
Type 8	(1)-EP1502 + (6)-MR52	AC-LSP-FPO150 (FPO150-2D8E4M1)	150W-12/24VDC PS; E4M Cabinet 20" x 24" x 4.5"

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.





LifeSafety Power – Power Supply & Enclosure Kit			
Model No.	Description	MSRP	ACSP Price 30%
 AC-LSP-FPO75-E2M	75W-12/24VDC PS, Backplate, Standoffs & E2 size cabinet kit: The FlexPower FPO75-E2M is an offline switchmode 75 watt power supply-battery charger specifically designed for the lifesafety industry. Capable of providing two power outputs, user selectable for 12 or 24 VDC, the unit is configured in a painted-steel, locking enclosure with tamper switch and integral battery space. One output provides continuous output power for system use, the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Size: 16" x 20" x 4.5", Weight: 13 lb.	\$450	\$315
Note: Ideal for Type 1, 2, & 3 configurations; batteries, Mercury boards and assembly are not included.			
 AC-LSP-FPO75-2E2M	One (1) 75W-12/24VDC PS, Backplate, Standoffs; & two (2) E2M size cabinets kit: The FlexPower FPO75-2E2M is an offline switchmode 75 watt power supply-battery charger specifically designed for the lifesafety industry. Capable of providing two power outputs, user selectable for 12 or 24 VDC, the unit is configured in a painted-steel, locking enclosure with tamper switch and integral battery space. One output provides continuous output power for system use, the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Size: 16" x 20" x 4.5", Weight: 13 lb.	\$665	\$466
Note: Ideal for Type 4 configurations; batteries, Mercury boards and assembly are not included.			
 AC-LSP-FPO75-E1M	75W-12/24VDC PS, Backplate, Standoffs, & E1 size cabinet kit: The FlexPower FPO75-E1M is an offline switchmode power supply-battery charger specifically designed for the lifesafety industry. Capable of providing two power outputs, user selectable for 12 or 24 VDC, the unit is configured in a painted-steel, locking enclosure with tamper switch and integral battery space. One output provides continuous output power for system use, the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Size: 12" x 14" x 4.5", Weight: 9 lb.	\$372	\$260
Note: Ideal for Type 5 configurations; batteries, Mercury boards and assembly are not included.			
 AC-LSP-E2M	Backplate, Standoffs & E2M size cabinet kit: Size: 16" x 20" x 4.5", Weight: 13 lb.	\$245	\$172
Note: Ideal for Type 6 configurations; batteries, Mercury boards and assembly are not included.			
 AC-LSP-E1M	Backplate, Standoffs & E1M size cabinet kit: Size: 12" x 14" x 4.5", Weight: 9 lb.	\$187	\$131
Note: Ideal for Type 7 configurations; batteries, Mercury boards and assembly are not included.			

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.





LifeSafety Power – Power Supply & Enclosure Kit			
Model No.	Description	MSRP	ACSP Price 30%
 AC-LSP-FPO150	150W-12/24VDC PS, Backplate, Standoffs, & E4M size cabinet kit: The FlexPower AC-LSP-FPO150 (FPO150-2D8E4M1) is an offline switchmode power supply battery charger system. The unit is user selectable for 12 or 24VDC. Providing two independent outputs, the first output provides continuous output power for system use and the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Also providing 16 auxiliary power distributed outputs, the unit has provisions for mounting a variety of Mercury boards in the cabinet proper (E4M) and cabinet door (EM1). The unit is configured in painted, steel, locking enclosure with tamper switch and integral battery space. Size: 20" x 24" x 4.5". Weight: 21 lb.	\$757	\$530
Note: Ideal for Type 8 configurations; batteries, Mercury boards and assembly are not included.			
<p align="center">Additional, General Use 4, 8, 16 Door - Access Control Power-Enclosure Configurations These products do not include back-plates, and are designed custom mountings.</p>			
 AC-LSP-FPO75-4DR-SV	4 Door Access/Single Voltage 75W PS/C, 12VDC@4A or 24VDC@2A System Features: 40Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, fire alarm input (FAI), four opto isolated, NO/NC, access control inputs, four relay lock control outputs, failsafe or failsecure, and FAI – each output fused for 3A (Class 2 power limited version also available). Fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 12" X 14" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$337	\$236
 AC-LSP-FPO75-4DR-DV	4 Door Access/Dual Voltage 75W PS/C, 12VDC@4A and 24VDC@2A System Features: One battery set supports all voltages, microprocessor battery charging, 40Ah charge capability, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), four opto isolated, NO/NC, access control inputs, four relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 12" X 14" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$437	\$306
 AC-LSP-FPO150-8DR-SV	8 Door Access/Single Voltage 150W PS/C, 12VDC@12A or 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$537	\$376

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.




LifeSafety Power – Power Supply & Enclosure Kit			
Model No.	Description	MSRP	ACSP Price 30%
 AC-LSP-FPO75/75-8DR-DV	8 Door Access/Dual Voltage 150W PS/C , 12VDC@6A and 24VDC@3A System Features: 40Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$563	\$394
 AC-LSP-FPO150/150-8DR-DV	8 Door Access/Dual Voltage 300W PS/C , 12VDC@12A and 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$750	\$525
 AC-LSP-FPO250/250-8DR-DV	8 Door Access/Dual Voltage 500W PS/C , 12VDC@20A and 24VDC@10A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$863	\$604
 AC-LSP-FPO150-8DR-DV	8 Door Access/Dual Voltage 150W PS/C , 12VDC@4A and 24VDC@4A System Features: One battery set supports all voltages, microprocessor battery charging, 80Ah charge capability, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$597	\$418

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.





LifeSafety Power – Power Supply & Enclosure Kit			
Model No.	Description	MSRP	ACSP Price 30%
 AC-LSP-FPO250-8DR-DV	8 Door Access/Dual Voltage 250W PS/C, 12VDC@4A and 24VDC@8A System Features: One battery set supports all voltages, microprocessor battery charging, 80Ah charge capability, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$653	\$457
 AC-LSP-FPO150-16DR-SV	16 Door Access/Single Voltage 150W PS/C, 12VDC@12A or 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$730	\$511
 AC-LSP-FPO250-16DR-SV	16 Door Access/Single Voltage 250W PS/C, 12VDC@20A or 24VDC@10A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$787	\$551

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

LifeSafety Power – Power Supply & Enclosure Kit			
Model No.	Description	MSRP	ACSP Price 30%
	16 Door Access/Dual Voltage 300W PS/C, 12VDC@12A and 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$943	\$660
AC-LSP-FPO150/150-16DR-DV			
	16 Door Access/Dual Voltage 500W PS/C, 12VDC@20A and 24VDC@10A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$1,058	\$741
AC-LSP-FPO250/250-16DR-DV			
	16 Door Access/Dual Voltage 150W PS/C, 12VDC@4A and 24VDC@4A System Features: One battery set supports all voltages, microprocessor battery charging, 80Ah charge capability, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$790	\$553
AC-LSP-FPO150-16DR-DV			
	16 Door Access/Dual Voltage 250W PS/C, 12VDC@4A and 24VDC@8A System Features: One battery set supports all voltages, microprocessor battery charging, 80Ah charge capability, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$847	\$593
AC-LSP-FPO250-16DR-DV			
	Notes		
	<i>All prices in US Dollars exclusive of taxes and freight</i>		
	<i>Avigilon reserves the right to make changes to pricing and discount margins.</i>		

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

HID Global – Readers & Cards			
Model No.	Description	MSRP	ACSP Price 30%
HID Global – Readers & Cards – 13.56 MHz Products			
iCLASS SE Contactless Smart Card Readers - 13.56 MHz			
AC-HID-READ-ICLASS-SE-R10	iCLASS SE R10 Contactless Smart Card Reader, Mini-Mullion, No Prox	\$125	\$88
AC-HID-READ-ICLASS-SE-R15	iCLASS SE R15 Contactless Smart Card Reader, Mini-Mullion, No Prox	\$245	\$172
AC-HID-READ-ICLASS-SE-R40	iCLASS SE R40 Contactless Smart Card Reader, Wall Switch, No Prox	\$245	\$172
AC-HID-READ-ICLASS-SE-RK40	iCLASS SE RK40 Contactless Smart Card Keypad Reader, Wall Switch, No Prox	\$450	\$315
iCLASS SE multiCLASS Contactless Smart Card Readers, 13.56 MHz & 125 kHz			
AC-HID-READ-ICLASS-SE-RP10	iCLASS SE RP10 Contactless Smart Card Reader, Mini-Mullion, STD Prox	\$163	\$114
AC-HID-READ-ICLASS-SE-RP15	iCLASS SE RP15 Contactless Smart Card Reader, Mini-Mullion, STD Prox	\$283	\$198
AC-HID-READ-ICLASS-SE-RP40	iCLASS SE RP40 Contactless Smart Card Reader, Wall Switch, STD Prox	\$283	\$198
AC-HID-READ-ICLASS-SE-RPK40	iCLASS SE RPK40 Contactless Smart Card Keypad Reader, Wall Switch, STD Prox	\$488	\$342
iCLASS 13.56 MHz Credentials MUST Specify Bit No., Facility Code No., and Start/Stop Number			
AC-HID-CARD-ICLASS-2080	iCLASS Clamshell Contactless Smart Card, 2k bit with 2 application areas	\$3.22	\$2.25
AC-HID-CARD-ICLASS-2000	iCLASS Contactless Smart Card, 2k bit with 2 application areas	\$4.83	\$3.38
AC-HID-CARD-ICLASS-2002	iCLASS Contactless Smart Card, 16k bit with 16 application areas	\$8.75	\$6.13
AC-HID-CARD-ICLASS-2004	iCLASS Contactless Smart Card, 32k bit with 16k/16 + 16k/1 application areas	\$9.12	\$6.38
AC-HID-CARD-ICLASS-2050	iCLASS Key II Contactless Smart Key 2k bit with 2 application areas	\$6.28	\$4.40
iClass SE 13.56 MHz Credentials MUST Specify Bit No., Facility Code No., and Start/Stop Number			
AC-HID-CARD-ICLASS-SR-2080	iCLASS SR (note: SR instead of SE is correct for this card) Clamshell Contactless Smart Card, 2k bit with 2 application areas	\$3.22	\$2.25
AC-HID-CARD-ICLASS-SE-3000	iCLASS SE Contactless Smart Card, 2k bit with 2 application areas	\$4.83	\$3.38
AC-HID-CARD-ICLASS-SE-3002	iCLASS SE Contactless Smart Card, 16k bit with 16 application areas	\$8.75	\$6.13
AC-HID-CARD-ICLASS-SE-3004	iCLASS SE Contactless Smart Card, 32k bit with 16k/16 + 16k/1 application areas	\$9.12	\$6.38

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

HID Global – Readers & Cards			
Model No.	Description	MSRP	ACSP Price 30%
HID Global – Readers & Cards – 125 kHz Products			
125 kHz Proximity Card Readers			
AC-HID-READ-MINIPROX	MiniProx Proximity Reader	\$221	\$155
AC-HID-READ-THINLINE	ThinLine II Switch Plate Proximity Reader	\$225	\$158
AC-HID-READ-PROXPRO	ProxPro Proximity Reader	\$254	\$178
AC-HID-READ-PROXPRO-KEYPD	ProxPro Proximity Reader with Keypac	\$402	\$281
AC-HID-READ-PROXPROII	ProxPro II Proximity Reader	\$229	\$160
AC-HID-READ-MAXIPROX	MaxiProx Long Range Proximity Reader	\$658	\$460
125 kHz Proximity Credentials MUST Specify Bit No., Facility Code No., and Start/Stop Number			
AC-HID-CARD-PROXCARDII-CL	ProxCARD II Proximity Access Card (Clam Shell)	\$3.33	\$2.33
AC-HID-CARD-DUOPROXII-CL	DuoProx II Graphics Quality PVC, Proximity Access Card, w/ Magnetic Stripe	\$6.83	\$4.78
AC-HID-FOB-PROXKEYIII-CL	ProxKey III Proximity Access Keyfob	\$6.67	\$4.67
AC-HID-TAG-PROXPASSII-VEH	ProxPass II Long Range Active Proximity Access Tag for Vehicle Access	\$38	\$27
AC-HID-CARD-ISOPROXII-GRPH	ISOProx II Graphics Quality PVC, Proximity Access Card	\$6.17	\$4.32
AC-HID-TAG-MICROPROX-ADH	MicroProx Proximity Access Tag – Peel-off self-adhesive back	\$4.50	\$3.15
	Notes		
	<i>All prices in US Dollars exclusive of taxes and freight</i>		
	<i>Avigilon reserves the right to make changes to pricing and discount margins.</i>		

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Allegion – Readers & Cards			
Model No.	Description	MSRP	ACSP Price 30%
XceedID - 125kHz Single Frequency Proximity Technology Readers			
AC-ING-READ-XCEEDID-PROX	XceedID - 125 kHz Proximity - Mini Mullion Reader	\$105	\$74
Compatible with HID® proximity, GE/CasI ProxLite®, XceedID and Schlage credentials, Wiegand Interface, Standard color is black. Add suffix to part number to order alternative color options: (C) Cream, (G) Gray and (BN) Brown (ex: PR10BN)			
aptiQ - 13.56MHz Single Frequency Smart Technology Readers			
AC-ING-READ-APTQ-MINI-SM10	aptiQ 13.56 MHz Smart - Mini Mullion Reader	\$113	\$79
Compatible with 13.56MHz Schlage and XceedID MIFARE®, Compatible with aptiQ MIFARE DESFire™ EV1 technology, FIPS 201-1 Compliant, Wiegand interface, Standard color is black. Add suffix to part number to order alternative color options: (C) Cream, (G) Gray and (BN) Brown (ex: SM10BN); *CSN functionality is available for iCLASS®, and configurable for Mifare Classic and Mifare DESFire EV1. Please reference data sheet for complete list of credentials compatibility			
aptiQ - Multi-Technology: 125kHz Proximity and 13.56MHz Contactless Smart Card Technology Readers			
AC-ING-READ-APTQ-MULL-MT11	aptiQ Multi-Technology – Mullion Reader	\$213	\$149
AC-ING-READ-APTQ-SNG-MT15	aptiQ Multi-Technology - Single Gang Reader	\$213	\$149
AC-ING-READ-APTQ-KEYPD-MTK15	aptiQ Multi-Technology Keypad - Single Gang Reader	\$350	\$245
Compatible with XceedID, Schlage, HID® proximity, GE/CasI ProxLite® credentials, Compatible with aptiQ MIFARE DESFire™ EV1 technology, Compatible with most 13.56 MHz credentials, FIPS 201-1 Compliant, Wiegand interface, RS-485 functionality is optional, lead time will apply (add -485 suffix to part number), Standard color is black. Add suffix to part number to order alternative color options: (C) Cream, (G) Gray and (BN) Brown (ex: MT11BN); *CSN functionality is available for iCLASS®, and configurable for MIFARE® Classic and MIFARE DESFire™ EV1. Please reference data sheet for complete list of credentials compatibility			
aptiQ - Smart Cards using MIFARE DESFire™ EV1 Technology MUST Specify Bit No., Facility Code No., and Start/Stop Number			
AC-ING-CARD-APTQ-XF8420	aptiQ Smart Card 2K byte/16k bit Clamshell	\$4.63	\$3.24
AC-ING-CARD-APTQ-XF8440	aptiQ Smart Card 4K byte/32k bit Clamshell	\$5.22	\$3.65
AC-ING-CARD-APTQ-XF8480	aptiQ Smart Card 8K byte/64k bit Clamshell	\$6.35	\$4.45
AC-ING-CARD-APTQ-XF8520	aptiQ Smart Card 2K byte/16k bit ISO Glossy White	\$4.97	\$3.48
AC-ING-CARD-APTQ-XF8540	aptiQ Smart Card 4K byte/32k bit ISO Glossy White	\$5.55	\$3.89
AC-ING-CARD-APTQ-XF8580	aptiQ Smart Card 8K byte/64k bit ISO Glossy White	\$6.72	\$4.70
AC-ING-CARD-APTQ-XF8520M1	aptiQ Smart Card 2K byte/16k bit with Magnetic Stripe ISO Glossy White	\$5.43	\$3.80
AC-ING-CARD-APTQ-XF8540M1	aptiQ Smart Card 4K byte/32k bit with Magnetic Stripe ISO Glossy White	\$6.02	\$4.21
AC-ING-CARD-APTQ-XF8580M1*	aptiQ Smart Card 8K byte/64k bit with Magnetic Stripe ISO Glossy White	\$7.18	\$5.03
AC-ING-CARD-APTQ-XF8720*	aptiQ Smart Card 2K byte/16k bit PVC Patch	\$4.55	\$3.19
AC-ING-CARD-APTQ-XF8740*	aptiQ Smart Card 4K byte/32k bit PVC Patch	\$5.13	\$3.59
AC-ING-CARD-APTQ-XF8780*	aptiQ Smart Card 8K byte/64k bit PVC Patch	\$6.27	\$4.39
*13.56 MHz smart technology, MIFARE DESFire EV1 Technology. Meets ISO standard 14443A (Minimum order is 100), *4-6 weeks lead time			

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Allegion – Readers & Cards			
Model No.	Description	MSRP	ACSP Price 30%
aptiQ - Dual Technology: Proximity and aptiQ™ Smart Cards MUST Specify Bit No., Facility Code No., and Start/Stop Number			
AC-ING-CARD-APTIQ-XF8920*	Proximity and aptiQ Smart Card Combo 2K byte/16k bit ISO Glossy White	\$7.30	\$5.11
AC-ING-CARD-APTIQ-XF8940*	Proximity and aptiQ Smart Card Combo 4K byte/32k bit ISO Glossy White	\$7.95	\$5.57
AC-ING-CARD-APTIQ-XF8960*	Proximity and aptiQ Smart Card Combo 8K byte/64k bit ISO Glossy White	\$9.18	\$6.43
*MIFARE DESFire EV1 Technology, (Minimum order is 100), *4-6 weeks lead time			
aptiQ - Contactless Smart Cards using MIFARE® MUST Specify Bit No., Facility Code No., and Start/Stop Number			
AC-ING-CARD-APTIQ-XF9420	MIFARE Smart Card 2.5k bit Clamshell	\$2.80	\$1.96
AC-ING-CARD-APTIQ-XF9520	MIFARE Smart Card 2.5 k bit ISO Glossy White	\$3.43	\$2.40
AC-ING-CARD-APTIQ-XF9520MS	MIFARE Smart Card 2.5 k bit with magnetic stripe ISO Glossy White	\$3.88	\$2.72
AC-ING-CARD-APTIQ-XF9551	MIFARE Contactless Smart Card 1k byte/8k bit ISO Glossy White	\$4.20	\$2.94
AC-ING-CARD-APTIQ-XF9551MS	MIFARE Contactless ISO Glossy Smart Card 1k byte/8k bit & mag stripe	\$4.65	\$3.26
AC-ING-CARD-APTIQ-XF9558	MIFARE Contactless Smart Card 4k byte/32k bit ISO Glossy White	\$5.90	\$4.13
AC-ING-CARD-APTIQ-XF9558MS	MIFARE Contactless ISO Glossy Smart Card 4k byte/32k bit and mag stripe	\$6.37	\$4.46
AC-ING-CARD-APTIQ-XF9651	MIFARE Smart 1k bit (minimum order is 50) Keytag	\$4.78	\$3.35
AC-ING-CARD-APTIQ-XF9751*	MIFARE Smart Cards 1k byte/8k bit PVC Patch	\$4.38	\$3.07
AC-ING-CARD-APTIQ-XF9758*	MIFARE Smart Cards 4k byte/32k bit PVC Patch	\$6.48	\$4.54
*13.56 MHz smart technology, MIFARE Technology, Meets ISO standard 14443A (Minimum order is 100), *4-6 weeks lead time			
Dual-Technology Proximity and Contactless Smart Cards MUST Specify Bit No., Facility Code No., and Start/Stop Number			
AC-ING-CARD-APTIQ-XF9951*	Proximity and Contactless Smart Card Combo ISO Glossy White (125kHz/13.56MHz MIFARE 1k byte/8k bit Smart Card)	\$5.72	\$4.00
AC-ING-CARD-APTIQ-XF9958*	Proximity and Contactless Smart Card Combo ISO Glossy White (125kHz /13.56MHz MIFARE 4k byte/32k bit Smart Card)	\$6.88	\$4.82
*MIFARE Technology, (Minimum order is 100), *4-6 weeks lead time			
Proximity Credentials MUST Specify Bit No., Facility Code No., and Start/Stop Number			
AC-ING-CARD-APTIQ-XF7410	Proximity Card Clamshell	\$2.37	\$1.66
AC-ING-CARD-APTIQ-XF7510	Proximity Card ISO Glossy White	\$4.03	\$2.82
AC-ING-CARD-APTIQ-XF7510MS	Proximity and Magnetic Stripe Card ISO Glossy White	\$4.48	\$3.14
AC-ING-FOB-APTIQ-XF7610	Proximity Keyfob (minimum order is 50)	\$4.15	\$2.91
AC-ING-DISK-APTIQ-XF7710	Proximity Sticky Disk (35 mm Disk) (minimum order is 50)	\$3.80	\$2.66
125kHz proximity technology, Compatible with most HID Proximity formats up to 37 bits. Compatible with most HID readers, (Minimum order is 100)			
Notes			
All prices in US Dollars exclusive of taxes and freight			
Avigilon reserves the right to make changes to pricing and discount margins.			

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Farpointe Data Hardware & Accessories			
Farpointe Data - Readers & Cards			
No minimum quantities are required for any Farpointe Data product orders Add \$.30 to card price for slot punching and indicate so on PO			
Model No.	Description	MSRP	ACSP Price 30%
Pyramid Series Proximity Credentials MUST Specify Bit No., Facility Code No., and Start/Stop Number			
AC-FP-CARD-PSC-1-H	PSC-1 Standard Light Proximity Card - Clamshell style proximity card backed by a lifetime warranty	\$2.25	\$1.58
AC-FP-CARD-PSM-2P-H	PSM-2P Multi Technology Proximity Card - ISO-style multi technology proximity card appropriate for dye sublimation imaging.	\$4.17	\$2.92
AC-FP-CARD-PSM-2S-H	PSM-2S Multi Technology Proximity Card - ISO-style multi technology style proximity card appropriate for dye sublimation imaging with magnetic stripe.	\$4.58	\$3.21
AC-FP-CARD-PSI-4-H	PSI-4 Image Technology Proximity Card - Thicker-format (0.046 inches (1.17 mm)) proximity card appropriate for dye sublimation imaging.	\$2.25	\$1.58
AC-FP-TAG-PSK-3-H	PSK-3 Proximity Key Ring Tag - Small proximity tag designed to be carried on a key ring, includes a re-enforcing brass eyelet, and is backed by a lifetime warranty.	\$5.00	\$3.50
AC-FP-TAG-PDT-1-H	Model PDT-1 Proximity Disc Tag - Has an adhesive on one side that allows for the prox-enabling of a variety of non RFID devices, including ID credentials, cell phones and wallets. The PDT-1 offers a read range up to 3.5 inches (88.9 mm) when used with a P-500. Model P-PDT-1-H is 125 HID kHz compatible, while PDT-1-A is 125 kHz AWD compatible.	\$2.67	\$1.87
Pyramid Series 125 kHz Proximity Contactless Readers			
AC-FP-READ-P-300-H	P-300 Cascade Proximity Reader - Designed to be mounted to metal door and window frames	\$93	\$65
AC-FP-READ-P-500-H	P-500 Alps Proximity Reader - Designed to be mounted to a standard North American single-gang wall switch box.	\$107	\$75
AC-FP-READ-P-640-H	P-640 Patagonia Proximity Reader and Keypad - Designed to be mounted directly to standard North American sized single-gang wall box, and integrates both a proximity reader and keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number (PIN).	\$283	\$198
AC-FP-READ-P-710-H	P-710 Andes Proximity Reader - Intended for applications calling for heightened levels of convenience, such as parking lots and high-volume employee entrances.	\$321	\$225
AC-FP-READ-P-900-H	P-900 Proximity Reader - A high performance design, it is classified as a long range reader, and is capable of delivering read ranges of up to 20-inches (508 mm). The longer read range of the P-900 adds convenience to a wide range of access applications, including turnstiles and parking control.	\$636	\$445
Delta Series Contactless Smart Cards MUST Specify Bit No., Facility Code No., and Start/Stop Number			
AC-FP-CARD-DC1-1	DC1-1 Delta Clamshell Contactless Smartcard - ISO14443-compliant, clamshell-style contactless smartcard card with a 1K-byte memory. Constructed of durable ABS, it is backed by a lifetime warranty. Memory of the model number DC4-1 is 4K-bytes	\$2.75	\$1.93
AC-FP-CARD-DC4-1	DC4-1 Delta Clamshell Contactless Smartcard - ISO14443-compliant, clamshell-style contactless smartcard card with a 4K-byte memory. Constructed of durable ABS, it is backed by a lifetime warranty.	\$4.08	\$2.86
AC-FP-CARD-DM1-3	DM1-3 Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 1K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style).	\$2.92	\$2.04
AC-FP-CARD-DM4-3	DM4-3 Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 4K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style).	\$4.42	\$3.09
AC-FP-CARD-DM1-3S	DM1-3S Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 1K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style) - with a magnetic stripe.	\$3.42	\$2.39
AC-FP-CARD-DM4-3S	DM4-3S Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 4K-byte memory. Manufactured from glossy PVC, it is appropriate for dye sublimation imaging (ISO style) - with a magnetic stripe.	\$5.17	\$3.62
AC-FP-FOB-DK1-3	DK1-3 Delta Keyfob Contactless Smartcard Credential - ISO14443-compliant key tag-style contactless smartcard credential with a 1K-byte memory. It is designed to be carried on a key ring, and includes a brass reinforcing eyelet.	\$5.58	\$3.91
AC-FP-FOB-DK4-3	DK4-3 Delta Keyfob Contactless Smartcard Credential - ISO14443-compliant key tag-style contactless smartcard credential with a 4K-byte memory. It is designed to be carried on a key ring, and includes a brass reinforcing eyelet.	\$8.50	\$5.95
Delta™ Series Contactless Readers			
AC-FP-READ-DELTA3-SECTOR	Delta3 Contactless Smartcard Reader - With a compact design the model Delta3 may be mounted to metal door or window frames, and other flat surfaces.	\$155	\$108
AC-FP-READ-DELTA3-CSN	Delta3 Contactless Smartcard Reader - With a compact design the model Delta3 may be mounted to metal door or window frames, and other flat surfaces.	\$93	\$65
AC-FP-READ-DELTA5-SECTOR	Delta5 Contactless Smartcard Reader - With a thin profile the model Delta5 may be mounted to a standard North American single-gang wall switch box, and other flat surfaces.	\$179	\$125
AC-FP-READ-DELTA5-CSN	Delta5 Contactless Smartcard Reader - With a thin profile the model Delta5 may be mounted to a standard North American single-gang wall switch box, and other flat surfaces.	\$107	\$75
AC-FP-READ-DELTA5.3-SECTOR	Delta5.3 Contactless Smartcard Reader - With distinctive contemporary styling the model Delta5.3 lends itself to mounting to a standard European-sized (60 mm) wall switch box, and other flat surfaces.	\$179	\$125
AC-FP-READ-DELTA5.3-CSN	Delta5.3 Contactless Smartcard Reader - With distinctive contemporary styling the model Delta5.3 lends itself to mounting to a standard European-sized (60 mm) wall switch box, and other flat surfaces.	\$107	\$75
AC-FP-READ-DELTA6.4-SECTOR	Delta6.4 Contactless Smartcard Reader and Keypad - The model Delta6.4 is designed to be mounted directly to a standard North American sized single-gang wall box, and integrates both a contactless smartcard reader (13.56-MHz) and a keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number (PIN).	\$333	\$233
AC-FP-READ-DELTA6.4-CSN	Delta6.4 Contactless Smartcard Reader and Keypad - The model Delta6.4 is designed to be mounted directly to a standard North American sized single-gang wall box, and integrates both a contactless smartcard reader (13.56-MHz) and a keypad into a single-unit making it ideal for applications requiring an access credential and/or personal identification number (PIN).	\$283	\$198
Field Programmers			
AC-FP-CARD-COG-125	CoG 1000 Cards on the Go™ - 125-kHz only	\$1,183	\$828
AC-FP-CARD-COG-1356	CoG 1000 Cards on the Go™ - 13.56 MHz only	\$1,183	\$828

Ranger™ Long Range Transmitters and Receivers comprise Farpointe Data's long range radio frequency identification (RFID) solution, offering exceptionally long and secure transmission ranges of up to 150-feet (45 m). At the click of a button users will find Ranger™ ideal for a host of electronic access control demanding applications, such as opening parking gates, raising and lowering vehicle barriers, and sliding open doors, as well as those applications requiring emergency duress. And like a proximity tag, each Ranger™ Transmitter may also be used as a short range proximity credential, compatible with the entire range of Pyramid Series Proximity™ readers.

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Farpointe Data Hardware & Accessories			
Farpointe Data – Readers & Cards			
No minimum quantities are required for any Farpointe Data product orders Add \$.30 to card price for slot punching and indicate so on PO			
Model No.	Description	MSRP	ACSP Price 30%
Ranger™ Long Range Receiver (Reader)			
AC-FP-REC-WRR-42	WRR-42 Ranger Receiver - Long range radio-type receiver, features a Transmitter receive range of up to 150-feet (46-m), and is ideal for applications involving vehicle or disabled access.	\$298	\$209
Ranger™ Long Range Transmitters (Credential)			
AC-FP-TRANS-WRT-2+H	WRT-2+ Ranger Two Button Long Range Transmitter - 2-button clicker-type access credential, featuring both long range (upon button push) and proximity operation.	\$29	\$20
AC-FP-TRANS-WRT-4+H	WRT-4+ Ranger Four-Button Long Range Transmitter - 4-button clicker-type access credential, featuring both long range (upon button push) and proximity operation.	\$29	\$20
Note: Add a Key-Ring to your Transmitter for only \$0.70			
	Notes		
	All prices in US Dollars exclusive of taxes and freight		
	Avigilon reserves the right to make changes to pricing and discount margins.		

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

EasyLobby			
Model No.	Description	MSRP	ACSP Price 30%
HID EasyLobby® Visitor Management			
AC-HID-EL-96000-SVM10	SVM™ (main application) per workstation, includes Free Administrator™	\$2,700	\$1,890
AC-HID-EL-96300-ADM10	Administrator™ (additional licenses) per workstation	\$533	\$373
AC-HID-EL-98000-EADV10	eAdvance™ (web pre-registration) per web server	\$3,233	\$2,263
AC-HID-EL-96200-SAT	Satellite™ (check point station) per workstation	\$1,067	\$747
HID EasyLobby® Visitor Management Software Upgrades			
AC-HID-EL-SVM10-UPGRD	SVM software upgrade to SVM10	\$2,150	\$1,505
AC-HID-EL-EADV-UPGRD	eAdvance software upgrade to latest version	\$2,667	\$1,867
AC-HID-EL-ACI-UPGRD	Access control integration upgrade to latest version	\$2,667	\$1,867
Printers, Badge Stock, & Avigilon Access Control Manager PACS Integration Software			
AC-HID-EL-DYMO-450T	DYMO 450 Turbo Thermal Printer (B&W)	\$320	\$224
AC-HID-EL-DYMO-30856	DYMO 30856 non-adhesive badges (250)	\$38	\$26
AC-HID-EL-DYMO-30911	DYMO 30911 adhesive self-expiring badges (250)	\$65	\$45
AC-HID-EL-ACI-AVIG	Access Control Integration - Access Control Manager from EasyLobby - Must also purchase Avigilon - AC-SW-LIC-REST	\$3,233	\$2,263
	Notes		
	<i>All prices in US Dollars exclusive of taxes and freight</i>		
	<i>Avigilon reserves the right to make changes to pricing and discount margins.</i>		

Avigilon Access Control Price List - USD

Effective July 29, 2014

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website or made available for general public distribution without prior written authorization.

Avigilon Warranty & Support Information	
Avigilon Technical Support	
All products sold by Avigilon are supported by Avigilon Technical Support. Technical Support regular hours are from 12:00am to 6:00pm PST (8:00am to 2:00am UTC/GMT) and emergency technical support is available 24 hours a day / 7 days a week. Please visit http://www.avigilon.com/contact-us for contact details.	
Avigilon Access Control Manager Software Upgrade & Support Policy	
All installation and use of Avigilon software is governed by its end user license agreement (EULA). Software upgrades, support and problem resolution are available through Avigilon Technical Support for the current 'major release' of all Avigilon software and one previous generation. A 'major release' is defined as an increase in the primary version number to the left of the first decimal point in the software version number. Typically a major release will occur every 18-24 months, fees may apply to upgrade a system between major versions. The introduction of add-ons or plug-in modules will be made available to the core Avigilon Access Control Manager software package at an additional fee.	
Avigilon Access Control Manager Software Licensing and Activation Policy	
License activation is required to install and use Avigilon Access Control Manager, license activation allows Avigilon to verify that license keys are genuine and being used as allowed by the end-user license agreement. All ACM licenses may only be activated on a single appliance. For the current 'major release' and one previous generation of Avigilon Access Control Manager, the end-user of a license may request in writing to Avigilon to activate the license on a different appliance. When activated on a new appliance the license may no longer be active on any other appliances, the continued use of a license on multiple appliance will be considered a violation of the end-user license agreement. If a license enabling multiple features has been activated it is not possible to transfer a subset of the enabled features to a second appliance. Licenses must be transferred in whole as covered by the licensing and activation policy.	
Avigilon Product Warranty	
To the extent that Avigilon products or third party products sold by Avigilon are protected by warranties, the terms and conditions of such warranties are set out in the applicable product documentation. For further information, please see the appropriate product documentation or visit Avigilon.com.	



UNIVERSITY OF OKLAHOMA
PURCHASING DEPARTMENT
2750 VENTURE DRIVE
NORMAN, OK 73069
TELEPHONE: (405) 325-2811

Request for Proposal

RFP NO R-15442-15

ISSUED 01/14/15

CLOSING DATE 02/05/15

CLOSING TIME 2:00 PM CST

Request for Proposal to the Board of Regents of the University of Oklahoma (OU) to furnish the University with Avigilon Video Management Software.

Note: ***If your company will not be responding, please notify Purchasing and no further addenda will be sent. See original Request for Proposal for Purchasing contact name, telephone and fax numbers for this Solicitation.***

ADDENDUM 1 dated 01/22/2015

The University has scheduled a conference call for Monday, January 26, 2015 at 11:00am CST for potential bidders to ask questions regarding this RFP.

We have received a request for a site visit to look at the current configuration and it has been decided that this information can be provided though a conference call.

The following is the conference call information. Please email Craig Sisco at craig-sisco@ouhsc.edu to confirm your attendance.

When: Monday, January 26, 2015 11:00 AM-12:00 PM. (UTC-06:00)
Central Time (US & Canada)

Where: Conference Bridge

Please use the conference bridge below.

Access Number: 1-800-832-0736

Room Number: *4851232#


Josh Heenan

For questions regarding this Addendum contact:
Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu
Fax (405) 360-0481



UNIVERSITY OF OKLAHOMA
PURCHASING DEPARTMENT
2750 VENTURE DRIVE
NORMAN, OK 73069
TELEPHONE: (405) 325-2811

JA
Jan

Request for Proposal

RFP NO R-15442-15

ISSUED 01/14/15

CLOSING DATE 02/05/15

CLOSING TIME 2:00 PM CST

Request for Proposal to the Board of Regents of the University of Oklahoma (OU) for Avigilon Video Management Software for the Information Technology department on the Norman, OK campus.

Note: ***If your company will not be responding, please notify Purchasing and no further addenda will be sent. See original Request for Proposal for Purchasing contact name, telephone and fax numbers for this Solicitation.***

ADDENDUM 2 dated 01/29/2015

The University has issued this addendum based on information that was provided during the conference call on January 26, 2015. The following are the highlights from the meeting.

- 1) A questions was asked if there was enough rack space to house temporary servers to allow for cutover without data loss. OU responded that there is sufficient space.
- 2) It was also asked if OU planned to keep the servers or use existing. It was explained that we intend to use the existing servers for the new system and that temporary servers used to prevent video loss would come out after successful cutover and all video successfully "saved".
- 3) It was asked if the 37 new cameras were additional or included in the 1418 license count. OU response was that they are included.
- 4) It was asked about the number of workstations for viewing. OU explained there are 250 viewing accounts approximately 50 of which are OU Police Department (OUPD) who share a couple of workstations.

For questions regarding this Addendum contact:
Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu
Fax (405) 360-0481



UNIVERSITY OF OKLAHOMA

PURCHASING DEPARTMENT

2750 VENTURE DRIVE

NORMAN, OK 73069

TELEPHONE: (405) 325-2811

- 5) It was asked if all servers are in one location. OU responded, yes they are all located in the SS Data Center in 4 Partners Place (4PP).
- 6) It was also asked if we needed all 1418 licenses. OU response was yes – to cover anticipated expansion.
- 7) A vendor on the call brought up about configuring the new system so the camera motion records since each camera has to be set with motion zones before it will record along with the various AD groups/permissions and views will need to be configured. Another vendor though OU were purchasing equipment and not just the software/configuring, etc. OU's response; The temp servers provided would be required for about 6 weeks to 180 days unless there is a way to transfer all the archived footage from the 90 days on the temp systems to the rebuilt production systems so we have no loss and all 90 days on the rebuilt systems.

As a reminder, this RFP will close on Thursday, February 5, 2015 at 2:00 PM CST. All responses must be sealed and mailed or delivered to the University Purchasing office by the date and time and per the instructions listed in the RFP document to be considered. Faxed or emailed responses will not be accepted.

No further questions will be accepted and this will be the final addendum issued in regards to this RFP.

For questions regarding this Addendum contact:
Craig Sisco, C.P.O., Acquisitions Manager, craig-sisco@ouhsc.edu
Fax (405) 360-0481